acc. to Regulation (EC) No. 1907/2006 (REACH)

Potassium hydroxide in ethanol 0,1 mol/l - 0,1 N, volumetric standard solution, denatured

article number: **P706** Version: **3.0 en** Replaces version of: 2022-09-15 Version: (2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Potassium hydroxide in ethanol 0,1 mol/l - 0,1 N, volumetric standard solution, denatured

Article number

P706

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory and analytical use Laboratory chemical

Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

| Name | Street | Postal code/city | Telephone | Website |
|--|-----------|----------------------|--------------|---------|
| National Poisons Information Service City Hospital | Dudley Rd | B187QH Birmingham | 844 892 0111 | |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

| Section | Hazard class | Cat- egory | Hazard class and category | Hazard statement |
|---------|--|---------------|------------------------------|---------------------|
| 2.6 | Flammable liquid | 2 | Flam. Liq. 2 | H225 |
| 2.16 | Substance or mixture corrosive to metals | 1 | Met. Corr. 1 | H290 |
| 3.2 | 3.2 Skin corrosion/irritation | | Skin Irrit. 2 | H315 |
| 3.3 | Serious eye damage/eye irritation | 2 | Eye Irrit. 2 | H319 |

For full text of abbreviations: see SECTION 16



date of compilation: 2019-09-13 Revision: 2024-04-02

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium hydroxide in ethanol 0,1 mol/l - 0,1 N, volumetric standard solution, denatured

article number: P706


The most important adverse physicochemical, human health and environmental effects The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling

Signal word Danger

Pictograms





Hazard statements

| H225 | Highly flammable liquid and vapour |
|------|------------------------------------|
| H290 | May be corrosive to metals |
| H315 | Causes skin irritation |
| H319 | Causes serious eye irritation |

Precautionary statements

Precautionary statements - prevention

| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition |
|------|---|
| | sources. No smoking |
| P280 | Wear protective gloves/eye protection |

Precautionary statements - response

| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower] |
|----------------|---|
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing |
| P337+P313 | If eye irritation persists: Get medical advice/attention |

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of \ge 0,1%.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium hydroxide in ethanol 0,1 mol/l - 0,1 N, volumetric standard solution, denatured

article number: P706

| Description of the mixture | | | | | | | | | |
|----------------------------|---|-----------|---|------------|--------|--|--|--|--|
| Name of sub- stance | Identifier | Wt% | Classification acc. to GHS | Pictograms | Notes | | | | |
| Ethanol | CAS No 64-17-5 EC No 200-578-6 Index No 603-002-00-5 | 85 - < 90 | Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 | | GHS-HC | | | | |
| Potassium hydroxide | CAS No 1310-58-3 EC No 215-181-3 Index No 019-002-00-8 | < 1 | Met. Corr. 1 / H290 Acute Tox. 4 / H302 Skin Corr. 1A / H314 Eye Dam. 1 / H318 | | GHS-HC | | | | |

Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/ 2008/EC, Annex VI)

| Name of sub- stance | Identifier | Specific Conc. Limits | M-Factors | ATE | Exposure route |
|--------------------------|---|--|------------------|-----------------------------------|-------------------|
| Potassium hy- droxide | CAS No 1310-58-3 EC No 215-181-3 | Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0,5 % ≤ C < 2 % Eye Dam. 1; H318: C ≥ 2 % Eye Irrit. 2; H319: 0,5 % ≤ C < 2 % | - | 333 ^{mg} / _{kg} | oral |

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium hydroxide in ethanol 0,1 mol/l - 0,1 N, volumetric standard solution, denatured

article number: P706

4.2 Most important symptoms and effects, both acute and delayed

Vomiting, Irritation, Cough, Dizziness, The product causes narcotic-like effects, Inebriation, Corrosive, Diminished responsiveness, Poisoning effect on central nervous system can cause convulsions, laboured breathing and loss of consciousness

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO $_2$), May produce toxic fumes of carbon monoxide if burning.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

acc. to Regulation (EC) No. 1907/2006 (REACH)

Potassium hydroxide in ethanol 0,1 mol/l - 0,1 N, volumetric standard solution, denatured



article number: P706

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium hydroxide in ethanol 0,1 mol/l - 0,1 N, volumetric standard solution, denatured

article number: P706

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| Cou ntr y | Name of agent | CAS No | Identi- fier | TW A [pp m] | TWA [mg/ m³] | STE L [pp m] | STEL [mg/ m³] | Ceil ing- C [pp m] | Ceil- ing-C [mg/ m³] | Nota- tion | Source |
|-----------------|---------------------|---------------|-----------------|----------------------|--------------------|-----------------------|---------------------|--------------------------------|-------------------------------|---------------|---------------|
| GB | potassium hydroxide | 1310-58- 3 | WEL | | | | 2 | | | | EH40/ 2005 |
| GB | ethanol | 64-17-5 | WEL | 1.00 0 | 1.920 | | | | | | EH40/ 2005 |

Notation

TWA

Ceiling-C Ceiling value is a limit value above which exposure should not occur

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) STEL

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components

| | • | | | | | |
|--------------------------|-----------|---------------|---------------------|--|-------------------|------------------------------|
| Name of sub- stance | CAS No | End- point | Threshol d level | Protection goal, route of exposure | Used in | Exposure time |
| Potassium hydrox- ide | 1310-58-3 | DNEL | 1 mg/m³ | human, inhalat- ory | worker (industry) | chronic - local ef- fects |

8.2 **Exposure controls**

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as

acc. to Regulation (EC) No. 1907/2006 (REACH)

Potassium hydroxide in ethanol 0,1 mol/l - 0,1 N, volumetric standard solution, denatured

article number: P706

- a guide.
- type of material

Butyl caoutchouc (butyl rubber)

• material thickness

0,7 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• Splash protection - Protective gloves

- type of material: CR: chloroprene (chlorobutadiene) rubber
- material thickness: 0,65 mm
- breakthrough times of the glove material:

>60 minutes (permeation: level 3)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 $^{\circ}$ C, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Physical state | liquid |
|--|--|
| Colour | clear |
| Odour | like: - alcohol |
| Melting point/freezing point | ~-114 °C |
| Boiling point or initial boiling point and boiling range | ~78 °C |
| Flammability | flammable liquid in accordance with GHS criteria |
| Lower and upper explosion limit | 3,1 vol% (LEL) - 27,7 vol% (UEL) |
| Flash point | 12 °C |
| Auto-ignition temperature | 425 °C |
| Decomposition temperature | not relevant |
| pH (value) | 14 |
| Kinematic viscosity | not determined |



acc. to Regulation (EC) No. 1907/2006 (REACH)

Potassium hydroxide in ethanol 0,1 mol/l - 0,1 N, volumetric standard solution, denatured



article number: **P706**

| Solubility(ies) | |
|---|--|
| Water solubility | miscible in any proportion |
| Partition coefficient | |
| Partition coefficient n-octanol/water (log value): | this information is not available |
| | |
| Vapour pressure | 59 hPa |
| Density and/or relative density | |
| Density | ~0,827 ^g / _{cm³} at 20 °C |
| Relative vapour density | Information on this property is not available. |
| | |
| Particle characteristics | not relevant (liquid) |
| Other safety parameters | |
| Oxidising properties | none |
| Other information | |
| Information with regard to physical hazard classes: | |
| Corrosive to metals | category 1: corrosive to metals |
| Other safety characteristics: | |
| Miscibility | completely miscible with water |
| | |

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

The mixture contains reactive substance(s). Risk of ignition. Substance or mixture corrosive to metals. Vapours may form explosive mixtures with air.

If heated

Risk of ignition.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Strong acid, Nitric acid, Hydrogen peroxide, Alkali metal, Alkaline earth metal, Chlorine, Fluorine, Silver, Permanganates

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

different different metals

acc. to Regulation (EC) No. 1907/2006 (REACH)

Potassium hydroxide in ethanol 0,1 mol/l - 0,1 N, volumetric standard solution, denatured



article number: P706

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

| Acute toxicity estimate (ATE) of components | | | | | | | |
|---|-----------|------|-----------------------------------|--|--|--|--|
| Name of substance CAS No Exposure route ATE | | | | | | | |
| Potassium hydroxide | 1310-58-3 | oral | 333 ^{mg} / _{kg} | | | | |

Acute toxicity of components

| Name of substance | CAS No | Exposure route | Endpoint | Value | Species |
|---------------------|-----------|-------------------------|----------|--------------------------------------|---------|
| Ethanol | 64-17-5 | oral | LD50 | 10.470 ^{mg} / _{kg} | rat |
| Ethanol | 64-17-5 | inhalation: va- pour | LC50 | 124,7 ^{mg} /ı/4h | rat |
| Potassium hydroxide | 1310-58-3 | oral | LD50 | 333 ^{mg} / _{kg} | rat |

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

acc. to Regulation (EC) No. 1907/2006 (REACH)

Potassium hydroxide in ethanol 0,1 mol/l - 0,1 N, volumetric standard solution, denatured



article number: P706

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

nausea, vomiting, poisoning effect on central nervous system can cause convulsions, laboured breathing and loss of consciousness

• If in eyes

Causes serious eye irritation

• If inhaled

cough, pain, choking, and breathing difficulties

• If on skin

causes skin irritation

• Other information

Corrosive, Irritant, Cough, Inebriation

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

| Aquatic toxicity (a | atic toxicity (acute) of components | | | | | | |
|------------------------|-------------------------------------|----------|--------------------------------------|-----------------------|------------------|--|--|
| Name of sub- stance | CAS No | Endpoint | Value | Species | Exposure time | | |
| Ethanol | 64-17-5 | LC50 | 15.400 ^{mg} / _l | fish | 96 h | | |
| Ethanol | 64-17-5 | EC50 | >10.000 ^{mg} / _l | aquatic invertebrates | 48 h | | |
| Ethanol | 64-17-5 | ErC50 | 22.000 ^{mg} / _l | algae | 96 h | | |

Aquatic toxicity (chronic) of components

| 1 2 | • | | | | |
|------------------------|---------|----------|------------------------------------|-----------------------|------------------|
| Name of sub- stance | CAS No | Endpoint | Value | Species | Exposure time |
| Ethanol | 64-17-5 | LC50 | 1.806 ^{mg} / _l | aquatic invertebrates | 10 d |
| Ethanol | 64-17-5 | ErC50 | 675 ^{mg} /l | algae | 4 d |

acc. to Regulation (EC) No. 1907/2006 (REACH)

Potassium hydroxide in ethanol 0,1 mol/l - 0,1 N, volumetric standard solution, denatured



article number: P706

12.2 Persistence and degradability

| Process of degradability | | |
|--------------------------|------------------|------|
| Process | Degradation rate | Time |
| biotic/abiotic | 94 % | d |

Degradability of components

| | - | | | | | - |
|-------------------|---------|-----------------------|-----------------------|------|--------|--------|
| Name of substance | CAS No | Process | Degrada- tion rate | Time | Method | Source |
| Ethanol | 64-17-5 | biotic/abiotic | 94 % | d | | |
| Ethanol | 64-17-5 | oxygen deple- tion | 69 % | 5 d | | ECHA |
| Ethanol | 64-17-5 | oxygen deple- tion | 84 % | 10 d | | ECHA |
| Ethanol | 64-17-5 | oxygen deple- tion | 97 % | 20 d | | ECHA |

12.3 Bioaccumulative potential

Data are not available.

| Bioaccumulative potentia | al of componen | ts | | |
|--------------------------|----------------|-----|---------|----------|
| Name of substance | CAS No | BCF | Log KOW | BOD5/COD |
| Ethanol | 64-17-5 | | -0,31 | 0,6211 |

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\ge 0,1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Potassium hydroxide in ethanol 0,1 mol/l - 0,1 N, volumetric standard solution, denatured



article number: P706

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

HP 3 flammable

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

| 14.1 | UN number or ID number | |
|-------|--|--|
| | ADRRID | UN 2924 |
| | IMDG-Code | UN 2924 |
| | ICAO-TI | UN 2924 |
| 14.2 | UN proper shipping name | |
| | ADRRID | FLAMMABLE LIQUID, CORROSIVE, N.O.S. |
| | IMDG-Code | FLAMMABLE LIQUID, CORROSIVE, N.O.S. |
| | ICAO-TI | Flammable liquid, corrosive, n.o.s. |
| | Technical name (hazardous ingredients) | Ethanol, Potassium hydroxide |
| 14.3 | Transport hazard class(es) | |
| | ADRRID | 3 (8) |
| | IMDG-Code | 3 (8) |
| | ICAO-TI | 3 (8) |
| 14.4 | Packing group | |
| | ADRRID | II |
| | IMDG-Code | II |
| | ICAO-TI | II |
| 14.5 | Environmental hazards | non-environmentally hazardous acc. to the dan- gerous goods regulations |
| A A C | | |

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium hydroxide in ethanol 0,1 mol/l - 0,1 N, volumetric standard solution, denatured

article number: P706

| 14.8 Information for each of the UN Model Regulation | 14.8 | Information | for each of the | UN Model Reg | ulations |
|--|------|-------------|-----------------|---------------------|----------|
|--|------|-------------|-----------------|---------------------|----------|

| Proper shipping name | FLAMMABLE LIQUID, CORROSIVE, N.O.S. |
|--|---|
| Particulars in the transport document | UN2924, FLAMMABLE LIQUID, CORROSIVE, N.O.S., (contains: Ethanol, Potassium hydroxide), 3 (8), II, (D/E) |
| Classification code | FC |
| Danger label(s) | 3+8 |
| | |
| Special provisions (SP) | 274 |
| Excepted quantities (EQ) | E2 |
| Limited quantities (LQ) | 1 L |
| Transport category (TC) | 2 |
| Tunnel restriction code (TRC) | D/E |
| Hazard identification No | 338 |
| Emergency Action Code | 3WE |
| Regulations concerning the International (| Carriage of Dangerous Goods by Rail (RID)Additional |
| Classification code | FC |
| Danger label(s) | 3+8 |
| | |
| Special provisions (SP) | 274 |
| Excepted quantities (EQ) | E2 |
| Limited quantities (LQ) | 1 L |
| Transport category (TC) | 2 |
| Hazard identification No | 338 |
| International Maritime Dangerous Goods (| Code (IMDG) - Additional information |
| Proper shipping name | FLAMMABLE LIQUID, CORROSIVE, N.O.S. |
| Particulars in the shipper's declaration | UN2924, FLAMMABLE LIQUID, CORROSIVE, N.O.S., (contains: Ethanol, Potassium hydroxide), 3 (8), II, 12°C c.c. |
| Marine pollutant | - |
| Danger label(s) | 3+8 |
| | |

8

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium hydroxide in ethanol 0,1 mol/l - 0,1 N, volumetric standard solution, denatured

| article number: P706 | |
|---|---|
| Special provisions (SP) | 274 |
| Excepted quantities (EQ) | E2 |
| Limited quantities (LQ) | 1 L |
| EmS | F-E, S-C |
| Stowage category | В |
| International Civil Aviation Organization (| ICAO-IATA/DGR) - Additional information |
| Proper shipping name | Flammable liquid, corrosive, n.o.s. |
| Particulars in the shipper's declaration | UN2924, Flammable liquid, corrosive, n.o.s., (con- tains: Ethanol, Potassium hydroxide), 3 (8), II |
| Danger label(s) | 3+8 |
| | |
| Special provisions (SP) | A3 |
| Excepted quantities (EQ) | E2 |
| Limited quantities (LQ) | 0,5 L |
| | |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

| 2012/ | 2012/18/EU (Seveso III) | | | | | | |
|-------|---------------------------------------|--|--------|-------|--|--|--|
| No | Dangerous substance/hazard categories | Qualifying quantity plication of lower quire | | Notes | | | |
| P5c | flammable liquids (cat. 2, 3) | 5.000 | 50.000 | 51) | | | |

Notation

51) Flammable liquids, categories 2 or 3 not covered by P5a and P5b

Deco-Paint Directive

| VOC content | 90 % |
|--|-----------------------------------|
| VOC content (Water content was discounted) | 807,5 ^g / _l |

Industrial Emissions Directive (IED)

| VOC content | 90 % |
|--|-----------------------------------|
| VOC content (Water content was discounted) | 807,5 ^g / _l |

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium hydroxide in ethanol 0,1 mol/l - 0,1 N, volumetric standard solution, denatured

article number: P706

Regulation concerning the establishment of a European Pollutant Release and Transfer **Register (PRTR)**

none of the ingredients are listed

Water Framework Directive (WFD)

| List of pollutants (WFD) | | | | |
|--------------------------|--|--------|-----------|---------|
| Name of substance | Name acc. to inventory | CAS No | Listed in | Remarks |
| Potassium hydroxide | Metals and their compounds | | a) | |
| Ethanol | Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment | | a) | |

Legend

Indicative list of the main pollutants a)

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list none of the ingredients are listed

Restrictions according to GB REACH, Annex 17

| Dangerous substances with restrictions (GB REACH, Annex 17) | | | |
|---|--|--|----|
| Name of substance Name acc. to inventory CAS No No | | | |
| Potassium hydroxide in ethanol | this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC | | 3 |
| Ethanol | flammable / pyrophoric | | 40 |

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

acc. to Regulation (EC) No. 1907/2006 (REACH)

® §ROTH

Potassium hydroxide in ethanol 0,1 mol/l - 0,1 N, volumetric standard solution, denatured

article number: P706

| National inventories | | |
|----------------------|------------|-------------------------------------|
| Country | Inventory | Status |
| AU | AIIC | all ingredients are listed |
| CA | DSL | all ingredients are listed |
| CN | IECSC | all ingredients are listed |
| EU | ECSI | all ingredients are listed |
| EU | REACH Reg. | all ingredients are listed |
| JP | CSCL-ENCS | all ingredients are listed |
| JP | ISHA-ENCS | not all ingredients are listed |
| KR | KECI | all ingredients are listed |
| MX | INSQ | all ingredients are listed |
| NZ | NZIoC | all ingredients are listed |
| PH | PICCS | all ingredients are listed |
| TR | CICR | not all ingredients are listed |
| TW | TCSI | all ingredients are listed |
| US | TSCA | all ingredients are listed (ACTIVE) |
| VN | NCI | all ingredients are listed |

Legend

| Legena | |
|------------|---|
| AIIC | Australian Inventory of Industrial Chemicals |
| CICR | Chemical Inventory and Control Regulation |
| CSCL-ENCS | List of Existing and New Chemical Substances (CSCL-ENCS) |
| DSL | Domestic Substances List (DSL) |
| ECSI | EC Substance Inventory (EÌNEĆS, ELINCS, NLP) |
| IECSC | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ | National Inventory of Chemical Substances |
| ISHA-ENCS | Inventory of Existing and New Chemical Substances (ISHA-ENCS) |
| KECI | Korea Existing Chemicals Inventory |
| NCI | National Chemical Inventory |
| NZIoC | New Zealand Inventory of Chemicals |
| PICCS | Philippine Inventory of Chemicals and Chemical Substances (PICCS) |
| REACH Reg. | REACH registered substances |
| TCSI | Taiwan Chemical Substance Inventory |
| TSCA | Toxic Substance Control Act |
| | |

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|---|---|--------------------------|
| 2.3 | Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB. | Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance at a concentration of ≥ 0,1%. | yes |
| 2.3 | | Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%. | yes |

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium hydroxide in ethanol 0,1 mol/l - 0,1 N, volumetric standard solution, denatured

article number: **P706**

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|---|--|--------------------------|
| 15.1 | | VOC content (Water content was discounted): 807,5 ^g / _l | yes |
| 15.1 | | VOC content (Water content was discounted): 807,5 ^g / _l | yes |
| 15.1 | Restrictions according to GB REACH, Annex 17: none of the ingredients are listed | Restrictions according to GB REACH, Annex 17 | yes |
| 15.1 | | Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table) | yes |
| 15.1 | | National inventories: change in the listing (table) | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|------------|--|
| Acute Tox. | Acute toxicity |
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road) |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BOD | Biochemical Oxygen Demand |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| COD | Chemical oxygen demand |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union) |
| ED | Endocrine disruptor |
| EH40/2005 | EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| Eye Dam. | Seriously damaging to the eye |
| Eye Irrit. | Irritant to the eye |
| Flam. Liq. | Flammable liquid |

acc. to Regulation (EC) No. 1907/2006 (REACH)

Potassium hydroxide in ethanol 0,1 mol/l - 0,1 N, volumetric standard solution, denatured



article number: P706

| Abbr. | Descriptions of used abbreviations |
|-------------|--|
| GB REACH | The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| LEL | Lower explosion limit (LEL) |
| log KOW | n-Octanol/water |
| Met. Corr. | Substance or mixture corrosive to metals |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| ppm | Parts per million |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail) |
| Skin Corr. | Corrosive to skin |
| Skin Irrit. | Irritant to skin |
| STEL | Short-term exposure limit |
| TWA | Time-weighted average |
| UEL | Upper explosion limit (UEL) |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |
| WEL | Workplace exposure limit |

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

acc. to Regulation (EC) No. 1907/2006 (REACH)

Potassium hydroxide in ethanol 0,1 mol/l - 0,1 N, volumetric standard solution, denatured



article number: P706

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|--|
| H225 | Highly flammable liquid and vapour. |
| H290 | May be corrosive to metals. |
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.