acc. to Safe Work Australia - Code of Practice



Benzoic acid ≥99,5 %, p.a., ACS

article number: **P738** Version: **GHS 4.0 en** Replaces version of: 2023-07-19 Version: (GHS 3)

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substanceBenzoic acid ≥99,5 %, p.a., ACSArticle numberP738CAS number65-85-0Alternative name(s)Phenylformic acid

## **1.2** Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

## 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

#### e-mail (competent person):

## sicherheit@carlroth.de

## 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

# **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.9	Specific target organ toxicity - repeated exposure	1	STOT RE 1	H372

date of compilation: 2019-04-30

Revision: 2024-03-04

acc. to Safe Work Australia - Code of Practice

## Benzoic acid ≥99,5 %, p.a., ACS

#### article number: P738

For full text of abbreviations: see SECTION 16

**The most important adverse physicochemical, human health and environmental effects** Delayed or immediate effects can be expected after short or long-term exposure.

## 2.2 Label elements

## Labelling

Signal word Danger

#### **Pictograms**

GHS05, GHS08



#### **Hazard statements**

H315	Causes skin irritation
H318	Causes serious eye damage
H372	Causes damage to organs through prolonged or repeated exposure

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P260	Do not breathe dust/fume/gas/mist/vapours/spray
P280	Wear protective gloves

#### **Precautionary statements - response**

P302+P352	IF ON SKIN: Wash with plenty of soap and water
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing
P321	Specific treatment (see on this label)

#### **Precautionary statements - disposal**

P501 Dispose of contents/container to industrial combustion plant

## 2.3 Other hazards

## Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance	Benzoic acid
Molecular formula	$C_7H_6O_2$
Molar mass	122.1 <sup>g</sup> / <sub>mol</sub>
CAS No	65-85-0



acc. to Safe Work Australia - Code of Practice



## Benzoic acid ≥99,5 %, p.a., ACS

article number: P738

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

#### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### **Following ingestion**

Rinse mouth. Call a doctor if you feel unwell.

#### 4.2 Most important symptoms and effects, both acute and delayed

Irritation, Cough, Headache, Gastrointestinal complaints, Nausea, Vomiting, Diarrhoea, Dyspnoea, Risk of serious damage to eyes, Risk of blindness

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

#### Unsuitable extinguishing media

water jet

5.2

## Special hazards arising from the substance or mixture

Combustible. Vapours are heavier than air, spread along floors and form explosive mixtures with air.

## Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

acc. to Safe Work Australia - Code of Practice



## Benzoic acid ≥99,5 %, p.a., ACS

article number: **P738** 

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures



## For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

## 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

## 6.3 Methods and material for containment and cleaning up

## Advice on how to contain a spill

Covering of drains. Take up mechanically.

## Advice on how to clean up a spill

Take up mechanically. Control of dust.

## Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

## 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid dust formation.

## Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

## Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

## Conditions for safe storage, including any incompatibilities

Store in a dry place.

## Incompatible substances or mixtures

Observe hints for combined storage.

## Consideration of other advice:

## Ventilation requirements

Use local and general ventilation.

## Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

## 7.3 Specific end use(s)

No information available.

7.2

acc. to Safe Work Australia - Code of Practice



## Benzoic acid ≥99,5 %, p.a., ACS

## article number: **P738**

# **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## **National limit values**

## **Occupational exposure limit values (Workplace Exposure Limits)**

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m <sup>3</sup> ]	Nota- tion	Source
AU	nuisance dusts		WES	10			i	WES

#### Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur i Inhalable fraction STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related minute period (unless otherwise specified)

 

 STEL
 Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

 TWA
 Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

## Human health values

Relevant DN	Relevant DNELs and other threshold levels								
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time					
DNEL	3 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects					
DNEL	0.1 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects					
DNEL	62.5 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects					

## **Environmental values**

Relevant PNECs and other threshold levels								
End- point	Threshold level	Organism	Environmental com- partment	Exposure time				
PNEC	0.331 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	water	intermittent release				
PNEC	0.34 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)				
PNEC	0.034 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)				
PNEC	100 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)				
PNEC	1.75 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)				
PNEC	0.175 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)				
PNEC	0.151 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)				

## 8.2 Exposure controls

acc. to Safe Work Australia - Code of Practice

## Benzoic acid ≥99,5 %, p.a., ACS

article number: P738

## Individual protection measures (personal protective equipment)

## **Eye/face protection**

Use safety goggle with side protection.

## **Skin protection**



## hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.



acc. to Safe Work Australia - Code of Practice

## Benzoic acid ≥99,5 %, p.a., ACS

article number: **P738** 

# **SECTION 9: Physical and chemical properties**

9.1	Information on basic physical and chemical pro	perties
	Physical state	solid
	Form	powder, crystalline
	Colour	white
	Odour	characteristic
	Melting point/freezing point	122.4 °C (ECHA)
	Boiling point or initial boiling point and boiling range	249 °C at 1,013 hPa (ECHA)
	Flammability	this material is combustible, but will not ignite readily
	Lower and upper explosion limit	not determined
	Flash point	121 °C (c.c.)
	Auto-ignition temperature	not determined
	Decomposition temperature	not relevant
	pH (value)	2.5 – 3.5 (20 °C) (aqueous solution of the sub- stance)
	Kinematic viscosity	not relevant
	Solubility(ies)	
	Water solubility	3.5 <sup>g</sup> / <sub>l</sub> at 25 °C (ECHA)
	Partition coefficient	
	Partition coefficient n-octanol/water (log value):	1.88 (ECHA)
	Soil organic carbon/water (log KOC)	1.191 (ECHA)
	Vapour pressure	0.001 hPa at 20 °C
	Density and/or relative density	
	Density	1.321 <sup>g</sup> / <sub>cm³</sub> at 20 °C (ECHA)
	Bulk density	~500 <sup>kg</sup> / <sub>m³</sub>
	Particle characteristics	No data available.
	Other safety parameters	
	Oxidising properties	none
9.2	Other information	
	Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant



acc. to Safe Work Australia - Code of Practice

## Benzoic acid ≥99,5 %, p.a., ACS

#### article number: P738

Other safety characteristics:

Surface tension

67.5 <sup>mN</sup>/<sub>m</sub> (20 °C) (ECHA)

# SECTION 10: Stability and reactivity

### 10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

## 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

## 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Fluorine, Nitrites, Reducing agents, Oxygen, Strong alkali

## 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### **10.5** Incompatible materials

There is no additional information.

## **10.6 Hazardous decomposition products**

Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

## **11.1** Information on toxicological effects

## **Classification acc. to GHS**

## Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful if swallowed, in contact with skin or if inhaled.

Acute toxicity							
Exposure route	Endpoint	Value	Species	Method	Source		
oral	LD50	2,360 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA		
inhalation: dust/ mist	LC50	>12,200 <sup>mg</sup> / <sub>m³</sub> /4h	rat		ECHA		
dermal	LD50	>2,000 <sup>mg</sup> / <sub>kg</sub>	rabbit		ECHA		

## Skin corrosion/irritation

Causes skin irritation.

## Serious eye damage/eye irritation

Causes serious eye damage.

## Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

## Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

acc. to Safe Work Australia - Code of Practice

## Benzoic acid ≥99,5 %, p.a., ACS

article number: P738



## Carcinogenicity

Shall not be classified as carcinogenic.

## **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

## Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

## Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

gastrointestinal complaints, nausea, vomiting, diarrhoea

#### • If in eyes

Causes serious eye damage, risk of blindness

#### • If inhaled

irritant effects, cough, headache, Dyspnoea, varying degrees of pulmonary injury

## • If on skin

causes skin irritation

## Other information

none

## **11.2** Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Harmful to aquatic life.

Aquatic toxicity (act	Aquatic toxicity (acute)								
Endpoint	Value	Species	Source	Exposure time					
EC50	252 <sup>mg</sup> / <sub>l</sub>	Tetrahymena pyriformis	ECOTOX Database	48 h					
LC50	44.6 <sup>mg</sup> / <sub>l</sub>	bluegill	ECHA	96 h					
ErC50	>33.1 <sup>mg</sup> / <sub>l</sub>	algae	ECHA	72 h					

acc. to Safe Work Australia - Code of Practice

## Benzoic acid ≥99,5 %, p.a., ACS

article number: P738

Г

Aquatic toxicity (chronic)				
Endpoint	Value	Species	Source	Exposure time
EC50	>120 <sup>mg</sup> / <sub>l</sub>	rainbow trout (Onco- rhynchus mykiss)	ECHA	28 d
EC50	>25 <sup>mg</sup> /l	daphnia magna	ECHA	21 d

#### 12.2 Persistence and degradability

Theoretical Oxygen Demand: 1.965 <sup>mg</sup>/<sub>mg</sub> Theoretical Carbon Dioxide: 2.523 <sup>mg</sup>/<sub>mg</sub>

Process of degradability		
Process	Degradation rate	Time
biotic/abiotic	>70 %	5 d
carbon dioxide generation	89.5 %	35 d

#### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	1.88 (ECHA)
---------------------------	-------------

#### 12.4 Mobility in soil

The Organic Carbon normalised adsorption coefficient	1.191 (ECHA)
------------------------------------------------------	--------------

## 12.5 Results of PBT and vPvB assessment

Data are not available.

## 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

#### 12.7 Other adverse effects

Data are not available.

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

## Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.



acc. to Safe Work Australia - Code of Practice

## Benzoic acid ≥99,5 %, p.a., ACS

article number: P738

## Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H11 Toxic (Delayed or chronic)

## 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

# **SECTION 14: Transport information**

- 14.1 UN number
- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards
- 14.6 Special precautions for user

There is no additional information.

**14.7** Transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.

# 14.8 Information for each of the UN Model Regulations

**Transport informationNational regulationsAdditional information(UN RTDG)** Not subject to transport regulations. UN RTDG

**International Maritime Dangerous Goods Code (IMDG) - Additional information** Not subject to IMDG.

**International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information** Not subject to ICAO-IATA.

# **SECTION 15: Regulatory information**

**15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

## National regulations(Australia)

**Australian Inventory of Chemical Substances(AICS)** Substance is listed.

## Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.



not assigned

not assigned

not assigned

non-environmentally hazardous acc. to the dangerous goods regulations

not subject to transport regulations

acc. to Safe Work Australia - Code of Practice

## Benzoic acid ≥99,5 %, p.a., ACS

article number: P738



#### National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

#### Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

# **SECTION 16: Other information**

## Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes

acc. to Safe Work Australia - Code of Practice

## Benzoic acid ≥99,5 %, p.a., ACS



article number: P738

## Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
STEL	Short-term exposure limit
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

## Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

acc. to Safe Work Australia - Code of Practice



## Benzoic acid ≥99,5 %, p.a., ACS

article number: P738

## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H315	Causes skin irritation.
H318	Causes serious eye damage.
H372	Causes damage to organs through prolonged or repeated exposure.

## Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.