

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium dichromate $\geq 99,5\%$, p.a., ACS, ISO

article number: **P744**
Version: **5.0 en**
Replaces version of: 2021-12-20
Version: (4)

date of compilation: 2015-10-15
Revision: 2024-04-09

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance	Potassium dichromate $\geq 99,5\%$, p.a., ACS, ISO
Article number	P744
Index No (GB CLP)	024-002-00-6
EC number	231-906-6
CAS number	7778-50-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:	Laboratory chemical Laboratory and analytical use
Uses advised against:	Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone: +49 (0) 721 - 56 06 0

Telefax: +49 (0) 721 - 56 06 149

e-mail: sicherheit@carlroth.de

Website: www.carlroth.de

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

e-mail (competent person): sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium dichromate $\geq 99,5\%$, p.a., ACS, ISO

article number: P744

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
2.14	Oxidising solid	2	Ox. Sol. 2	H272
3.1O	Acute toxicity (oral)	3	Acute Tox. 3	H301
3.1D	Acute toxicity (dermal)	4	Acute Tox. 4	H312
3.1I	Acute toxicity (inhal.)	2	Acute Tox. 2	H330
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.4R	Respiratory sensitisation	1	Resp. Sens. 1	H334
3.4S	Skin sensitisation	1	Skin Sens. 1	H317
3.5	Germ cell mutagenicity	1B	Muta. 1B	H340
3.6	Carcinogenicity	1B	Carc. 1B	H350
3.7	Reproductive toxicity	1B	Repr. 1B	H360FD
3.8R	Specific target organ toxicity - single exposure (respiratory tract irritation)	3	STOT SE 3	H335
3.9	Specific target organ toxicity - repeated exposure	1	STOT RE 1	H372
4.1A	Hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	Hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

Signal word

Danger

Pictograms

GHS03, GHS05,
GHS06, GHS08,
GHS09



Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium dichromate $\geq 99,5\%$, p.a., ACS, ISO

article number: **P744**

Hazard statements

H272	May intensify fire; oxidiser
H301	Toxic if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H330	Fatal if inhaled
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335	May cause respiratory irritation
H340	May cause genetic defects
H350	May cause cancer
H360FD	May damage fertility. May damage the unborn child
H372	Causes damage to organs through prolonged or repeated exposure
H410	Very toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P202	Do not handle until all safety precautions have been read and understood
P270	Do not eat, drink or smoke when using this product

Precautionary statements - response

P302+P352	IF ON SKIN: Wash with plenty of water
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310	Immediately call a POISON CENTER/doctor

For professional users only

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Potassium dichromate
Molecular formula	$K_2Cr_2O_7$
Molar mass	294,2 g/mol
CAS No	7778-50-9
EC No	231-906-6
Index No (GB CLP)	024-002-00-6

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium dichromate $\geq 99,5\%$, p.a., ACS, ISO

article number: P744

Substance of Very High Concern (SVHC)				
Name of substance	CAS No	EC No	Listed in	Remarks
Potassium dichromate	7778-50-9	231-906-6	Annex XIV	Carc. 1B Muta. 1B Repr. 1B

Legend

Annex XIV List of substances subject to authorisation
Carc. 1B Carcinogenic (category 1B)
Muta. 1B Mutagenic (category 1B)
Repr. 1B Toxic for reproduction (category 1B)

Substance, Specific Conc. Limits, M-factors, ATE			
Specific Conc. Limits	M-Factors	ATE	Exposure route
STOT SE 3; H335: C $\geq 5\%$	-	67 mg/kg <2.000 mg/kg 0,083 mg/l/4h	oral dermal inhalation: dust/ mist

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure. In case of skin reactions, consult a physician.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Irritation, Corrosion, Cough, Cough, Asthmatic complaints, Dyspnoea, Allergic reactions, Risk of serious damage to eyes, Risk of blindness,
Following ingestion: Gastric perforation, Gastrointestinal complaints, Diarrhoea, Spasms, Cardiac arrhythmias, Unconsciousness, Methaemoglobinaemia

4.3 Indication of any immediate medical attention and special treatment needed

none

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium dichromate $\geq 99,5\%$, p.a., ACS, ISO

article number: P744

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings!
water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Oxidising property. Non-combustible.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium dichromate $\geq 99,5\%$, p.a., ACS, ISO

article number: P744

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use extractor hood (laboratory). Handle and open container with care. Provision of sufficient ventilation. Avoid exposure. Avoid dust formation. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits. Keep away from combustible material.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage. Keep/store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles.

Consideration of other advice:

Store locked up.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [mg/m ³]	STEL [mg/m ³]	Ceiling-C [mg/m ³]	Notation	Source
EU	chromium(VI) compounds	7778-50-9	IOELV	0,01			Cr, CrVI-limit	2017/2398/EU
GB	dust		WEL	10			i	EH40/2005
GB	dust		WEL	4			r	EH40/2005
GB	chromium(VI) compounds	7778-50-9	WEL	0,01			Cr	EH40/2005
GB	chromium(VI) compounds	7778-50-9	WEL	0,025			Cr, CrVI-pg	EH40/2005

Notation

Ceiling-C
Cr Ceiling value is a limit value above which exposure should not occur
Calculated as Cr (chromium)

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium dichromate $\geq 99,5\%$, p.a., ACS, ISO

article number: **P744**

Notation

CrVI-limit	Limit value 0,010 mg/m ³ until 17 January 2025 Limit value: 0,025 mg/m ³ for welding or plasma cutting processes or similar work processes that generate fume until 17 January 2025
CrVI-pg	Chromium (VI) compounds generated as a result of a work process, such as fumes from welding (process generated)
i	Inhalable fraction
r	Respirable fraction
STEL	Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Biological limit values

Country	Name of agent	CAS No	Parameter	Notation	Identifier	Value	Material	Source
GB	chromium(VI) compounds		chromium	crea	BMGV	10 $\mu\text{mol/mol}$	urine	EH40/2005

Notation

crea Creatinine

Environmental values

Relevant PNECs and other threshold levels				
Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	0 mg/l	aquatic organisms	freshwater	short-term (single instance)
PNEC	0,21 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	0,15 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	0,15 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
PNEC	0,035 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection. Wear face protection.

Skin protection



Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium dichromate $\geq 99,5$ %, p.a., ACS, ISO

article number: **P744**

• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

• material thickness

>0,11 mm


• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid
Form	crystalline
Colour	orange
Odour	odourless
Melting point/freezing point	398 °C (ECHA)
Boiling point or initial boiling point and boiling range	not determined
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	>400 °C

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium dichromate $\geq 99,5\%$, p.a., ACS, ISO

article number: **P744**

pH (value)	3,5 – 3,6 (in aqueous solution: 100 g/l, 20 °C)
Kinematic viscosity	not relevant
<u>Solubility(ies)</u>	
Water solubility	115 g/l (ECHA)
<u>Partition coefficient</u>	
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Vapour pressure	not determined
<u>Density and/or relative density</u>	
Density	2,68 g/cm ³ at 20 °C
Relative vapour density	Information on this property is not available.
Bulk density	~1.250 kg/m ³
Particle characteristics	No data available.
<u>Other safety parameters</u>	
Oxidising properties	oxidiser
9.2 Other information	
Information with regard to physical hazard classes:	There is no additional information.
Other safety characteristics:	There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Oxidising property.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Danger of explosion: Magnesium, Iron, Ammonium nitrate, Boron, Hydrazine, Reducing agents, Sulphuric acid, Acetic anhydride,
Exothermic reaction with: Strong alkali, Fluorine,
Release of an acute toxic gas: Metal powder, Acetone

10.4 Conditions to avoid

Keep away from heat. Decomposition takes place from temperatures above: >400 °C.

10.5 Incompatible materials

There is no additional information.

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium dichromate $\geq 99,5\%$ %, p.a., ACS, ISO

article number: P744

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Toxic if swallowed. Harmful in contact with skin. Fatal if inhaled.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	67 mg/kg	rat		ECHA
inhalation: dust/ mist	LC50	83 mg/m ³ /4h	rat		ECHA
dermal	LD50	<2.000 mg/kg	rabbit		ECHA

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Germ cell mutagenicity

May cause genetic defects.

Carcinogenicity

May cause cancer.

Reproductive toxicity

May damage the unborn child. May damage fertility.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

vomiting, gastrointestinal complaints, diarrhoea, Spasms, If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium dichromate $\geq 99,5$ %, p.a., ACS, ISO

article number: **P744**

- **If inhaled**

Irritation to respiratory tract, May produce an allergic reaction, cough, Dyspnoea

- **If on skin**

causes severe burns, causes poorly healing wounds, May produce an allergic reaction, pruritis, localised redness

- **Other information**

Other adverse effects: Liver and kidney damage, Cardiac arrhythmias, Methaemoglobinaemia, Unconsciousness

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium dichromate $\geq 99,5\%$, p.a., ACS, ISO

article number: **P744**

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- HP 2** oxidising
- HP 4** irritant - skin irritation and eye damage
- HP 5** specific target organ toxicity (STOT)/aspiration toxicity
- HP 6** acute toxicity
- HP 7** carcinogenic
- HP 8** corrosive
- HP 10** toxic for reproduction
- HP 11** mutagenic
- HP 13** sensitising
- HP 14** ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

ADRRID	UN 3086
IMDG-Code	UN 3086
ICAO-TI	UN 3086

14.2 UN proper shipping name

ADRRID	TOXIC SOLID, OXIDIZING, N.O.S.
IMDG-Code	TOXIC SOLID, OXIDIZING, N.O.S.
ICAO-TI	Toxic solid, oxidizing, n.o.s.
Technical name	Potassium dichromate

14.3 Transport hazard class(es)

ADRRID	6.1 (5.1)
IMDG-Code	6.1 (5.1)
ICAO-TI	6.1 (5.1)

14.4 Packing group

ADRRID	II
IMDG-Code	II
ICAO-TI	II

14.5 Environmental hazards

hazardous to the aquatic environment

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium dichromate $\geq 99,5\%$, p.a., ACS, ISO


article number: **P744**

14.7 Maritime transport in bulk according to IMO instruments


The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) Additional information

Proper shipping name	TOXIC SOLID, OXIDIZING, N.O.S.
Particulars in the transport document	UN3086, TOXIC SOLID, OXIDIZING, N.O.S., (Potassium dichromate), 6.1 (5.1), II, (D/E), environmentally hazardous
Classification code	TO2
Danger label(s)	6.1+5.1, "Fish and tree"
	
Environmental hazards	yes (hazardous to the aquatic environment)
Special provisions (SP)	274, 802(ADN)
Excepted quantities (EQ)	E4
Limited quantities (LQ)	500 g
Transport category (TC)	2
Tunnel restriction code (TRC)	D/E
Hazard identification No	65
Emergency Action Code	2W

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) Additional information

Classification code	TO2
Danger label(s)	6.1+5.1, "Fish and tree"
	
Environmental hazards	Yes Hazardous to water
Special provisions (SP)	274, 802(ADN)
Excepted quantities (EQ)	E4
Limited quantities (LQ)	500 g
Transport category (TC)	2
Hazard identification No	65

Safety data sheet Safety data sheet


acc. to Regulation (EC) No. 1907/2006 (REACH)




Potassium dichromate $\geq 99,5\%$, p.a., ACS, ISO

article number: **P744**

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name	TOXIC SOLID, OXIDIZING, N.O.S.
Particulars in the shipper's declaration	UN3086, TOXIC SOLID, OXIDIZING, N.O.S., (Potassium dichromate), 6.1 (5.1), II, MARINE POLLUTANT
Marine pollutant	YES (hazardous to the aquatic environment)
Danger label(s)	6.1+5.1, "Fish and tree"
	
Special provisions (SP)	274
Excepted quantities (EQ)	E4
Limited quantities (LQ)	500 g
EmS	F-A, S-Q
Stowage category	C

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name	Toxic solid, oxidizing, n.o.s.
Particulars in the shipper's declaration	UN3086, Toxic solid, oxidizing, n.o.s., (Potassium dichromate), 6.1 (5.1), II
Environmental hazards	YES (hazardous to the aquatic environment)
Danger label(s)	6.1+5.1
	
Special provisions (SP)	A5
Excepted quantities (EQ)	E4
Limited quantities (LQ)	1 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
H2	acute toxic (cat. 2 + cat. 3, inhal.)	50 200	41)
P8	oxidising liquids and solids	50 200	55)

Notation

- 41) - Category 2, all exposure routes
- category 3, inhalation exposure route
55) Oxidising liquids, category 1, 2 or 3, or oxidising solids, category 1, 2 or 3

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium dichromate $\geq 99,5\%$ %, p.a., ACS, ISO

article number: P744

Deco-Paint Directive

VOC content	0 %
VOC content	0 g/l

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content	0 g/l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Potassium dichromate	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		a)	
Potassium dichromate	Metals and their compounds		a)	

Legend

a) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium dichromate $\geq 99,5$ %, p.a., ACS, ISO

article number: **P744**

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

Substance of Very High Concern (SVHC) acc. to GB REACH and HSE			
Name of substance	CAS No	Listed in	Remarks
Potassium dichromate	7778-50-9	Annex XIV	Carc. A57a Muta. A57b Repr. A57c

Legend

Annex XIV List of substances subject to authorisation
Carc. A57a Carcinogenic (Article 57a)
Muta. A57b Mutagenic (Article 57b)
Repr. A57c Toxic for reproduction (Article 57c)

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
Potassium dichromate	Chromium VI compounds		47
Potassium dichromate	Chromium VI compounds		72
Potassium dichromate	carcinogenic		28
Potassium dichromate	germ cell mutagenic (mutagenic)		29
Potassium dichromate	toxic for reproduction		30

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium dichromate $\geq 99,5$ %, p.a., ACS, ISO

article number: **P744**

Legend

AIIC	Australian Inventory of Industrial Chemicals
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.	yes
14.8		Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information	yes
14.8		Classification code: TO2	yes
14.8		Danger label(s): 6.1+5.1, "Fish and tree"	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Environmental hazards: Yes Hazardous to water	yes
14.8		Special provisions (SP): 274, 802(ADN)	yes
14.8		Excepted quantities (EQ): E4	yes
14.8		Limited quantities (LQ): 500 g	yes

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium dichromate ≥99,5 %, p.a., ACS, ISO

article number: **P744**

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
14.8		Transport category (TC): 2	yes
14.8		Hazard identification No: 65	yes
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list		yes
15.1		Substance of Very High Concern (SVHC): change in the listing (table)	yes
15.1	VOC content: 0 % , 0 ^g /l	VOC content: 0 %	yes
15.1		VOC content: 0 ^g /l	yes
15.1		National regulations(GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list	yes
15.1		Substance of Very High Concern (SVHC) acc. to GB REACH and HSE: change in the listing (table)	yes
15.1		Restrictions according to GB REACH, Annex 17	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2017/2398/EU	Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium dichromate $\geq 99,5\%$, p.a., ACS, ISO

article number: **P744**

Abbr.	Descriptions of used abbreviations
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HSE	Health and Safety Executive
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
Muta.	Germ cell mutagenicity
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium dichromate $\geq 99,5$ %, p.a., ACS, ISO

article number: **P744**

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H301	Toxic if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H340	May cause genetic defects.
H350	May cause cancer.
H360FD	May damage fertility. May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.