according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Potassium iodate ≥99,4 %, p.a., ACS

article number: **P751** Version: **4.0 en** Replaces version of: 2022-07-12 Version: (3)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance	Potassium iodate ≥99,4 %, p.a., ACS
Article number	P751
Registration number (REACH)	01-2119920996-25-xxxx
EC number	231-831-9
CAS number	7758-05-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

Laboratory chemical

Laboratory and analytical use

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	+353 1 809 2166	https:// www.poisons.ie/

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.14	Oxidising solid	2	Ox. Sol. 2	H272
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319

date of compilation: 2016-06-13 Revision: 2024-03-02

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Potassium iodate ≥99,4 %, p.a., ACS

article number: P751

For full text of abbreviations: see SECTION 16

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms

GHS03, GHS07



Hazard statements

H272	May intensify fire; oxidiser
H302	Harmful if swallowed
H319	Causes serious eye irritation

Precautionary statements

Precautionary statements - prevention

P210	Keep away from heat, sparks, open flames, hot surfaces. No smoking
P220	Keep/store away from clothing/combustible materials
P280	Wear protective gloves/eye protection

Precautionary statements - response

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell P305+P351+P338 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)



2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Potassium iodate ≥99,4 %, p.a., ACS

article number: P751

3.1

SECTION 3: Composition/information on ingredients

Substances	
Name of substance	Potassium iodate
Molecular formula	KIO ₃
Molar mass	214 ^g / _{mol}
REACH Reg. No	01-2119920996-25-xxxx
CAS No	7758-05-6
EC No	231-831-9

Substance, Specific Conc. Limits, M-factors, ATE

Specific Conc. Limits	M-Factors	ATE	Exposure route
-	-	2.000 ^{mg} / _{kg}	oral

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Vomiting, Irritation

4.3 Indication of any immediate medical attention and special treatment needed

none

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Potassium iodate ≥99,4 %, p.a., ACS

article number: P751

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Oxidising property. Non-combustible.

Hazardous combustion products

Hydrogen iodide (HI)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Potassium iodate ≥99,4 %, p.a., ACS

article number: P751

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid dust formation.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits. Keep away from combustible material.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage. Keep/store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles.

Consideration of other advice:

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m ³]	Nota- tion	Source
IE	dusts, non-specific		OELV	10			i	S.I. No. 619 of 2001
IE	dusts, non-specific		OELV	4			r	S.I. No. 619 of 2001

Notation

Ceiling-CCeiling value is a limit value above which exposure should not occuriInhalable fractionrRespirable fractionSTELShort-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

TWA

minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Potassium iodate ≥99,4 %, p.a., ACS

article number: P751

ſ

Human health values				
Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	8,814 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Environmental values

Relevant PNECs and other threshold levels				
End- point	Threshold level	Organism	Environmental com- partment	Exposure time
PNEC	1 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
PNEC	0,1 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
PNEC	27,8 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	25,61 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	25,61 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
PNEC	5,867 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Potassium iodate ≥99,4 %, p.a., ACS

article number: P751

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid
Form	powder, crystalline
Colour	white
Odour	odourless
Melting point/freezing point	560 °C at 975 hPa (ECHA)
Boiling point or initial boiling point and boiling range	not determined
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	>560 °C
pH (value)	5 – 8 (in aqueous solution: 50 ^g / _l , 20 °C)
Kinematic viscosity	not relevant
Solubility(ies)	
Water solubility	70 ^g / _l at 25 °C (ECHA)
Partition coefficient	
Partition coefficient n-octanol/water (log value):	-1 (25 °C) (ECHA)
Soil organic carbon/water (log KOC)	1,503 (ECHA)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Potassium iodate ≥99,4 %, p.a., ACS

article number: P751



Vapour pressure	0 hPa at 25 °C
Density and/or relative density	
Density	3,52 ^g / _{cm³} at 25 °C (ECHA)
Relative vapour density	Information on this property is not available.
Bulk density	~2.000 ^{kg} / _{m³}
Particle characteristics	No data available.
Other safety parameters	
Oxidising properties	oxidiser
Other information	
Information with regard to physical hazard classes:	There is no additional information.
Other safety characteristics:	There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

It's a reactive substance. Oxidising property.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Combustible materials, Organic materials, Alkaline earth metal, Phosphorus, Reducing agents, Arsenic, Coal, Metal powder, Sulphur

10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: >560 °C.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Harmful if swallowed.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Potassium iodate ≥99,4 %, p.a., ACS

article number: P751

Acute toxicity						
Exposure route	Endpoint	Value	Species	Method	Source	
dermal	LD50	>2.000 ^{mg} / _{kg}	rat		ECHA	

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

gastrointestinal complaints

• If in eyes

Causes serious eye irritation

• If inhaled

Inhalation of dust may cause irritation of the respiratory system

• If on skin

Frequently or prolonged contact with skin may cause dermal irritation

Other information

Other adverse effects: Circulatory collapse

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

11.3 Information on other hazards

There is no additional information.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Potassium iodate ≥99,4 %, p.a., ACS

article number: P751

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

Endpoint	Value	Species	Source	Exposure time	
LC50	350 ^{mg} / _l	fish	ECHA	96 h	
EC50	>100 ^{mg} / _l	aquatic invertebrates	ECHA	48 h	

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	-1 (25 °C) (ECHA)
---------------------------	-------------------

12.4 Mobility in soil

The Organic Carbon normalised adsorption coefficient	1,503 (ECHA)
--	--------------

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Potassium iodate ≥99,4 %, p.a., ACS

article number: P751

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- HP 2 oxidising
- HP 4 irritant skin irritation and eye damage
- HP 6 acute toxicity

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1	UN number or ID number	
	ADRRID	UN 1479
	IMDG-Code	UN 1479
	ICAO-TI	UN 1479
14.2	UN proper shipping name	
	ADRRID	OXIDIZING SOLID, N.O.S.
	IMDG-Code	OXIDIZING SOLID, N.O.S.
	ICAO-TI	Oxidizing solid, n.o.s.
	Technical name	Potassium iodate
14.3	Transport hazard class(es)	
	ADRRID	5.1
	IMDG-Code	5.1
	ICAO-TI	5.1
14.4	Packing group	
	ADRRID	II
	IMDG-Code	II
	ICAO-TI	II
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Potassium iodate ≥99,4 %, p.a., ACS

article number: P751

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additiona information		
Proper shipping name	OXIDIZING SOLID, N.O.S.	
Particulars in the transport document	UN1479, OXIDIZING SOLID, N.O.S., (Potassium iodate), 5.1, II, (E)	
Classification code	02	
Danger label(s)	5.1	
51		
Special provisions (SP)	274	
Excepted quantities (EQ)	E2	
Limited quantities (LQ)	1 kg	
Transport category (TC)	2	
Tunnel restriction code (TRC)	E	
Hazard identification No	50	
Regulations concerning the International Carria information	ge of Dangerous Goods by Rail (RID)Additional	
Classification code	02	
Danger label(s)	5.1	
51		
Special provisions (SP)	274	
Excepted quantities (EQ)	E2	
Limited quantities (LQ)	1 kg	
Transport category (TC)	2	
Hazard identification No	50	
International Maritime Dangerous Goods Code (IMDG) - Additional information	
Proper shipping name	OXIDIZING SOLID, N.O.S.	
Particulars in the shipper's declaration	UN1479, OXIDIZING SOLID, N.O.S., (Potassium iodate), 5.1, II	
Marine pollutant	-	
Danger label(s)	5.1	
Special provisions (SP)	274, 900	
Excepted quantities (EQ)	E2	
Limited quantities (LQ)	1 kg	
EmS	F-A, S-Q	

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



٦

Potassium iodate ≥99,4 %, p.a., ACS

article number: **P751**

Г

Stowage category	В
International Civil Aviation Organization (ICAO-	IATA/DGR) - Additional information
Proper shipping name	Oxidizing solid, n.o.s.
Particulars in the shipper's declaration	UN1479, Oxidizing solid, n.o.s., (Potassium iod- ate), 5.1, II
Danger label(s)	5.1
Special provisions (SP)	A3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	2,5 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Name of substance	Name acc. to inventory	CAS No	Restriction	No
Potassium iodate	substances in tattoo inks and perman- ent make-up		R75	75
egend		•		
 1. Shall not be placed on t stances shall not be used are present in the followir (a) in the case of a substal 1A, 1B or 2, or germ cell n equal to or greater than 0 (b) in the case of a substal category 1A, 1B or 2, the sweight; (c) in the case of a substal egory 1, 1A or 1B, the sub weight; (d) in the case of a substal egory 1, 1A, 1B or 1C or sl substance is present in th (i) 0,1% by weight, if the set (ii) 0,01% by weight, in all (e) in the case of a substance in a concentration (f) in the case of a substance in a concentration (f) in the case of a substance in a concentration (i) "Rinse-off products"; (ii) "Not to be used in proc (iii)" "Not to be used in proc (iii) the case of a substance in a concentration (i) in the case of a substance) (i) mather ease of a substance) (i) "Rinse-off products"; (ii) "Not to be used in proc (iii)" the case of a substance) (ii) mather ease of a substance) (iii) "Not to be used in proc (iii) "Not to be used in proc (iii) "Not mather ease of a substance) (ii) the case of a substance) (ii) the case of a substance) (ii) mather ease of a substance) (ii) (ii) (ii) (ii) (ii) (ii) (ii) (i	nce classified in Part 3 of Annex VI to Regulation nutagen category 1A, 1B or 2, the substance is 1 ,00005 % by weight; nce classified in Part 3 of Annex VI to Regulation substance is present in the mixture in a concent nce classified in Part 3 of Annex VI to Regulation stance is present in the mixture in a concentral nce classified in Part 3 of Annex VI to Regulation stance is present in the mixture in a concentral nce classified in Part 3 of Annex VI to Regulation stance is present in the mixture in a concentral nce classified in Part 3 of Annex VI to Regulation stin irritant category 2, or as serious eye damage e mixture in a concentration equal to or greate substance is used solely as a pH regulator; other cases; nce listed in Annex II to Regulation (EC) No 1222 in equal to or greater than 0,00005 % by weight ince for which a condition of one or more of the of the table in Annex IV to Regulation (EC) No n equal to or greater than 0,00005 % by weight ducts applied on mucous membranes";	he substance on (EC) No 1272/ present in the n n (EC) No 1272/ tration equal to n (EC) No 1272/ cion equal to or n (EC) No 1272/ e category 1 or r than: 3/2009 (*1), the following kinds 1223/2009, the h (Maximum cc C) No 1223/200	r substances in ques 2008 as carcinogen on ixture in a concentr 2008 as reproductive or greater than 0,00 2008 as skin sensitis greater than 0,001 9 2008 as skin corrosive eye irritant category substance is present is specified in colum substance is present	tion is c category ation e toxicar 01 % by er cat- % by /e cat- 2, the t in the n g t in the y for usa resent i

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Potassium iodate ≥99,4 %, p.a., ACS

article number: P751

Legend (a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8); (b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6). 5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification. 6. If Annex II or Annex IV to Regulation (EC) No 1222/2008 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that a there negulation (EC) No 1223/2009 is amended after 4 January 2021 to list or than the more purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made. 7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information: (a) the statement "Mixture for use in tattoos or permanent make-up"; (b) a reference number to uniquely identify the batch; (c) the list of ingredients in accordance with the indered as a light of meaning of musture is that mase of a common ingredient name, the CAP came. In deabsence of a common ingredient name of uBAC and EC number. Ingredient's shall be listed in desce

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

Seveso Directive

2012/18/EU (Seveso III)					
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements		Notes	
P8	oxidising liquids and solids	50	200	55)	

Notation

55) Oxidising liquids, category 1, 2 or 3, or oxidising solids, category 1, 2 or 3

Deco-Paint Directive

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Potassium iodate ≥99,4 %, p.a., ACS

article number: P751

VOC content	0 %
VOC content	0 ^g /l

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content	0 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

List of pollutants (WFD)					
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks	
Potassium iodate	Metals and their compounds		a)		

Legend

a) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Potassium iodate ≥99,4 %, p.a., ACS

article number: P751

Country	Inventory	Status
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

Legena	
AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical safety assessment

According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1	VOC content: 0 % 0 ^g / _l	VOC content: 0 %	yes
15.1		VOC content: 0 ^g / _l	yes
15.1		National inventories: change in the listing (table)	yes
15.2	Chemical Safety Assessment: No Chemical Safety Assessment has been car- ried out for this substance.	Chemical safety assessment: According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.	yes

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

®ROTH

Potassium iodate ≥99,4 %, p.a., ACS

article number: P751

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
S.I. No. 619 of 2001	Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Potassium iodate ≥99,4 %, p.a., ACS

article number: **P751**

Abbr.	Descriptions of used abbreviations
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.