according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Potassium permanganate ≥99 %, p.a., ACS

article number: **P752** Version: **4.0 en** Replaces version of: 03.03.2021 Version: (3)

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

Identification of the substance	<b>Potassium permanganate</b> ≥99 %, p.a., ACS
Article number	P752
Registration number (REACH)	01-2119480139-34-xxxx
Index number in CLP Annex VI	025-002-00-9
EC number	231-760-3
CAS number	7722-64-7

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

#### **1.3** Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

#### e-mail (competent person):

#### sicherheit@carlroth.de

#### 1.4 Emergency telephone number

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.14	Oxidising solid	2	Ox. Sol. 2	H272
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.2	Skin corrosion/irritation	1C	Skin Corr. 1C	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318

date of compilation: 17.08.2015 Revision: 04.03.2024

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Potassium permanganate ≥99 %, p.a., ACS

#### article number: P752

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.7	Reproductive toxicity	2	Repr. 2	H361d
3.9	Specific target organ toxicity - repeated exposure	2	STOT RE 2	H373
4.1A	Hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	Hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16

#### The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP)

**Signal word** Danger

**Pictograms** 

GHS09



#### **Hazard statements**

May intensify fire; oxidiser
Harmful if swallowed
Causes severe skin burns and eye damage
Suspected of damaging the unborn child
May cause damage to organs (brain) through prolonged or repeated exposure (if inhaled)
Very toxic to aquatic life with long lasting effects

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P220	Keep/store away from clothing/combustible materials
P273	Avoid release to the environment
P280	Wear protective gloves/eye protection

For professional users only

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)



H314 H361d

Causes severe skin burns and eye damage. Suspected of damaging the unborn child.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Potassium permanganate ≥99 %, p.a., ACS

#### article number: P752

P280

Wear protective gloves/eye protection.

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance	Potassium permanganate
Molecular formula	KMnO₄
Molar mass	158 <sup>g</sup> / <sub>mol</sub>
REACH Reg. No	01-2119480139-34-xxxx
CAS No	7722-64-7
EC No	231-760-3
Index No	025-002-00-9

Substance, Specific Conc. Limits, M-factors, ATE				
Specific Conc. Limits         M-Factors         ATE         Exposure route				
-	M-factor (acute) = 10	500 <sup>mg</sup> / <sub>kg</sub>	oral	

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off immediately all contaminated clothing.

#### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

#### **Following ingestion**

Rinse mouth immediately and drink plenty of water. Rinse mouth with water (only if the person is conscious). Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Potassium permanganate ≥99 %, p.a., ACS

article number: P752

#### 4.2 Most important symptoms and effects, both acute and delayed

Irritant effects, Corrosion, Risk of serious damage to eyes, Risk of blindness, Gastric perforation, Nausea, Vomiting, Gastrointestinal complaints, Cough, Dyspnoea

# 4.3 Indication of any immediate medical attention and special treatment needed

none

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Oxidising property. Non-combustible.

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically. Control of dust.

#### Other information relating to spills and releases

Place in appropriate containers for disposal.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Potassium permanganate ≥99 %, p.a., ACS

article number: P752

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Handle and open container with care. Avoid exposure. Avoid dust formation. Clear contaminated areas thoroughly.

#### Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits. Keep away from combustible material.

#### Measures to protect the environment

Avoid release to the environment.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed. Keep away from combustible material.

#### Incompatible substances or mixtures

Observe hints for combined storage. Keep/store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles.

#### Consideration of other advice:

#### **Ventilation requirements**

Use local and general ventilation.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

#### 7.3 Specific end use(s)

No information available.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **National limit values**

#### **Occupational exposure limit values (Workplace Exposure Limits)**

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	manganese, inorganic compounds	7722-64-7	IOELV	0,2			Mn, i	2017/164/ EU
EU	manganese, inorganic compounds	7722-64-7	IOELV	0,05			Mn, r	2017/164/ EU
MT	manganese, inorganic compounds	7722-64-7	OELV	0,2			Mn, i	CAP. 424
MT	manganese, inorganic compounds	7722-64-7	OELV	0,05			Mn, r	CAP. 424

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Potassium permanganate ≥99 %, p.a., ACS

#### article number: P752

Notation	
Ceiling-C	Ceiling value is a limit value above which exposure should not occur
i	Inhalable fraction
Mn	Calculated as Mn (manganese)
r	Respirable fraction
STEL	Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15- minute period (unless otherwise specified)
TWA	Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

#### Human health values

Relevant DNE	Relevant DNELs and other threshold levels					
EndpointThreshold levelProtection goal, route of exposureUsed inExposure time						
DNEL	0,2 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects		

#### **Environmental values**

Relevant PNECs and other threshold levels					
End- point	Threshold level	Organism	Environmental com- partment	Exposure time	
PNEC	0,06 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)	
PNEC	1,64 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)	

#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection. Wear face protection.

#### **Skin protection**



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Potassium permanganate ≥99 %, p.a., ACS

article number: P752

#### material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Dhuring state	
Physical state	solid
Form	crystalline
Colour	violet
Odour	odourless
Melting point/freezing point	>240 °C (slow decomposition)
Boiling point or initial boiling point and boiling range	not determined
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	>240 °C (ECHA)
pH (value)	7 – 9 (in aqueous solution: 20 <sup>g</sup> / <sub>l</sub> , 20 °C)
Kinematic viscosity	not relevant
Solubility(ies)	
Water solubility	≥64 <sup>g</sup> / <sub>l</sub> at 20 °C (ECHA)
Partition coefficient	
Partition coefficient n-octanol/water (log value):	-1,73 (calc.)
Vapour pressure	<0,01 hPa at 20 °C

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

#### Potassium permanganate ≥99 %, p.a., ACS



article number: P752

Density and/or relative density	
Density	2,7 <sup>g</sup> / <sub>cm³</sub> at 20 °C (ECHA)
Relative vapour density	Information on this property is not available.
Bulk density	1.300 – 1.600 <sup>kg</sup> / <sub>m³</sub>
Particle characteristics	No data available.
Other safety parameters	
Oxidising properties	oxidiser
Other information	
Information with regard to physical hazard classes:	There is no additional information.
Other safety characteristics:	There is no additional information.

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

9.2

It's a reactive substance. Oxidising property.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### **10.3** Possibility of hazardous reactions

**Exothermic reaction with:** Nitric acid, Reducing agents, Ammonium hydroxide, Carbide, Carbon, **Danger of explosion:** Ammonia (NH3), Ammonium compounds, Chlorine, Acetic acid, Acetic anhydride, Metal powder, Nitro compound, Phosphorus, Acid chlorides, inorganic, Sulphur, Sulphuric acid and sulphurous acid,

**Risk of ignition:** Acetone, Aldehydes, Alcohols, Amines, Combustible materials, Dichloromethane, Ethanol, Ester, Mineral acids, Sulphuric acid, Hydrogen sulphide (H<sub>2</sub>S), Hydrogen peroxide, Organic substances

#### 10.4 Conditions to avoid

Keep away from heat. Decompositon takes place from temperatures above: >240 °C.

#### 10.5 Incompatible materials

There is no additional information.

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Potassium permanganate ≥99 %, p.a., ACS

#### article number: P752

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

#### **Acute toxicity**

Harmful if swallowed.

#### **Acute toxicity**

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA
dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

Suspected of damaging the unborn child.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

May cause damage to organs (brain) through prolonged or repeated exposure (if inhaled).

Hazard category	Target organ	Exposure route
2	brain	if inhaled

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects), nausea, gastrointestinal complaints

#### • If in eyes

causes burns, Causes serious eye damage, risk of blindness

#### • If inhaled

cough, breathing difficulties, Inhalation of dust may cause irritation of the respiratory system

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Potassium permanganate ≥99 %, p.a., ACS

#### article number: P752

#### • If on skin

causes severe burns, causes poorly healing wounds

#### Other information

Other adverse effects: Liver and kidney damage, Central nervous system

#### **11.2** Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

#### 11.3 Information on other hazards

There is no additional information.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
LC50	0,47 <sup>mg</sup> / <sub>l</sub>	fish	ECHA	96 h
EC50	0,06 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	48 h
ErC50	0,8 <sup>mg</sup> / <sub>l</sub>	algae	ECHA	72 h
Aquatic toxicity (chronic)				
Endpoint	Value	Species	Source	Exposure time
EC50	164 <sup>mg</sup> / <sub>l</sub>	microorganisms	ECHA	3 h

#### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	-1,73 (Calc.)
---------------------------	---------------

#### 12.4 Mobility in soil

Data are not available.

# **12.5 Results of PBT and vPvB assessment** Data are not available.

#### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

#### 12.7 Other adverse effects

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Potassium permanganate ≥99 %, p.a., ACS

article number: P752

### **SECTION 13: Disposal considerations**

#### Waste treatment methods 13.1



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

- HP 2 oxidising
- HP 4 irritant - skin irritation and eye damage
- HP 5 specific target organ toxicity (STOT)/aspiration toxicity
- HP 6 acute toxicity
- **HP 8** corrosive
- HP 10 HP 14 toxic for reproduction
- ecotoxic

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

### SECTION 14: Transport information

14.1	UN number or ID number		
	ADR	UN 1490	
	IMDG-Code	UN 1490	
	ICAO-TI	UN 1490	
14.2	UN proper shipping name		
	ADR	POTASSIUM PERMANGANATE	
	IMDG-Code	POTASSIUM PERMANGANATE	
	ICAO-TI	Potassium permanganate	
14.3	Transport hazard class(es)		
	ADR	5.1	
	IMDG-Code	5.1	
	ICAO-TI	5.1	

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Potassium permanganate ≥99 %, p.a., ACS

untien		
14.4	Packing group	
	ADR	II
	IMDG-Code	II
	ICAO-TI	II
14.5	Environmental hazards	hazardous to the aquatic environment
14.6	Special precautions for user	
	Provisions for dangerous goods (ADR) should be c	complied within the premises.
14.7	Maritime transport in bulk according to IMO in	struments
	The cargo is not intended to be carried in bulk.	
14.8	Information for each of the UN Model Regulation	ons
	Agreement concerning the International Carria information	age of Dangerous Goods by Road (ADR)Additiona
	Proper shipping name	POTASSIUM PERMANGANATE
	Particulars in the transport document	UN1490, POTASSIUM PERMANGANATE, 5.1, II, (E) environmentally hazardous
	Classification code	02
	Danger label(s)	5.1, "Fish and tree"
	Environmental hazards	<b>Yes</b> (hazardous to the aquatic environment)
	Excepted quantities (EQ)	E2
	Limited quantities (LQ)	1 kg
	Transport category (TC)	2
	Tunnel restriction code (TRC)	E
	Hazard identification No	50
	International Maritime Dangerous Goods Code	(IMDG) - Additional information
	Proper shipping name	POTASSIUM PERMANGANATE
	Particulars in the shipper's declaration	UN1490, POTASSIUM PERMANGANATE, 5.1, II, MARINE POLLUTANT
	Marine pollutant	<b>Yes</b> (hazardous to the aquatic environment)
	Danger label(s)	5.1, "Fish and tree"
	Excepted quantities (EQ)	E2
	Limited quantities (LQ)	1 kg
	EmS	F-H, S-Q

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Potassium permanganate ≥99 %, p.a., ACS

article number: P752

Segregation group	14 - Permanganates
International Civil Aviation Organization (ICAO-	IATA/DGR) - Additional information
Proper shipping name	Potassium permanganate
Particulars in the shipper's declaration	UN1490, Potassium permanganate, 5.1, II
Environmental hazards	<b>Yes</b> (hazardous to the aquatic environment)
Danger label(s)	5.1
Excepted quantities (EQ)	E2
Limited quantities (LQ)	2,5 kg

### SECTION 15: Regulatory information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1

#### Relevant provisions of the European Union (EU)

#### **Restrictions according to REACH, Annex XVII**

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Potassium permanganate substances in tattoo inks and perman- ent make-up			R75	75

Legend R75

1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such sub-stances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:

(a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
(b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant

category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight

(c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;

(d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:

(i) 0,1 % by weight, if the substance is used solely as a pH regulator;

(ii) 0,01 % by weight, in the substance is used solely as a prinegulator,
(iii) 0,01 % by weight, in all other cases;
(e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (\*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
(f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the substance mixture in a concentration equal to or greater than 0,00005 % by weight:

(i) "Rinse-off products"

(ii) "Not to be used in products applied on mucous membranes";
(iii) "Not to be used in eye products";
(g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in products applied in the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the table in Annex IV to Regulation (EC) No 1223/2009. (h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.

12. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.
3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 falls within one or more of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 falls within one or more of points (a) to (g) of paragraph 1, the strictest is paragraph 1 shall apply to that substance.

paragraph 1 shall apply to that substance. 4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

# ® **ROTH**

#### Potassium permanganate ≥99 %, p.a., ACS

#### article number: P752

Legend
(a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);
(b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).
5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a sub-
stance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such
that it then falls within a different one of those points from the one within which it fell previously, and the date of ap-
plication of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, para- graph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as
taking effect on the date of application of that new or revised classification.
6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing
of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or
such that it then falls within a different one of those points from the one within which it fell previously, and the
amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry,
that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the
date falling 18 months after entry into force of the act by which that amendment was made.
7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the
mixture is marked with the following information: (a) the statement "Mixture for use in tattoos or permanent make-up";
(b) a reference number to uniquely identify the batch;
(c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient
names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the
IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall
be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means
any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Im- purities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of
this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredi-
ent does not need to be marked in accordance with this Regulation;
(d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;
(e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentra-
tion limit specified in Appendix 13;
(f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below
the concentration limit specified in Appendix 13;
(g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.
The information shall be clearly visible, easily legible and marked in a way that is indelible.
The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the
market, unless the Member State(s) concerned provide(s) otherwise.
Where necessary because of the size of the package, the information listed in the first subparagraph, except for point
(a), shall be included instead in the instructions for use.
Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this para-
graph.
8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for
tattooing purposes.
9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or gener-
ate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-
00-0, EC No 200-001-8).

00-0, EC No 200-001-8). 10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

#### **Seveso Directive**

2012/	2012/18/EU (Seveso III)			
Νο	Dangerous substance/hazard categories	Qualifying quantity plication of lower quirer		Notes
P8	oxidising liquids and solids	50	200	55)

Notation

55) Oxidising liquids, category 1, 2 or 3, or oxidising solids, category 1, 2 or 3

#### **Deco-Paint Directive**

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Potassium permanganate ≥99 %, p.a., ACS

#### article number: P752

VOC content	0 %
VOC content	0 g/l

#### Industrial Emissions Directive (IED)

VOC content	0 %
VOC content	0 <sup>g</sup> / <sub>l</sub>

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

#### Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Potassium permanganate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Potassium permanganate	Metals and their compounds		a)	

Legend

a) Indicative list of the main pollutants

#### Regulation on the marketing and use of explosives precursors

not listed

#### **Regulation on drug precursors**

Name of substance	CAS No	Wt%	Classification	CN Code	Threshold level
Potassium permanganate	7722-64-7	100	Category 2b	2841 61 00	100 kg

#### Regulation on substances that deplete the ozone layer (ODS)

not listed

#### **Regulation concerning the export and import of hazardous chemicals (PIC)**

not listed

#### **Regulation on persistent organic pollutants (POP)**

not listed

### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Potassium permanganate ≥99 %, p.a., ACS

#### article number: P752

#### UN Convention against Illicit Traffic in Narcotic Drugs and Psychotropic Substances

Name of substance	CAS No	Listed in	HS code
Potassium permanganate	7722-64-7	Table I	2841.61

#### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
ΤW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

#### Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

#### 15.2 Chemical safety assessment

According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Potassium permanganate ≥99 %, p.a., ACS

article number: P752

## **SECTION 16: Other information**

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
1.1	Index No: 025-002-00-9		yes
1.1		EC number: 231-760-3	yes
1.1	EC number: 231-760-3	CAS number: 7722-64-7	yes
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.1		The most important adverse physicochemical, human health and environmental effects: Skin corrosion produces an irreversible dam- age to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Hazard statements: change in the listing (table)	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
3.1	Index No: 025-002-00-9		yes
11.1		Acute toxicity: change in the listing (table)	yes
12.1		Aquatic toxicity (chronic): change in the listing (table)	yes
14.1	UN number: 1490	UN number or ID number	yes
14.1		ADR: UN 1490	yes

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

### Potassium permanganate ≥99 %, p.a., ACS



Section	Former entry (text/value)	Actual entry (text/value)	Safety relev- ant
14.1		IMDG-Code: UN 1490	yes
14.1		ICAO-TI: UN 1490	yes
14.2	UN proper shipping name: POTASSIUM PERMANGANATE	UN proper shipping name	yes
14.2	Hazardous ingredients: Potassium permanganate		yes
14.2		ADR: POTASSIUM PERMANGANATE	yes
14.2		IMDG-Code: POTASSIUM PERMANGANATE	yes
14.2		ICAO-TI: Potassium permanganate	yes
14.3	Transport hazard class(es): class 5.1 hazard - oxidizing substances	Transport hazard class(es)	yes
14.3	Class: 5.1 (oxidizing substances)		yes
14.3		ADR: 5.1	yes
14.3		IMDG-Code: 5.1	yes
14.3		ICAO-TI: 5.1	yes
14.4	Packing group: II (substance presenting medium danger)	Packing group	yes
14.4		ADR: II	yes
14.4		IMDG-Code: II	yes
14.4		ICAO-TI: II	yes
14.8	UN number: 1490		yes
14.8	Class: 5.1		yes
14.8	Packing group: II		yes
14.8	UN number: 1490		yes
14.8	Class: 5.1		yes
14.8	Marine pollutant: yes (P) (hazardous to the aquatic environment)	Marine pollutant: yes (hazardous to the aquatic environment)	yes
14.8	Packing group: II		yes

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

### Potassium permanganate ≥99 %, p.a., ACS



Section	Former entry (text/value)	Actual entry (text/value)	Safety relev- ant
14.8	UN number: 1490		yes
14.8	Class: 5.1		yes
14.8	Packing group: II		yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Danger label(s): change in the listing (table)	yes
15.1	• Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC): Not listed.		yes
15.1	• Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS): Not listed.		yes
15.1	• Regulation 850/2004/EC on persistent organic pollutants (POP): Not listed.		yes
15.1	• Restrictions according to REACH, Annex XVII: not listed	Restrictions according to REACH, Annex XVII	yes
15.1		• Restrictions according to REACH, Annex XVII: change in the listing (table)	yes
15.1	• Restrictions according to REACH, Title VIII: None.		yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1		List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: Not listed.	yes
15.1	• Directive 75/324/EEC relating to aerosol dispensers		yes
15.1	Filling batch		yes
15.1		Deco-Paint Directive	yes
15.1		VOC content: 0 %	yes
15.1		VOC content: 0 <sup>g</sup> / <sub>l</sub>	yes
15.1		Industrial Emissions Directive (IED)	yes
15.1		VOC content: 0 %	yes
15.1	Regulation 111/2005/EC laying down rules for the monitoring of trade between the Com- munity and third countries in drug precursors	VOC content: 0 <sup>g</sup> / <sub>l</sub>	yes
15.1		List of pollutants (WFD): change in the listing (table)	yes

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

### Potassium permanganate ≥99 %, p.a., ACS

	®
	7
<b>SIL</b>	

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev-
			ant
15.1		Regulation on the marketing and use of explos- ives precursors: not listed	yes
15.1	• List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: not listed	Regulation on drug precursors	yes
15.1		Regulation on drug precursors: change in the listing (table)	yes
15.1		Regulation on substances that deplete the ozone layer (ODS): not listed	yes
15.1		Regulation concerning the export and import of hazardous chemicals (PIC): not listed	yes
15.1		Regulation on persistent organic pollutants (POP): not listed	yes
15.1	Deco-Paint Directive (2004/42/EC)	Other information: Directive 94/33/EC on the protection of young people at work. Observe employment restric- tions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	yes
15.1	VOC content: 0 % 0 <sup>g</sup> / <sub>l</sub>	UN Convention against Illicit Traffic in Narcotic Drugs and Psychotropic Substances	yes
15.1		Regulation 111/2005/EC laying down rules for the monitoring of trade between the Com- munity and third countries in drug precursors: change in the listing (table)	yes
15.1	National inventories: Substance is listed in the following national in- ventories:		yes
15.1		National inventories: change in the listing (table)	yes
15.1		UN Convention against Illicit Traffic in Narcotic Drugs and Psychotropic Substances: change in the listing (table)	yes
15.1		National inventories	yes
15.1		National inventories: change in the listing (table)	yes
15.2	Chemical Safety Assessment: No Chemical Safety Assessment has been car- ried out for this substance.	Chemical safety assessment: According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.	yes

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Potassium permanganate ≥99 %, p.a., ACS

#### article number: P752

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2017/164/EU	Commission Directive establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/ 161/EU
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAP. 424	Occupational Health and Safety Authority Act (CAP. 424)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CN Code	Combined Nomenclature
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an ident fier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
HS	Harmonized Commodity Description and Coding System (Harmonized System, drawn up by the World Customs Organisation)
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

# ® Roth

### Potassium permanganate ≥99 %, p.a., ACS

#### article number: P752

Abbr.	Descriptions of used abbreviations
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
NLP	No-Longer Polymer
РВТ	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

#### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs (brain) through prolonged or repeated exposure (if inhaled).
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.