acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II) sulfate hexahydrate ≥99 %, p.a., ACS

article number: **T111**Version: **3.0 en**date of compilation: 2016-04-05
Revision: 2024-03-04

Replaces version of: 2021-02-18

Version: (2)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance Nickel(II) sulfate hexahydrate ≥99 %, p.a., ACS

Article number T111

EC number 600-152-3 CAS number 10101-97-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-

stuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

United Kingdom (en) Page 1 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II) sulfate hexahydrate ≥99 %, p.a., ACS

article number: T111



Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1I	Acute toxicity (inhal.)	4	Acute Tox. 4	H332
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.4R	Respiratory sensitisation	1	Resp. Sens. 1	H334
3.45	Skin sensitisation	1	Skin Sens. 1	
3.5	Germ cell mutagenicity	2	Muta. 2	H341
3.6	Carcinogenicity	1A	Carc. 1A	H350i
3.7	Reproductive toxicity	1B	Repr. 1B	H360D
3.9	Specific target organ toxicity - repeated exposure	1	STOT RE 1	H372
4.1A	Hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	Hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS07, GHS08, GHS09







Hazard statements

H302+H332	Harmful if swallowed or if inhaled
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H341	Suspected of causing genetic defects
H350i	May cause cancer by inhalation
H360D	May damage the unborn child
H372	Causes damage to organs through prolonged or repeated exposure
H410	Very toxic to aquatic life with long lasting effects
	, ,

Precautionary statements

Precautionary statements - prevention

P260 Do not breathe dust/fume/gas/mist/vapours/spray

P280 Wear protective gloves/protective clothing/eye protection/face protection/hear-

ing protection/...

United Kingdom (en) Page 2 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II) sulfate hexahydrate ≥99 %, p.a., ACS

article number: T111



Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of soap and water Call a POISON CENTRE/doctor if you feel unwell

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor

P391 Collect spillage

Precautionary statements - disposal

P501 Dispose of contents/container to industrial combustion plant

For professional users only

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Nickel(II) sulfate hexahydrate

Molecular formula $\rm NiSO_4*6~H_2O$ Molar mass $\rm 262,9~^g/_{mol}$ CAS No $\rm 10101\text{-}97\text{-}0$ EC No $\rm 600\text{-}152\text{-}3$

Substance, Specific Conc. Limits, M-factors, ATE

Specific Conc. Limits	M-Factors	ATE	Exposure route
-	-	>300 ^{mg} / _{kg} 2,48 ^{mg} / _l /4h	oral inhalation: dust/ mist

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician. In case of skin irritation, consult a physician.

United Kingdom (en) Page 3 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II) sulfate hexahydrate ≥99 %, p.a., ACS

article number: T111



Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth with water (only if the person is conscious). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Vomiting, Irritation, Allergic reactions, Cough, Dyspnoea

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Sulphur oxides (SOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

United Kingdom (en) Page 4 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II) sulfate hexahydrate ≥99 %, p.a., ACS

article number: T111



6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use extractor hood (laboratory). Provision of sufficient ventilation. Avoid exposure. Avoid dust formation.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

United Kingdom (en) Page 5 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II) sulfate hexahydrate ≥99 %, p.a., ACS

article number: T111



acute - local effects

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	dust		WEL	10			i	EH40/2005
GB	dust		WEL	4			r	EH40/2005

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

Inhalable fraction

Respirable fraction

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) **STEL**

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

hours time-weighted average (unless otherwise specified)

Human health values

Relevant DNELs and other threshold levels **Endpoint Threshold** Protection goal, **Used in Exposure time** level route of exposure **DNEL** 0,05 mg/m³ human, inhalatory worker (industry) chronic - systemic effects 104 mg/m³ DNFI human, inhalatory worker (industry) acute - systemic effects **DNEL** 0,05 mg/m³ chronic - local effects human, inhalatory worker (industry)

worker (industry)

human, inhalatory

Environmental values

DNEL

Relevant PNECs and other threshold levels

1,6 mg/m³

End- point	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	7,1 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)
PNEC	8,6 ^{µg} / _I	aquatic organisms	marine water	short-term (single instance)
PNEC	0,33 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	109 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	109 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
PNEC	29,9 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)

8.2 **Exposure controls**

Individual protection measures (personal protective equipment)

Eye/face protection




United Kingdom (en) Page 6 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II) sulfate hexahydrate ≥99 %, p.a., ACS

article number: T111



Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state solid
Form crystals

Colour greenish-blue

Odour odourless

Melting point/freezing point ≥53 °C (Release of crystal water) (ECHA)

Boiling point or initial boiling point and boiling

range

not determined

Flammability non-combustible

United Kingdom (en) Page 7 / 22



acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II) sulfate hexahydrate ≥99 %, p.a., ACS

article number: T111

Lower and upper explosion limit not determined

Flash point not applicable

Auto-ignition temperature not determined

Decomposition temperature 848 °C (anhydrous) (ECHA)

pH (value) not applicable
Kinematic viscosity not relevant

Solubility(ies)

Water solubility $\geq 625 \, ^{9}/_{1}$ at 0 °C (ECHA)

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure not determined

Density and/or relative density

Density $2,07 \, {}^{9}/{}_{\text{cm}^{3}}$ at 20 °C (ECHA)

Relative vapour density Information on this property is not available.

Bulk density $\sim 1.000 \, \mathrm{kg/m^3}$

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: 848 °C.

United Kingdom (en) Page 8 / 22



acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II) sulfate hexahydrate ≥99 %, p.a., ACS

article number: T111



SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Harmful if swallowed. Harmful if inhaled.

Acute toxicity						
Exposure route	Endpoint	Value	Species	Method	Source	
inhalation: dust/ mist	LC50	2,48 ^{mg} / _l /4h	rat	anhydrous	ECHA	

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Germ cell mutagenicity

Suspected of causing genetic defects.

Carcinogenicity

May cause cancer by inhalation.

Reproductive toxicity

May damage the unborn child.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Hazard category	Target organ	Exposure route
1	several organs	if exposed

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

gastrointestinal complaints

United Kingdom (en) Page 9 / 22



There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II) sulfate hexahydrate ≥99 %, p.a., ACS

article number: T111



Data are not available.

• If inhaled

May produce an allergic reaction, cough, Dyspnoea

• If on skin

causes skin irritation, May produce an allergic reaction, pruritis, localised redness

Other information

Other adverse effects: Irreversible damage to internal organs, Central nervous system, Cardiovascular system

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)

Endpoint	Value	Species	Source	Exposure time
LC50	15,3 ^{mg} / _l	fish	ECHA	96 h
EC50	685,8 ^{μg} / _l	aquatic invertebrates	ECHA	48 h
ErC50	237 ^{µg} / _l	algae	ECHA	72 h

Aquatic toxicity (chronic)

Endpoint	Value	Species Source		Exposure time
ErC50	8.363 ^{µg} / _l	fish	ECHA	40 d
LC50	≤144 ^{µg} / _I	aquatic invertebrates	ECHA	21 d
EC50	≤108 ^{µg} / _I	aquatic invertebrates	ECHA	21 d
EbC50	6,2 ^{µg} / _l	aquatic invertebrates	ECHA	30 d

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

BCF	45 (ECHA)
	- 、 - ,

12.4 Mobility in soil

Data are not available.

United Kingdom (en) Page 10 / 22



acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II) sulfate hexahydrate ≥99 %, p.a., ACS

article number: T111



12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- **HP 4** irritant - skin irritation and eye damage
- HP 5 specific target organ toxicity (STOT)/aspiration toxicity
- **HP 6** acute toxicity
- HP 7 carcinogenić
- **HP 10** toxic for reproduction
- **HP 11** mutagenic
- sensitising
- HP 13 HP 14 ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

ADRRID UN 3077 IMDG-Code UN 3077 ICAO-TI UN 3077

14.2 UN proper shipping name

ADRRID ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Page 11 / 22 United Kingdom (en)

acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II) sulfate hexahydrate ≥99 %, p.a., ACS

article number: T111

IMDG-Code

ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.

ICAO-TI Environmentally hazardous substance, solid,

n.o.s.

Technical name Nickel(II) sulfate hexahydrate

14.3 Transport hazard class(es)

9 **ADRRID IMDG-Code** 9 ICAO-TI 9

14.4 Packing group

ADRRID III **IMDG-Code** III ICAO-TI III

14.5 Environmental hazards hazardous to the aquatic environment

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, Proper shipping name

SOLID, N.O.S.

UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., (Nickel(II) sulfate hexahydrate), 9, III, (-) Particulars in the transport document

Classification code

9, "Fish and tree" Danger label(s)

Environmental hazards yes (hazardous to the aquatic environment)

Special provisions (SP) 274, 335, 375, 601

Excepted quantities (EQ) E1 5 kg Limited quantities (LQ) Transport category (TC) 3 Tunnel restriction code (TRC)

Hazard identification No 90

Emergency Action Code 2Z

United Kingdom (en) Page 12 / 22



acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II) sulfate hexahydrate ≥99 %, p.a., ACS

article number: T111



Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code M7

Danger label(s) 9, "Fish and tree"

Environmental hazards Yes

Hazardous to water

Special provisions (SP) 274, 335, 375, 601

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg
Transport category (TC) 3
Hazard identification No 90

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.

Particulars in the shipper's declaration UN3077, ENVIRONMENTALLY HAZARDOUS SUB-

STANCE, SOLID, N.O.S., (Nickel(II) sulfate hexahy-

drate), 9, III

Marine pollutant yes (hazardous to the aquatic environment), (Nickel(II) sulfate

hexahydrate)

Danger label(s) 9, "Fish and tree"

Special provisions (SP) 274, 335, 966, 967, 969

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg
EmS F-A, S-F

Stowage category A

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Environmentally hazardous substance, solid,

n.o.s.

Particulars in the shipper's declaration UN3077, Environmentally hazardous substance,

solid, n.o.s., (Nickel(II) sulfate hexahydrate), 9, III

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 9, "Fish and tree"

Special provisions (SP) A97, A158, A179, A197, A215

Excepted quantities (EQ) E1

United Kingdom (en) Page 13 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II) sulfate hexahydrate ≥99 %, p.a., ACS

article number: T111





30 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/	2012/18/EU (Seveso III)					
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes		
E1	environmental hazards (hazardous to the aquatic environment, cat. 1)	100	200	56)		

Notation

56) Hazardous to the Aquatic Environment in category Acute 1 or Chronic 1

Deco-Paint Directive

VOC content	0 %
VOC content	0 g/l

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content	0 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

List of pollutants (WFD)

•				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Nickel(II) sulfate hexahydrate	nickel compounds		b)	
Nickel(II) sulfate hexahydrate	nickel compounds	7440-02-0	c)	
Nickel(II) sulfate hexahydrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Nickel(II) sulfate hexahydrate	Metals and their compounds		a)	

United Kingdom (en) Page 14 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II) sulfate hexahydrate ≥99 %, p.a., ACS



article number: T111

Legend

Indicative list of the main pollutants a) b)

List of priority substances in the field of water policy

Environmental Quality Standards for Priority Substances and certain other pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

Restrictions according to GB REACH, Annex 17

Name of substance	Name acc. to inventory	CAS No	No
Nickel(II) sulfate hexahydrate	Nickel compounds		27

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
CN	IECSC	substance is listed
JP	CSCL-ENCS	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
VN	NCI	substance is listed

Legend

CSCL-ENCS

List of Existing and New Chemical Substances (CSCL-ENCS)
Inventory of Existing Chemical Substances Produced or Imported in China
National Chemical Inventory
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS)
Taiwan Chemical Substance Inventory

NCI

NZIoC

Chemical safety assessment 15.2

No Chemical Safety Assessment has been carried out for this substance.

United Kingdom (en) Page 15 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II) sulfate hexahydrate ≥99 %, p.a., ACS

article number: T111



SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
1.1	Index No: 028-009-00-5		yes
1.1		EC number: 600-152-3	yes
1.1	EC number: 232-104-9	CAS number: 10101-97-0	yes
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.1	Remarks: For full text of Hazard- and EU Hazard-state- ments: see SECTION 16.		yes
2.1		The most important adverse physicochemical, human health and environmental effects: Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Precautionary statements - disposal	yes
2.2		Precautionary statements - disposal: change in the listing (table)	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes

United Kingdom (en) Page 16 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II) sulfate hexahydrate ≥99 %, p.a., ACS

article number: **T111**



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
3.1	Index No: 028-009-00-5		yes
11.1		Acute toxicity: change in the listing (table)	yes
14.1	UN number: 3077	UN number or ID number	yes
14.1		ADRRID: UN 3077	yes
14.1		IMDG-Code: UN 3077	yes
14.1		ICAO-TI: UN 3077	yes
14.2	UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	UN proper shipping name	yes
14.2		ADRRID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	yes
14.2		IMDG-Code: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	yes
14.2		ICAO-TI: Environmentally hazardous substance, solid, n.o.s.	yes
14.3	Class: 9 (miscellaneous dangerous substances and articles) (environmentally hazardous)		yes
14.3		ADRRID: 9	yes
14.3		IMDG-Code: 9	yes
14.3		ICAO-TI: 9	yes
14.4	Packing group: III (substance presenting low danger)	Packing group	yes
14.4		ADRRID: III	yes
14.4		IMDG-Code: III	yes
14.4		ICAO-TI: III	yes
14.8	UN number: 3077		yes
14.8	Class: 9		yes
14.8	Packing group: III		yes

United Kingdom (en) Page 17 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II) sulfate hexahydrate ≥99 %, p.a., ACS

article number: **T111**



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.8	Emergency Action Code: 2Z		yes
14.8		Emergency Action Code: 2Z	yes
14.8		Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID)Addition- al information	yes
14.8		Classification code: M7	yes
14.8		Danger label(s): 9, "Fish and tree"	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Environmental hazards: Yes Hazardous to water	yes
14.8		Special provisions (SP): 274, 335, 375, 601	yes
14.8		Excepted quantities (EQ): E1	yes
14.8		Limited quantities (LQ): 5 kg	yes
14.8		Transport category (TC): 3	yes
14.8		Hazard identification No: 90	yes
14.8	UN number: 3077		yes
14.8	Class: 9		yes
14.8	Marine pollutant: yes (hazardous to the aquatic environment)	Marine pollutant: yes (hazardous to the aquatic environment), (Nickel(II) sulfate hexahydrate)	yes
14.8	Packing group: III		yes
14.8	UN number: 3077		yes
14.8	Class: 9		yes
14.8	Packing group: III9 + "fish and tree"		yes
14.8		Packing group: change in the listing (table)	yes
14.8		Danger label(s): 9, "Fish and tree"	yes
14.8		Danger label(s): change in the listing (table)	yes

United Kingdom (en) Page 18 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II) sulfate hexahydrate ≥99 %, p.a., ACS

article number: **T111**



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.8	Special provisions (SP): A97, A158, A179, A197, 274	Special provisions (SP): A97, A158, A179, A197, A215	yes
15.1	Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC): Not listed.		yes
15.1	Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS): Not listed.		yes
15.1	Regulation 850/2004/EC on persistent organic pollutants (POP): Not listed.		yes
15.1	List of substances subject to authorisation (REACH, Annex XIV): not listed		yes
15.1		Deco-Paint Directive	yes
15.1		VOC content: 0 %	yes
15.1		VOC content: 0 ^g / _l	yes
15.1		Industrial Emissions Directive (IED)	yes
15.1		VOC content: 0 %	yes
15.1		VOC content: 0 ^g / _l	yes
15.1	Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD): not listed	Water Framework Directive (WFD)	yes
15.1	National inventories: Substance is listed in the following national inventories: - EINECS/ELINCS/NLP (Europe) - REACH (Europe)		yes
15.1		List of pollutants (WFD): change in the listing (table)	yes
15.1		Regulation on the marketing and use of explosives precursors: not listed	yes
15.1		Regulation on drug precursors: not listed	yes
15.1		Regulation on substances that deplete the ozone layer (ODS): not listed	yes
15.1		Regulation concerning the export and import of hazardous chemicals (PIC): not listed	yes
15.1		Regulation on persistent organic pollutants (POP): not listed	yes
15.1		National regulations(GB)	yes

United Kingdom (en) Page 19 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II) sulfate hexahydrate ≥99 %, p.a., ACS

article number: **T111**



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: not listed	yes
15.1		Restrictions according to GB REACH, Annex 17	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
15.1		Other information: Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	yes
15.1		National inventories	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EbC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations

United Kingdom (en) Page 20 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II) sulfate hexahydrate ≥99 %, p.a., ACS

article number: T111



Abbr.	Descriptions of used abbreviations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

CodeTextH302Harmful if swallowed.H315Causes skin irritation.H317May cause an allergic skin reaction.H332Harmful if inhaled.H334May cause allergy or asthma symptoms or breathing difficulties if inhaled.H341Suspected of causing genetic defects.
H315 Causes skin irritation. H317 May cause an allergic skin reaction. H332 Harmful if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317 May cause an allergic skin reaction. H332 Harmful if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H332 Harmful if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
3 33 3 1
H341 Suspected of causing genetic defects.
H350i May cause cancer by inhalation.
H360D May damage the unborn child.
H372 Causes damage to organs through prolonged or repeated exposure.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

United Kingdom (en) Page 21 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II) sulfate hexahydrate ≥99 %, p.a., ACS

article number: T111



Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 22 / 22