acc. to Safe Work Australia - Code of Practice

Oxalic acid dihydrate ≥99,5 %, p.a., ACS, ISO

article number: T113 date of compilation: 2016-04-22 Version: GHS 5.0 en

Replaces version of: 2022-01-07

Version: (GHS 4)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance Oxalic acid dihydrate ≥99,5 %, p.a., ACS, ISO

Article number T113

CAS number 6153-56-6

Relevant identified uses of the substance or mixture and uses advised against 1.2

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

Details of the supplier of the safety data sheet 1.3

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1D	Acute toxicity (dermal)	4	Acute Tox. 4	H312
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16

2.2 Label elements

Page 1 / 13 Australia (en)



Revision: 2024-03-04

acc. to Safe Work Australia - Code of Practice

Oxalic acid dihydrate ≥99,5 %, p.a., ACS, ISO

article number: T113

Signal word **Danger**

Pictograms

GHS05, GHS07



Hazard statements

H302+H312 Harmful if swallowed or in contact with skin

H318 Causes serious eye damage

Precautionary statements

Precautionary statements - prevention

P270 Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing P280

Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of soap and water

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact P305+P351+P338

lenses, if present and easy to do. Continue rinsing

P321 Specific treatment (see on this label)

P330 Rinse mouth

Precautionary statements - disposal

P501 Dispose of contents/container to industrial combustion plant

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

Name of substance Oxalic acid dihydrate

Molecular formula $C_2H_2O_4 \cdot 2 H_2O$

Molar mass 126 g/mol CAS No 6153-56-6

Australia (en) Page 2 / 13



Labelling

acc. to Safe Work Australia - Code of Practice

Oxalic acid dihydrate ≥99,5 %, p.a., ACS, ISO

article number: T113



SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Irritation, Nausea, Vomiting, Cough, Breathing difficulties, Agitation, Spasms, Circulatory collapse, Risk of serious damage to eyes, Risk of blindness

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water iet

5.2 Special hazards arising from the substance or mixture

Combustible.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

Australia (en) Page 3 / 13

acc. to Safe Work Australia - Code of Practice

Oxalic acid dihydrate ≥99,5 %, p.a., ACS, ISO

article number: T113



SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid dust formation.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels


Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

Australia (en) Page 4 / 13

acc. to Safe Work Australia - Code of Practice



article number: T113



SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	oxalic acid	144-62-7	WES	1	2			WES

Notation

Ceiling-C STEL

Ceiling value is a limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified) **TWA**

bw/day

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Human health values

Relevant DNELs and other threshold levels **Endpoint Threshold Used** in **Exposure time** Protection goal, level route of exposure DNEL 3.11 mg/m³ human, inhalatory worker (industry) chronic - systemic effects DNFI 0.882 mg/kg human, dermal chronic - systemic effects worker (industry)

Environmental values

Relevant PNECs and other threshold levels End-**Threshold Organism Environmental com-Exposure time** point level partment **PNEC** 0.16 mg/I aquatic organisms freshwater short-term (single instance) 0.016 mg/I **PNEC** aquatic organisms marine water short-term (single instance) **PNEC** 1,550 ^{mg}/_l aquatic organisms sewage treatment plant short-term (single instance) (STP)

8.2 **Exposure controls**

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection



Page 5 / 13 Australia (en)

acc. to Safe Work Australia - Code of Practice

Oxalic acid dihydrate ≥99,5 %, p.a., ACS, ISO

article number: T113



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state solid

Form crystalline Colour white

Odour odourless

Melting point/freezing point 98 – 101 °C (Release of crystal water)

Boiling point or initial boiling point and boiling 149 – 160 °C (slow decomposition)

range

Flammability this material is combustible, but will not ignite

readily

Lower and upper explosion limit not determined Flash point not applicable

Auto-ignition temperature >400 °C

Decomposition temperature >110 °C

Australia (en) Page 6 / 13

acc. to Safe Work Australia - Code of Practice

Oxalic acid dihydrate ≥99,5 %, p.a., ACS, ISO

article number: T113

pH (value) 1.5 (in aqueous solution: 10 ^g/_l, 20 °C)

Kinematic viscosity not relevant

Solubility(ies)

Water solubility >100 g/l at 25 °C

Partition coefficient

Partition coefficient n-octanol/water (log value): -1.74 (TOXNET)

Vapour pressure <0.1 hPa at 25 °C

Density and/or relative density

Density $1.65 \, {}^{9}/_{cm^3}$ at 20 ${}^{\circ}$ C

Relative vapour density Information on this property is not available.

Bulk density $800 - 900 \text{ kg/m}^3$

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Danger of explosion: Chlorates, Silver, strong oxidiser,

Exothermic reaction with: Alkali (lye), Ammonia (NH3), Mercury

10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: >110 °C.

10.5 Incompatible materials

There is no additional information.

Australia (en) Page 7 / 13



acc. to Safe Work Australia - Code of Practice

Oxalic acid dihydrate ≥99,5 %, p.a., ACS, ISO

article number: T113



Hazardous combustion products: see section 5.



11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Harmful if swallowed. Harmful in contact with skin.

Acute	toxicity
, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	COMICIC

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	7,500 ^{mg} / _{kg}	rat	anhydrous	TOXNET
dermal	LD50	20,000 ^{mg} / _{kg}	rabbit	anhydrous	ECHA

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

vomiting, nausea

• If in eyes

Causes serious eye damage, risk of blindness

If inhaled

cough, breathing difficulties, Dyspnoea

Australia (en) Page 8 / 13



acc. to Safe Work Australia - Code of Practice

Oxalic acid dihydrate ≥99,5 %, p.a., ACS, ISO

article number: T113



Frequently or prolonged contact with skin may cause dermal irritation

Other information

Other adverse effects: Agitation, Spasms, Circulatory collapse, Renal impairment

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life.

Aquatic toxicity (acute)

Endpoint	Value	Species	Source	Exposure time
EC50	162.2 ^{mg} / _l	aquatic invertebrates	ECHA	48 h
ErC50	<21.35 ^{mg} / _l	algae	ECHA	72 h

12.2 Persistence and degradability

Theoretical Oxygen Demand: $0.1269 \, ^{mg}/_{mg}$ Theoretical Carbon Dioxide: $0.6984 \, ^{mg}/_{mg}$

Biodegradation

The substance is readily biodegradable.

Process of degradability

Process	Degradation rate	Time
biotic/abiotic	40 %	5 d
oxygen depletion	89 %	5 d

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	-1.74 (TOXNET)
BOD5/COD	0.88888889

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

12.7 Other adverse effects

Data are not available.

Australia (en) Page 9 / 13



acc. to Safe Work Australia - Code of Practice

Oxalic acid dihydrate ≥99,5 %, p.a., ACS, ISO

article number: T113



SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1	UN number	not subject to transport regulations

14.2 UN proper shipping name not assigned
 14.3 Transport hazard class(es) not assigned
 14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

Not subject to transport regulations. UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

Australia (en) Page 10 / 13

acc. to Safe Work Australia - Code of Practice

Oxalic acid dihydrate ≥99,5 %, p.a., ACS, ISO

article number: T113



SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
VN	NCI	substance is listed

Legend

AIIC Australian Inventory of Industrial Chemicals CICR CSCL-ENCS ECSI

Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China **IECSC**

Korea Existing Chemicals Inventory

NZIoC

National Chemical Inventory
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS)
Taiwan Chemical Substance Inventory

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes

Australia (en) Page 11 / 13

acc. to Safe Work Australia - Code of Practice

Oxalic acid dihydrate ≥99,5 %, p.a., ACS, ISO

article number: T113



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms


Descriptions of used abbreviations
Biochemical Oxygen Demand
Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling value
Chemical oxygen demand
Dangerous Goods Regulations (see IATA/DGR)
Derived No-Effect Level
Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
Endocrine disruptor
European Inventory of Existing Commercial Chemical Substances
European List of Notified Chemical Substances
≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
International Air Transport Association
Dangerous Goods Regulations (DGR) for the air transport (IATA)
International Civil Aviation Organization
International Maritime Dangerous Goods Code
Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
No-Longer Polymer
Persistent, Bioaccumulative and Toxic
Predicted No-Effect Concentration
Short-term exposure limit
Time-weighted average
UN Recommendations on the Transport of Dangerous Good
Very Persistent and very Bioaccumulative

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

Australia (en) Page 12 / 13

acc. to Safe Work Australia - Code of Practice



article number: T113



UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H318	Causes serious eye damage.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 13 / 13