acc. to Regulation (EC) No. 1907/2006 (REACH)



### Oxalic acid dihydrate ≥99,5 %, p.a., ACS, ISO

article number: **T113** Version: **5.0 en** Replaces version of: 2022-01-07 Version: (4)

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance	<b>Oxalic acid dihydrate</b> ≥99,5 %, p.a., ACS, ISO
Article number	T113
Index No (GB CLP)	607-006-00-8
EC number	205-634-3
CAS number	6153-56-6

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Do not use for private purposes (household). Food, drink and animal feedingstuffs.

### **1.3** Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

### e-mail (competent person):

### sicherheit@carlroth.de

Laboratory chemical

Laboratory and analytical use

### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1D	Acute toxicity (dermal)	4	Acute Tox. 4	H312
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318

date of compilation: 2016-04-22 Revision: 2024-03-04

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Oxalic acid dihydrate ≥99,5 %, p.a., ACS, ISO



### article number: T113

For full text of abbreviations: see SECTION 16

2.2 Label elements

Labelling

Signal word Danger

### **Pictograms**

GHS05, GHS07



### **Hazard statements**

H302+H312	Harmful if swallowed or in contact with skin
H318	Causes serious eye damage

### **Precautionary statements**

#### **Precautionary statements - prevention**

P270	Do not eat, drink or smoke when using this product
P280	Wear protective gloves/eye protection

### **Precautionary statements - response**

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing
P310	Immediately call a POISON CENTER/doctor

### 2.3 Other hazards

### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

### **SECTION 3: Composition/information on ingredients**

3.1 Substances

Name of substance	Oxalic acid dihydrate
Molecular formula	$C_2H_2O_4 \cdot 2H_2O_1$
Molar mass	126 <sup>g</sup> / <sub>mol</sub>
CAS No	6153-56-6
EC No	205-634-3
Index No (GB CLP)	607-006-00-8

Substance, Specific Conc. Limits, M-factors, ATE				
Specific Conc. Limits	M-Factors	ATE	Exposure route	
-	-	500 <sup>mg</sup> / <sub>kg</sub> 1.100 <sup>mg</sup> / <sub>kg</sub>	oral dermal	

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Oxalic acid dihydrate ≥99,5 %, p.a., ACS, ISO



article number: T113

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures



### **General notes**

Take off contaminated clothing.

### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

### Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

### **Following ingestion**

Rinse mouth with water (only if the person is conscious). Call a doctor.

### 4.2 Most important symptoms and effects, both acute and delayed

Irritation, Nausea, Vomiting, Cough, Breathing difficulties, Agitation, Spasms, Circulatory collapse, Risk of serious damage to eyes, Risk of blindness

### 4.3 Indication of any immediate medical attention and special treatment needed

none

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media



### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Combustible.

### Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

acc. to Regulation (EC) No. 1907/2006 (REACH)

## ® BOTH

### Oxalic acid dihydrate ≥99,5 %, p.a., ACS, ISO

### article number: T113

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures



### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

### 6.3 Methods and material for containment and cleaning up

### Advice on how to contain a spill

Covering of drains. Take up mechanically.

### Advice on how to clean up a spill

Take up mechanically. Control of dust.

### Other information relating to spills and releases

Place in appropriate containers for disposal.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Avoid dust formation.

### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed.

### Incompatible substances or mixtures

Observe hints for combined storage.

### Consideration of other advice:

### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

### 7.3 Specific end use(s)

No information available.

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Oxalic acid dihydrate ≥99,5 %, p.a., ACS, ISO



### article number: T113

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 **Control parameters**

### National limit values

### **Occupational exposure limit values (Workplace Exposure Limits)**

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m <sup>3</sup> ]	Nota- tion	Source
EU	oxalic acid	144-62-7	IOELV	1				2006/15/EC
GB	oxalic acid	144-62-7	WEL	1	2			EH40/2005

#### Notation

Ceiling-C STEL

Ceiling value is a limit value above which exposure should not occur

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

TWA

### Human health values

Relevant DNELs and other threshold levels					
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time	
DNEL	3,11 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects	
DNEL	0,882 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects	

### **Environmental values**

Relevant	Relevant PNECs and other threshold levels					
End- point	Threshold level	Organism	Environmental com- partment	Exposure time		
PNEC	0,16 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)		
PNEC	0,016 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)		
PNEC	1.550 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)		

#### 8.2 **Exposure controls**

### Individual protection measures (personal protective equipment)

### **Eye/face protection**



Use safety goggle with side protection.

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Oxalic acid dihydrate ≥99,5 %, p.a., ACS, ISO



### article number: T113

#### **Skin protection**



### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### material thickness

>0,11 mm

### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

### **Respiratory protection**



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state	solid
Form	crystalline
Colour	white
Odour	odourless
Melting point/freezing point	98 – 101 °C (Release of crystal water)
Boiling point or initial boiling point and boiling range	149 – 160 °C (slow decomposition)
Flammability	this material is combustible, but will not ignite readily

acc. to Regulation (EC) No. 1907/2006 (REACH)

article number: T113

### Oxalic acid dihydrate ≥99,5 %, p.a., ACS, ISO



artici		
	Lower and upper explosion limit	not determined
	Flash point	not applicable
	Auto-ignition temperature	>400 °C
	Decomposition temperature	>110 °C
	pH (value)	1,5 (in aqueous solution: 10 <sup>g</sup> / <sub>l</sub> , 20 °C)
	Kinematic viscosity	not relevant
	Solubility(ies)	
	Water solubility	>100 <sup>g</sup> / <sub>l</sub> at 25 °C
	Partition coefficient	
	Partition coefficient n-octanol/water (log value):	-1,74 (TOXNET)
	Vapour pressure	<0,1 hPa at 25 °C
	Density and/or relative density	
	Density	1,65 <sup>g</sup> / <sub>cm³</sub> at 20 °C
	Relative vapour density	Information on this property is not available.
	Bulk density	800 – 900 <sup>kg</sup> / <sub>m³</sub>
	Particle characteristics	No data available.
	Other safety parameters	
	Oxidising properties	none
9.2	Other information	
	Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
	Other safety characteristics:	There is no additional information.

### SECTION 10: Stability and reactivity

### 10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

**Danger of explosion:** Chlorates, Silver, strong oxidiser, **Exothermic reaction with:** Alkali (lye), Ammonia (NH3), Mercury

acc. to Regulation (EC) No. 1907/2006 (REACH)



### Oxalic acid dihydrate ≥99,5 %, p.a., ACS, ISO

article number: T113

### **10.4 Conditions to avoid** Keep away from heat. Decompositon takes place from temperatures above: >110 °C.

- **10.5 Incompatible materials** There is no additional information.
- **10.6 Hazardous decomposition products** Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### **Classification acc. to GHS**

### Acute toxicity

Harmful if swallowed. Harmful in contact with skin.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	7.500 <sup>mg</sup> / <sub>kg</sub>	rat	anhydrous	TOXNET
dermal	LD50	20.000 <sup>mg</sup> / <sub>kg</sub>	rabbit	anhydrous	ECHA

### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

### Serious eye damage/eye irritation

Causes serious eye damage.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

### • If swallowed

vomiting, nausea

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Oxalic acid dihydrate ≥99,5 %, p.a., ACS, ISO



### article number: T113

### • If in eyes

Causes serious eye damage, risk of blindness

### • If inhaled

cough, breathing difficulties, Dyspnoea

### • If on skin

Frequently or prolonged contact with skin may cause dermal irritation

### • Other information

Other adverse effects: Agitation, Spasms, Circulatory collapse, Renal impairment

### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

### 11.3 Information on other hazards

There is no additional information.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
EC50	162,2 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	48 h
ErC50	<21,35 <sup>mg</sup> / <sub>l</sub>	algae	ECHA	72 h

### 12.2 Persistence and degradability

Theoretical Oxygen Demand: 0,1269 <sup>mg</sup>/<sub>mg</sub> Theoretical Carbon Dioxide: 0,6984 <sup>mg</sup>/<sub>mg</sub>

### Biodegradation

The substance is readily biodegradable.

Process of degradability		
Process	Degradation rate	Time
biotic/abiotic	40 %	5 d
oxygen depletion	89 %	5 d

### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	-1,74 (TOXNET)
BOD5/COD	0,8888889

### 12.4 Mobility in soil

Data are not available.

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Oxalic acid dihydrate ≥99,5 %, p.a., ACS, ISO

article number: T113

### **12.5 Results of PBT and vPvB assessment** Data are not available.

- **12.6** Endocrine disrupting properties Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .
- 12.7 Other adverse effects

Data are not available.

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

### Sewage disposal-relevant information

Do not empty into drains.

### Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### Properties of waste which render it hazardous

- **HP 4** irritant skin irritation and eye damage
- HP 6 acute toxicity

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

### **SECTION 14: Transport information**

- 14.1 UN number or ID number
- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards

14.6 Special precautions for user

There is no additional information.

### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.



Page 10 / 15

not assigned none

not assigned

non-environmentally hazardous acc. to the dangerous goods regulations

not subject to transport regulations

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Oxalic acid dihydrate ≥99,5 %, p.a., ACS, ISO



article number: T113

### 14.8 Information for each of the UN Model Regulations

**International Maritime Dangerous Goods Code (IMDG) - Additional information** Not subject to IMDG.

**International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information** Not subject to ICAO-IATA.

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

### Seveso Directive

2012/18/EU (Seveso III)			
Νο	Dangerous substance/hazard categories Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes
	not assigned		

#### **Deco-Paint Directive**

VOC content	100 %
VOC content	1.650 <sup>g</sup> / <sub>l</sub>

#### Industrial Emissions Directive (IED)

VOC content	0 %
VOC content	0 <sup>g</sup> / <sub>l</sub>

## Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

## Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

### Water Framework Directive (WFD)

not listed

### Regulation on the marketing and use of explosives precursors

not listed

### **Regulation on drug precursors**

not listed

### Regulation on substances that deplete the ozone layer (ODS)

not listed

### Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Oxalic acid dihydrate ≥99,5 %, p.a., ACS, ISO



#### article number: T113

### **Regulation on persistent organic pollutants (POP)**

not listed

### National regulations(GB)

# List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

### **Restrictions according to GB REACH, Annex 17**

not listed

### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

### National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
VN	NCI	substance is listed

Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
TCSI	Taiwan Chemical Substance Inventory

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

### **SECTION 16: Other information**

### Indication of changes (revised safety data sheet)

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Oxalic acid dihydrate ≥99,5 %, p.a., ACS, ISO

# ® Roth

### article number: T113

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8	Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional in- formation: Not subject to ADR, RID and ADN.		yes
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: Not listed.		yes
15.1	VOC content: 100 % , 1.650 <sup>g</sup> / <sub>l</sub>	VOC content: 100 %	yes
15.1		VOC content: 1.650 <sup>g</sup> / <sub>l</sub>	yes
15.1		National regulations(GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: not listed	yes
15.1		Restrictions according to GB REACH, Annex 17: not listed	yes
15.1		National inventories: change in the listing (table)	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
BOD	Biochemical Oxygen Demand

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Oxalic acid dihydrate ≥99,5 %, p.a., ACS, ISO



### article number: T113

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an ident fier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Oxalic acid dihydrate ≥99,5 %, p.a., ACS, ISO



### article number: **T113**

Abbr.	Descriptions of used abbreviations
WEL	Workplace exposure limit

### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H318	Causes serious eye damage.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.