acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Rhodamine B (C.I. 45170) for microscopy

article number: T130 Version: **4.0 en** Revision: 2024-03-03

Replaces version of: 2022-07-14

Version: (3)



## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **Product identifier** 1.1

Identification of the substance Rhodamine B (C.I. 45170) for microscopy

Article number T130

EC number 201-383-9 CAS number 81-88-9

9-(2-Carboxyphenyl)-3,6-Alternative name(s)

bis(diethylamino)xanthylium chloride

#### Relevant identified uses of the substance or mixture and uses advised against 1.2

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

sheet:

e-mail (competent person): sicherheit@carlroth.de

#### **Emergency telephone number** 1.4

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
4.1C	Hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

United Kingdom (en) Page 1 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Rhodamine B (C.I. 45170) for microscopy

article number: T130

For full text of abbreviations: see SECTION 16

#### The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

#### 2.2 Label elements

Labelling

Signal word Danger

**Pictograms** 

GHS05



#### **Hazard statements**

H318 Causes serious eye damage

H412 Harmful to aquatic life with long lasting effects

## **Precautionary statements**

#### **Precautionary statements - prevention**

P280 Wear protective gloves/eye protection

#### **Precautionary statements - response**

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P310 Immediately call a POISON CENTER/doctor/...

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

## **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

# SECTION 3: Composition/information on ingredients

### 3.1 Substances

Name of substance Rhodamine B (C.I. 45170)

 $\mbox{Molecular formula} \mbox{ $C_{28}$H}_{31}\mbox{CIN}_2\mbox{O}_3 \label{eq:constraints}$ 

Molar mass 479 g/mol

CAS No 81-88-9

EC No 201-383-9

United Kingdom (en) Page 2 / 14



acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Rhodamine B (C.I. 45170) for microscopy

article number: T130



### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

#### 4.2 Most important symptoms and effects, both acute and delayed

Risk of blindness, Risk of serious damage to eyes, Irritant effects, Methaemoglobinaemia, Headache, Cardiac arrhythmias, Blood pressure drop, Dyspnoea, Spasms, Cyanosis (blue coloured blood)

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

#### Unsuitable extinguishing media

water iet

## 5.2 Special hazards arising from the substance or mixture

Combustible.

#### **Hazardous combustion products**

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

United Kingdom (en) Page 3 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Rhodamine B (C.I. 45170) for microscopy

article number: T130



#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures



## For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

## Advice on how to clean up a spill

Take up mechanically. Control of dust.

#### Other information relating to spills and releases

Place in appropriate containers for disposal.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid dust formation.

#### Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

## Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

#### **Incompatible substances or mixtures**

Observe hints for combined storage.

#### Consideration of other advice:

#### **Ventilation requirements**

Use local and general ventilation.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

#### 7.3 Specific end use(s)

No information available.

United Kingdom (en) Page 4 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Rhodamine B (C.I. 45170) for microscopy

article number: T130



## SECTION 8: Exposure controls/personal protection

#### 8.1 **Control parameters**

#### **National limit values**

#### Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	dust		WEL	10			i	EH40/2005
GB	dust		WEL	4			r	EH40/2005

**Notation** 

Ceiling-C Ceiling value is a limit value above which exposure should not occur

Inhalable fraction Respirable fraction

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) STFI

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

hours time-weighted average (unless otherwise specified)

#### 8.2 **Exposure controls**

#### Individual protection measures (personal protective equipment)

#### **Eye/face protection**





Use safety goggle with side protection.

#### Skin protection





#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

## type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

#### breakthrough times of the glove material

>480 minutes (permeation: level 6)

United Kingdom (en) Page 5 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Rhodamine B (C.I. 45170) for microscopy

article number: T130



Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state solid

Form powder, crystalline

Colour green - violet
Odour odourless
Melting point/freezing point 199 – 201 °C

Boiling point or initial boiling point and boiling

range

not determined

Flammability this material is combustible, but will not ignite

readily

Lower and upper explosion limit not determined

Flash point not applicable

Auto-ignition temperature not determined

Decomposition temperature 210 – 211 °C

pH (value) 3-4 (in aqueous solution:  $10^{9}/_{l}$ ,  $20^{\circ}$ C)

Kinematic viscosity not relevant

Solubility(ies)

Water solubility ~15 <sup>g</sup>/<sub>l</sub> at 20 °C (poorly soluble)

Partition coefficient

Partition coefficient n-octanol/water (log value): 1,95 (TOXNET)

Vapour pressure not determined

Density and/or relative density

Density 1,31 <sup>g</sup>/<sub>cm³</sub> at 20 °C

United Kingdom (en) Page 6 / 14



acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Rhodamine B (C.I. 45170) for microscopy

article number: T130

Relative vapour density Information on this property is not available.

Bulk density ~250 kg/m³

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard hazard classes acc. to GHS

classes: (physical hazards): not relevant

Other safety characteristics: There is no additional information.

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Strong alkali, Strong acid

#### 10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: 210 – 211 °C.

#### 10.5 Incompatible materials

There is no additional information.

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Classification acc. to GHS

## **Acute toxicity**

Shall not be classified as acutely toxic.

### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

United Kingdom (en) Page 7 / 14



acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Rhodamine B (C.I. 45170) for microscopy

article number: T130



#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

## Symptoms related to the physical, chemical and toxicological characteristics

Data are not available.

Causes serious eye damage, risk of blindness

Data are not available.

#### Other information

Other adverse effects: Methaemoglobinaemia, Headache, Cardiac arrhythmias, Blood pressure drop, Dyspnoea, Spasms, Cyanosis (blue coloured blood)

#### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

#### 11.3 Information on other hazards

There is no additional information.

# SECTION 12: Ecological information

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute)					
Endpoint	Value	Species	Source	Exposure time	
LC50	≤33,9 <sup>mg</sup> / <sub>l</sub>	fish	ECHA	48 h	

United Kingdom (en) Page 8 / 14



Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

## Specific target organ toxicity - single exposure

#### If swallowed

#### • If in eyes

#### If inhaled

#### • If on skin

Data are not available.

#### 12.1 Toxicity

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Rhodamine B (C.I. 45170) for microscopy

article number: T130



Theoretical Oxygen Demand (without nitrification): 2,171 mg/mg Theoretical Oxygen Demand (with nitrification): 2,313 mg/mg

Theoretical Carbon Dioxide: 2,572 mg/mg

#### **Biodegradation**

Not readily biodegradable.

### **Process of degradability**

Process	Degradation rate	Time
oxygen depletion	0 %	28 d

#### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

#### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

#### Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

irritant - skin irritation and eye damage HP 4

HP 14 ecotoxic

United Kingdom (en) Page 9 / 14




## 12.2 Persistence and degradability

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Rhodamine B (C.I. 45170) for microscopy

article number: T130





## **SECTION 14: Transport information**

**14.1 UN number or ID number** not subject to transport regulations

**14.2 UN proper shipping name** not assigned

**14.3 Transport hazard class(es)** none

**14.4 Packing group** not assigned

**14.5 Environmental hazards** non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

#### **Seveso Directive**

2012/18/EU (Seveso III)						
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes			
	not assigned					

#### **Deco-Paint Directive**

VOC content	0 %
VOC content	0 <sup>g</sup> / <sub>I</sub>

#### **Industrial Emissions Directive (IED)**

United Kingdom (en) Page 10 / 14



acc. to Regulation (EC) No. 1907/2006 (REACH)

### Rhodamine B (C.I. 45170) for microscopy

article number: T130



VOC content	0 %
VOC content	0 <sup>g</sup> / <sub>l</sub>

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

#### Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Rhodamine B (C.I. 45170)	Organohalogen compounds and substances which may form such compounds in the aquatic envir- onment		a)	

#### Legend

a)

Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

**Regulation on drug precursors** 

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

Restrictions according to GB REACH, Annex 17

not listed

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

United Kingdom (en) Page 11 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Rhodamine B (C.I. 45170) for microscopy

article number: T130





Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

AIIC Australian Inventory of Industrial Chemicals
CICR Chemical Inventory and Control Regulation
CSCL-ENCS
DSL Domestic Substances List (DSL)
ECSI EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC Inventory of Existing Chemical Substances Produced or Imported in China INSQ National Inventory of Chemical Substances
KECI Korea Existing Chemicals Inventory
NCI National Chemical Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.
TCSI Taiwan Chemical Substances
Taiwan Chemical Substance Inventory
Toxic Substance Control Act

**TSCA Toxic Substance Control Act** 

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

## **SECTION 16: Other information**

#### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8	Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information:  Not subject to ADR, RID and ADN.		yes
15.1	VOC content: 0 % 0 <sup>g</sup> / <sub>l</sub>	VOC content: 0 %	yes

United Kingdom (en) Page 12 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)

## Rhodamine B (C.I. 45170) for microscopy

article number: **T130** 



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
15.1		VOC content: 0 <sup>9</sup> / <sub>l</sub>	yes
15.1		National inventories: change in the listing (table)	yes

## **Abbreviations and acronyms**

ADR Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)  CAS Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)  Celling-C Celling-C Celling value  DGR Dangerous Goods Regulations (see IATA/DGR)  EC No The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)  ED Endocrine disruptor  EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence)  EINECS European Inventory of Existing Commercial Chemical Substances  ELINCS European List of Notified Chemical Substances  ELINCS European List of Notified Chemical Substances  GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)  GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations  IATA International Air Transport Association  IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA)  ICAO International Maritime Dangerous Goods Code  LCSO Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval  NLP No-Longer Polymer  PBT Persistent, Bioaccumulative and Toxic  REACH Registration, Evaluation, Authorisation and Restriction of Chemicals  RED Règlement concernant le transport International ferrovaliere des marchandises Dangereuses (Regulations concerning the International Carriage of Dangerous goods by Rall)  STEL Short-term exposure limit  TWA Time-weighted average  VOC Volatile Organic Compounds  VeyB Very Persistent and very Bioaccumulative	Abbr.	Descriptions of used abbreviations	
Ceiling-C  Ceiling-C  Ceiling-C  DGR  Dangerous Goods Regulations (see IATA/DGR)  EC No  The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)  ED  Endocrine disruptor  EH40/2005  EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)  EINECS  European Inventory of Existing Commercial Chemical Substances  ELINCS  European List of Notified Chemical Substances  GB REACH  The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)  "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations  IATA  International Air Transport Association  IATA/DGR  Dangerous Goods Regulations (DGR) for the air transport (IATA)  ICAO  International Maritime Dangerous Goods Code  LC50  Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval  NLP  No-Longer Polymer  PBT  Persistent, Bioaccumulative and Toxic  REACH  Registration, Evaluation, Authorisation and Restriction of Chemicals  RID  Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)  STEL  Short-term exposure limit  TWA  Time-weighted average  VOC  Volatile Organic Compounds  Very Persistent and very Bioaccumulative	ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)	
DGR Dangerous Goods Regulations (see IATA/DGR)  EC No The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)  ED Endocrine disruptor  EH40/2005 EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)  EINECS European Inventory of Existing Commercial Chemical Substances  ELINCS European List of Notified Chemical Substances  ELINCS European List of Notified Chemical Substances  GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)  GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations  IATA International Air Transport Association  IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA)  ICAO International Civil Aviation Organization  IMDG International Maritime Dangerous Goods Code  LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval  NLP No-Longer Polymer  PBT Persistent, Bioaccumulative and Toxic  REACH Registration, Evaluation, Authorisation and Restriction of Chemicals  RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)  STEL Short-term exposure limit  TWA Time-weighted average  VOC Volatile Organic Compounds  Very Persistent and very Bioaccumulative	CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
EC No The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)  ED Endocrine disruptor  EH40/2005 EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)  EINECS European Inventory of Existing Commercial Chemical Substances  ELINCS European List of Notified Chemical Substances  GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, S1 2019/758 (as amended)  GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations  IATA International Air Transport Association  IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA)  ICAO International Maritime Dangerous Goods Code  LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval  NLP No-Longer Polymer  PBT Persistent, Bioaccumulative and Toxic  REACH Registration, Evaluation, Authorisation and Restriction of Chemicals  RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)  STEL Short-term exposure limit  TWA Time-weighted average  VOC Volatile Organic Compounds  VeyB Vey Persistent and very Bioaccumulative	Ceiling-C	Ceiling value	
ED Endocrine disruptor  EH40/2005 EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)  EINECS European Inventory of Existing Commercial Chemical Substances  ELINCS European List of Notified Chemical Substances  ELINCS The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)  GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations  IATA International Air Transport Association  IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA)  ICAO International Civil Aviation Organization  IMDG International Maritime Dangerous Goods Code  LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval  NLP No-Longer Polymer  PBT Persistent, Bioaccumulative and Toxic  REACH Registration, Evaluation, Authorisation and Restriction of Chemicals  RID Règlement concernant le transport International ferrovaliar des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)  STEL Short-term exposure limit  TWA Time-weighted average  VOC Volatile Organic Compounds  Very Bersistent and very Bioaccumulative	DGR	Dangerous Goods Regulations (see IATA/DGR)	
EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)  EINECS European Inventory of Existing Commercial Chemical Substances  ELINCS European List of Notified Chemical Substances  GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)  GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations  IATA International Air Transport Association  IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA)  ICAO International Givil Aviation Organization  IMDG International Maritime Dangerous Goods Code  LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval  NLP No-Longer Polymer  PBT Persistent, Bioaccumulative and Toxic  REACH Registration, Evaluation, Authorisation and Restriction of Chemicals  REACH Registration Evaluation, Authorisation and Restriction of Chemicals  Rid Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)  STEL Short-term exposure limit  TWA Time-weighted average  VOC Volatile Organic Compounds  Vevy Persistent and very Bioaccumulative	EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)	
EINECS European Inventory of Existing Commercial Chemical Substances  ELINCS European List of Notified Chemical Substances  GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)  GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations  IATA International Air Transport Association  IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA)  ICAO International Civil Aviation Organization  IMDG International Maritime Dangerous Goods Code  LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval  NLP No-Longer Polymer  PBT Persistent, Bioaccumulative and Toxic  REACH Registration, Evaluation, Authorisation and Restriction of Chemicals  RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)  STEL Short-term exposure limit  TWA Time-weighted average  VOC Volatile Organic Compounds  Vevy Bersistent and very Bioaccumulative	ED	Endocrine disruptor	
ELINCS  European List of Notified Chemical Substances  GB REACH  The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)  GHS  "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations  IATA  International Air Transport Association  IATA/DGR  Dangerous Goods Regulations (DGR) for the air transport (IATA)  ICAO  International Civil Aviation Organization  IMDG  International Maritime Dangerous Goods Code  LC50  Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethallty during a specified time interval  NLP  No-Longer Polymer  PBT  Persistent, Bioaccumulative and Toxic  REACH  Registration, Evaluation, Authorisation and Restriction of Chemicals  RID  Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)  STEL  Short-term exposure limit  TWA  Time-weighted average  VOC  Volatile Organic Compounds  Very Persistent and very Bioaccumulative	EH40/2005		
GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)  GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations  IATA International Air Transport Association  IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA)  ICAO International Civil Aviation Organization  IMDG International Maritime Dangerous Goods Code  LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval  NLP No-Longer Polymer  PBT Persistent, Bioaccumulative and Toxic  REACH Registration, Evaluation, Authorisation and Restriction of Chemicals  RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)  STEL Short-term exposure limit  TWA Time-weighted average  VOC Volatile Organic Compounds  Very Persistent and very Bioaccumulative	EINECS	European Inventory of Existing Commercial Chemical Substances	
GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations  IATA International Air Transport Association  IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA)  ICAO International Civil Aviation Organization  IMDG International Maritime Dangerous Goods Code  LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval  NLP No-Longer Polymer  PBT Persistent, Bioaccumulative and Toxic  REACH Registration, Evaluation, Authorisation and Restriction of Chemicals  RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)  STEL Short-term exposure limit  TWA Time-weighted average  VOC Volatile Organic Compounds  VPVB Very Persistent and very Bioaccumulative	ELINCS	European List of Notified Chemical Substances	
IATA International Air Transport Association  IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA)  ICAO International Civil Aviation Organization  IMDG International Maritime Dangerous Goods Code  LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval  NLP No-Longer Polymer  PBT Persistent, Bioaccumulative and Toxic  REACH Registration, Evaluation, Authorisation and Restriction of Chemicals  RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)  STEL Short-term exposure limit  TWA Time-weighted average  VOC Volatile Organic Compounds  vPvB Very Persistent and very Bioaccumulative	GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)	
IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA)  ICAO International Civil Aviation Organization  IMDG International Maritime Dangerous Goods Code  LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval  NLP No-Longer Polymer  PBT Persistent, Bioaccumulative and Toxic  REACH Registration, Evaluation, Authorisation and Restriction of Chemicals  RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)  STEL Short-term exposure limit  TWA Time-weighted average  VOC Volatile Organic Compounds  Very Persistent and very Bioaccumulative	GHS		
ICAO International Civil Aviation Organization  IMDG International Maritime Dangerous Goods Code  LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval  NLP No-Longer Polymer  PBT Persistent, Bioaccumulative and Toxic  REACH Registration, Evaluation, Authorisation and Restriction of Chemicals  RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)  STEL Short-term exposure limit  TWA Time-weighted average  VOC Volatile Organic Compounds  VPVB Very Persistent and very Bioaccumulative	IATA	International Air Transport Association	
IMDG International Maritime Dangerous Goods Code  LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval  NLP No-Longer Polymer  PBT Persistent, Bioaccumulative and Toxic  REACH Registration, Evaluation, Authorisation and Restriction of Chemicals  RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)  STEL Short-term exposure limit  TWA Time-weighted average  VOC Volatile Organic Compounds  VPVB Very Persistent and very Bioaccumulative	IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval  NLP No-Longer Polymer  PBT Persistent, Bioaccumulative and Toxic  REACH Registration, Evaluation, Authorisation and Restriction of Chemicals  RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)  STEL Short-term exposure limit  TWA Time-weighted average  VOC Volatile Organic Compounds  VPVB Very Persistent and very Bioaccumulative	ICAO	International Civil Aviation Organization	
NLP No-Longer Polymer  PBT Persistent, Bioaccumulative and Toxic  REACH Registration, Evaluation, Authorisation and Restriction of Chemicals  RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)  STEL Short-term exposure limit  TWA Time-weighted average  VOC Volatile Organic Compounds  VPVB Very Persistent and very Bioaccumulative	IMDG	International Maritime Dangerous Goods Code	
PBT Persistent, Bioaccumulative and Toxic  REACH Registration, Evaluation, Authorisation and Restriction of Chemicals  RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)  STEL Short-term exposure limit  TWA Time-weighted average  VOC Volatile Organic Compounds  VPVB Very Persistent and very Bioaccumulative	LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval	
REACH Registration, Evaluation, Authorisation and Restriction of Chemicals  RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)  STEL Short-term exposure limit  TWA Time-weighted average  VOC Volatile Organic Compounds  VPVB Very Persistent and very Bioaccumulative	NLP	No-Longer Polymer	
RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)  STEL Short-term exposure limit  TWA Time-weighted average  VOC Volatile Organic Compounds  VPVB Very Persistent and very Bioaccumulative	PBT	Persistent, Bioaccumulative and Toxic	
tions concerning the International carriage of Dangerous goods by Rail)  STEL Short-term exposure limit  TWA Time-weighted average  VOC Volatile Organic Compounds  VPVB Very Persistent and very Bioaccumulative	REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
TWA Time-weighted average  VOC Volatile Organic Compounds  vPvB Very Persistent and very Bioaccumulative	RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)	
VOC Volatile Organic Compounds  vPvB Very Persistent and very Bioaccumulative	STEL	Short-term exposure limit	
vPvB Very Persistent and very Bioaccumulative	TWA	Time-weighted average	
	VOC	Volatile Organic Compounds	
WEL Workplace exposure limit	vPvB	Very Persistent and very Bioaccumulative	
	WEL	Workplace exposure limit	

United Kingdom (en) Page 13 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)

## Rhodamine B (C.I. 45170) for microscopy

article number: T130



## Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.

#### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 14 / 14