acc. to Safe Work Australia - Code of Practice



#### EDTA disodium salt solution B 0,01783 mol/l - 0,01783 N volumetric standard solution

article number: T137 date of compilation: 2022-03-23 Version: GHS 1.0 en

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 **Product identifier**

Identification of the substance EDTA disodium salt solution B 0.01783 mol/l -

0,01783 N volumetric standard solution

Article number T137

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

#### **Emergency telephone number** 1.4

| Name   | Street          | Postal code/city        | Telephone | Website |
|--|-----------------|-------------------------|-----------|---------|
| NSW Poisons Information Centre<br>Childrens Hospital | Hawkesbury Road | 2145 West-<br>mead, NSW | 131126    |         |

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification acc. to GHS

This mixture does not meet the criteria for classification.

#### 2.2 **Label elements**

#### Labelling

not required

Page 1 / 13 Australia (en)

acc. to Safe Work Australia - Code of Practice



# EDTA disodium salt solution B 0,01783 mol/l - 0,01783 N volumetric standard solution

article number: T137

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

not relevant (mixture)

#### 3.2 Mixtures

### **Description of the mixture**

| Name of sub-<br>stance   | Identifier          | Wt%     | Classification acc. to<br>GHS           | Pictograms | Notes |
|--|---------------------|---------|---|------------|-------|
| Ethylenediamine tet-<br>raacetic acid disodi-<br>um salt dihydrate | CAS No<br>6381-92-6 | 2.5 - 5 | Acute Tox. 4 / H332<br>STOT RE 2 / H373 |            |       |

For full text of abbreviations: see SECTION 16

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

#### Following inhalation

Provide fresh air.

#### Following skin contact

Rinse skin with water/shower.

#### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

Australia (en) Page 2 / 13

acc. to Safe Work Australia - Code of Practice



# EDTA disodium salt solution B 0,01783 mol/l - 0,01783 N volumetric standard solution

article number: T137

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### **Hazardous combustion products**

In case of fire may be liberated: Nitrogen oxides (NOx)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

No special measures are necessary.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece).

#### Other information relating to spills and releases

Place in appropriate containers for disposal.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Australia (en) Page 3 / 13

acc. to Safe Work Australia - Code of Practice



#### EDTA disodium salt solution B 0,01783 mol/l - 0,01783 N volumetric standard solution

article number: T137

## SECTION 7: Handling and storage

#### Precautions for safe handling 7.1

No special measures are necessary.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

### **Incompatible substances or mixtures**

Observe hints for combined storage.

Consideration of other advice:

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

#### 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

#### 8.1 **Control parameters**

#### **National limit values**

#### **Occupational exposure limit values (Workplace Exposure Limits)**

| Cou<br>ntr<br>y | Name of agent    | CAS No        | Identi-<br>fier | TW<br>A<br>[pp<br>m] | TWA<br>[mg/<br>m³] | STE<br>L<br>[pp<br>m] | STEL<br>[mg/<br>m³] | Ceil<br>ing-<br>C<br>[pp<br>m] | Ceil-<br>ing-C<br>[mg/<br>m³] | Nota-<br>tion | Source |
|-----------------|------------------|---------------|-----------------|----------------------|--------------------|-----------------------|---------------------|--------------------------------|-------------------------------|---------------|--------|
| AU              | sodium hydroxide | 1310-73-<br>2 | WES             |                      |                    |                       |                     |                                | 2                             |               | WES    |
| AU              | zinc chloride    | 7646-85-<br>7 | WES             |                      | 1                  |                       | 2                   |                                |                               | fume          | WES    |

Notation

Ceiling-C

TWA

Ceiling value is a limit value above which exposure should not occur

fume STEL

As fume Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

hours time-weighted average (unless otherwise specified)

### Relevant DNELs of components of the mixture

| Name of sub-<br>stance  | CAS No    | End-<br>point | Threshol<br>d level | Protection<br>goal, route of<br>exposure | Used in           | Exposure time                |
|---|-----------|---------------|---------------------|--|-------------------|------------------------------|
| Ethylenediamine<br>tetraacetic acid dis-<br>odium salt di-<br>hydrate | 6381-92-6 | DNEL          | 1.5 mg/m³           | human, inhalat-<br>ory                   | worker (industry) | chronic - local ef-<br>fects |

Australia (en) Page 4 / 13

acc. to Safe Work Australia - Code of Practice



# EDTA disodium salt solution B 0,01783 mol/l - 0,01783 N volumetric standard solution

article number: T137

| Relevant DNELs of components of the mixture                           |           |               |                     |  |                   |                            |  |  |  |  |  |
|---|-----------|---------------|---------------------|--|-------------------|----------------------------|--|--|--|--|--|
| Name of sub-<br>stance  | CAS No    | End-<br>point | Threshol<br>d level | Protection<br>goal, route of<br>exposure | Used in           | Exposure time              |  |  |  |  |  |
| Ethylenediamine<br>tetraacetic acid dis-<br>odium salt di-<br>hydrate | 6381-92-6 | DNEL          | 3 mg/m³             | human, inhalat-<br>ory                   | worker (industry) | acute - local ef-<br>fects |  |  |  |  |  |

| Relevant PNECs  | Relevant PNECs of components of the mixture |               |                                   |                        |                                 |                                 |  |  |  |  |  |
|---|---|---------------|-----------------------------------|------------------------|---------------------------------|---------------------------------|--|--|--|--|--|
| Name of sub-<br>stance  | CAS No                                      | End-<br>point | Threshol<br>d level               | Organism               | Environmental compartment       | Exposure time                   |  |  |  |  |  |
| Ethylenediamine<br>tetraacetic acid dis-<br>odium salt di-<br>hydrate | 6381-92-6                                   | PNEC          | 2.2 <sup>mg</sup> / <sub>l</sub>  | aquatic organ-<br>isms | freshwater                      | short-term (single<br>instance) |  |  |  |  |  |
| Ethylenediamine<br>tetraacetic acid dis-<br>odium salt di-<br>hydrate | 6381-92-6                                   | PNEC          | 0.22 <sup>mg</sup> / <sub>l</sub> | aquatic organ-<br>isms | marine water                    | short-term (single<br>instance) |  |  |  |  |  |
| Ethylenediamine<br>tetraacetic acid dis-<br>odium salt di-<br>hydrate | 6381-92-6                                   | PNEC          | 43 <sup>mg</sup> / <sub>l</sub>   | aquatic organ-<br>isms | sewage treatment<br>plant (STP) | short-term (single<br>instance) |  |  |  |  |  |

## 8.2 Exposure controls

Individual protection measures (personal protective equipment)

#### **Eye/face protection**





Use safety goggle with side protection.

### **Skin protection**



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

Australia (en) Page 5 / 13

acc. to Safe Work Australia - Code of Practice



# EDTA disodium salt solution B 0,01783 mol/l - 0,01783 N volumetric standard solution

article number: T137

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**





Respiratory protection necessary at: Aerosol or mist formation.

### **Environmental exposure controls**

Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless

Odour odourless

Melting point/freezing point not determined

Boiling point or initial boiling point and boiling 100 °C

range

Flammability non-combustible
Lower and upper explosion limit not determined
Flash point not determined
Auto-ignition temperature not determined
Decomposition temperature not relevant
pH (value) (neutral)

Kinematic viscosity not determined

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure 23 hPa at 20 °C

Density and/or relative density

Density 1.001 <sup>g</sup>/<sub>cm³</sub> at 20 °C

Relative vapour density information on this property is not available

Australia (en) Page 6 / 13

acc. to Safe Work Australia - Code of Practice



# EDTA disodium salt solution B 0,01783 mol/l - 0,01783 N volumetric standard solution

article number: T137

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics:

Miscibility completely miscible with water

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### 10.5 Incompatible materials

There is no additional information.

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

### **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to GHS

This mixture does not meet the criteria for classification.

#### **Acute toxicity**

Shall not be classified as acutely toxic.

#### Acute toxicity estimate (ATE) of components of the mixture

| Name of substance  | CAS No    | Exposure route        | ATE                                  |
|--|-----------|-----------------------|--------------------------------------|
| Ethylenediamine tetraacetic acid disodium salt dihydrate | 6381-92-6 | inhalation: dust/mist | 1.6 <sup>mg</sup> / <sub>l</sub> /4h |

Australia (en) Page 7 / 13

acc. to Safe Work Australia - Code of Practice



# EDTA disodium salt solution B 0,01783 mol/l - 0,01783 N volumetric standard solution

article number: T137

| Acute toxicity of components of the mixture |
|---|
|---|

| Name of substance  | CAS No    | Exposure route | Endpoint | Value                               | Species |
|--|-----------|----------------|----------|-------------------------------------|---------|
| Ethylenediamine tetraacetic acid disodium salt dihydrate | 6381-92-6 | oral           | LD50     | 2,800 <sup>mg</sup> / <sub>kg</sub> | rat     |

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

## Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

Data are not available.

#### • If in eyes

Data are not available.

#### • If inhaled

Data are not available.

#### • If on skin

Data are not available.

#### Other information

Health effects are not known.

#### 11.2 Endocrine disrupting properties

None of the ingredients are listed.

Australia (en) Page 8 / 13

acc. to Safe Work Australia - Code of Practice



# EDTA disodium salt solution B 0,01783 mol/l - 0,01783 N volumetric standard solution

article number: T137

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

| Aquatic toxicity (a | cute) of compo | nents of the mix | cture |
|---------------------|----------------|------------------|-------|
|                     |                |                  |       |

| Name of sub-<br>stance   | CAS No    | Endpoint | Value                            | Species                             | Exposure<br>time |
|--|-----------|----------|----------------------------------|-------------------------------------|------------------|
| Ethylenediamine tet-<br>raacetic acid disodi-<br>um salt dihydrate | 6381-92-6 | LC50     | 41 <sup>mg</sup> / <sub>l</sub>  | bluegill (Lepomis mac-<br>rochirus) | 96 h             |
| Ethylenediamine tet-<br>raacetic acid disodi-<br>um salt dihydrate | 6381-92-6 | EC50     | 610 <sup>mg</sup> / <sub>l</sub> | daphnia magna                       | 24 h             |

### Aquatic toxicity (chronic) of components of the mixture

| Name of sub-<br>stance   | CAS No    | Endpoint | Value                           | Species            | Exposure<br>time |
|--|-----------|----------|---------------------------------|--------------------|------------------|
| Ethylenediamine tet-<br>raacetic acid disodi-<br>um salt dihydrate | 6381-92-6 | EC50     | 56 <sup>mg</sup> / <sub>l</sub> | Pseudomonas putida | 8 h              |

#### **Biodegradation**

The methods for determining the biological degradability are not applicable to inorganic substances.

### 12.2 Process of degradability

Data are not available.

### 12.3 Bioaccumulative potential

Data are not available.

## Bioaccumulative potential of components of the mixture

| Name of substance  | CAS No    | BCF | Log KOW | BOD5/COD |
|--|-----------|-----|---------|----------|
| Ethylenediamine tetraacetic acid disodium salt dihydrate | 6381-92-6 | 1.8 |         |          |

#### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Endocrine disrupting properties

None of the ingredients are listed.

#### 12.7 Other adverse effects

Data are not available.

Australia (en) Page 9 / 13

acc. to Safe Work Australia - Code of Practice



# EDTA disodium salt solution B 0,01783 mol/l - 0,01783 N volumetric standard solution

article number: T137

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

Sewage disposal-relevant information

Do not empty into drains.

**Relevant provisions relating to waste(Basel Convention)** 

Properties of waste which render it hazardous

**H11** Toxic (Delayed or chronic)

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## **SECTION 14: Transport information**

| <b>14.1 UN number</b> not subject to transport re | gulations |
|---|-----------|
|---|-----------|

14.2 UN proper shipping name not assigned
 14.3 Transport hazard class(es) not assigned
 14.4 Packing group not assigned

**14.5 Environmental hazards** non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

Not subject to transport regulations. UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

Australia (en) Page 10 / 13

acc. to Safe Work Australia - Code of Practice



### EDTA disodium salt solution B 0,01783 mol/l - 0,01783 N volumetric standard solution

article number: T137

## **SECTION 15: Regulatory information**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1

There is no additional information.

#### National regulations(Australia)

#### Australian Inventory of Chemical Substances(AICS)

All ingredients are listed or exempt from listing.

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

| Country | Inventory  | Status                         |
|---------|------------|--------------------------------|
| AU      | AICS       | all ingredients are listed     |
| CA      | DSL        | all ingredients are listed     |
| CN      | IECSC      | all ingredients are listed     |
| EU      | ECSI       | all ingredients are listed     |
| EU      | REACH Reg. | all ingredients are listed     |
| JP      | CSCL-ENCS  | not all ingredients are listed |
| KR      | KECI       | not all ingredients are listed |
| MX      | INSQ       | all ingredients are listed     |
| NZ      | NZIoC      | all ingredients are listed     |
| PH      | PICCS      | all ingredients are listed     |
| TR      | CICR       | not all ingredients are listed |
| TW      | TCSI       | all ingredients are listed     |
| US      | TSCA       | not all ingredients are listed |

#### Legend

AICS CICR CSCL-ENCS DSL

ECSI

Australian Inventory of Chemical Substances
Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Korea Existing Chemicals Inventory **IECSC** 

KECI' Korea Existing Chemicals Inventory

NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances

Taiwan Chemical Substance Inventory **Toxic Substance Control Act** 

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

Australia (en) Page 11 / 13

acc. to Safe Work Australia - Code of Practice



# EDTA disodium salt solution B 0,01783 mol/l - 0,01783 N volumetric standard solution

article number: T137

## **SECTION 16: Other information**

#### **Abbreviations and acronyms**

| Acute Tox. | Acute toxicity  |
|------------|---|
| ATF        | Acute toxicity  |
| / \ \ _    | Acute Toxicity Estimate   |
| BCF        | Bioconcentration factor   |
| BOD        | Biochemical Oxygen Demand   |
| CAS        | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substance  |
| Ceiling-C  | Ceiling value   |
| COD        | Chemical oxygen demand  |
| DGR        | Dangerous Goods Regulations (see IATA/DGR)  |
| DNEL       | Derived No-Effect Level   |
| EC50       | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causin 50 % changes in response (e.g. on growth) during a specified time interval |
| EINECS     | European Inventory of Existing Commercial Chemical Substances   |
| ELINCS     | European List of Notified Chemical Substances   |
| GHS        | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United N<br>tions  |
| IATA       | International Air Transport Association   |
| IATA/DGR   | Dangerous Goods Regulations (DGR) for the air transport (IATA)  |
| ICAO       | International Civil Aviation Organization   |
| IMDG       | International Maritime Dangerous Goods Code   |
| LC50       | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval                                 |
| LD50       | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality durin specified time interval   |
| log KOW    | n-Octanol/water   |
| MARPOL     | International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")   |
| NLP        | No-Longer Polymer   |
| PBT        | Persistent, Bioaccumulative and Toxic   |
| PNEC       | Predicted No-Effect Concentration   |
| ppm        | Parts per million   |
| STEL       | Short-term exposure limit   |
| STOT RE    | Specific target organ toxicity - repeated exposure  |
| TWA        | Time-weighted average   |
| UN RTDG    | UN Recommendations on the Transport of Dangerous Good   |
| vPvB       | Very Persistent and very Bioaccumulative  |

Australia (en) Page 12 / 13

acc. to Safe Work Australia - Code of Practice



# EDTA disodium salt solution B 0,01783 mol/l - 0,01783 N volumetric standard solution

article number: T137

| Abbr. | Descriptions of used abbreviations  |
|-------|---|
| WES   | Safe Work Australia: Workplace exposure standards for airborne contaminants |

#### Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text   |
|------|--|
| H332 | Harmful if inhaled.  |
| H373 | May cause damage to organs through prolonged or repeated exposure. |

#### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 13 / 13