according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetic acid ethyl ester ROTISOLV® Pestilyse® ≥99,8 %

article number: **T164** Version: **6.0 en** Replaces version of: 2023-09-12 Version: (5)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

| Identification of the substance | Acetic acid ethyl ester ROTISOLV® Pestilyse® ≥99,8 % |
|---------------------------------|--|
| Article number | T164 |
| Registration number (REACH) | 01-2119475110-46-xxxx |
| Index number in CLP Annex VI | 607-022-00-5 |
| EC number | 205-500-4 |
| CAS number | 141-78-6 |
| Alternative name(s) | Ethyl acetate |
| | |

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Laboratory chemical Laboratory and analytical use

Uses advised against:

Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

| Name | Street | Postal code/city | Telephone | Website |
|---|---------------|---------------------|-----------------|-----------------------------|
| National Poisons Information Centre Beaumont Hospital | Beaumont Road | Dublin 9 | +353 1 809 2166 | https:// www.poisons.ie/ |

date of compilation: 2015-11-12 Revision: 2024-03-04

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetic acid ethyl ester ROTISOLV® Pestilyse® ≥99,8 %

article number: **T164**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Section | Hazard class | Cat- egory | Hazard class and category | Hazard statement |
|---------|---|---------------|---------------------------|---------------------|
| 2.6 | Flammable liquid | 2 | Flam. Liq. 2 | H225 |
| 3.3 | Serious eye damage/eye irritation | 2 | Eye Irrit. 2 | H319 |
| 3.8D | Specific target organ toxicity - single exposure (narcotic effects, drowsiness) | 3 | STOT SE 3 | H336 |

Supplemental hazard information

| Code | Supplemental hazard information |
|--------|--|
| EUH066 | repeated exposure may cause skin dryness or cracking |

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

| Signal word Dange | Signal | word | Danger |
|-------------------|--------|------|--------|
|-------------------|--------|------|--------|

Pictograms

GHS02, GHS07



Hazard statements

| H225 | Highly flammable liquid and vapour |
|------|------------------------------------|
| H319 | Causes serious eye irritation |
| H336 | May cause drowsiness or dizziness |

Precautionary statements

Precautionary statements - prevention

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- P243 Take action to prevent static discharges

Precautionary statements - response

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Supplemental hazard information

EUH066 Repeated exposure may cause skin dryness or cracking.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetic acid ethyl ester ROTISOLV® Pestilyse® ≥99,8 %

article number: T164

Labelling of packages where the contents do not exceed 125 ml Signal word: Danger

Symbol(s)



H336 May cause drowsiness or dizziness.EUH066 Repeated exposure may cause skin dryness or cracking.

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

| Name of substance | Acetic acid ethyl ester |
|-------------------|-------------------------------------|
| Molecular formula | C₄H ₈ O₂ |
| Molar mass | 88,11 ^g / _{mol} |
| REACH Reg. No | 01-2119475110-46-xxxx |
| CAS No | 141-78-6 |
| EC No | 205-500-4 |
| Index No | 607-022-00-5 |

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetic acid ethyl ester ROTISOLV® Pestilyse® ≥99,8 %

article number: T164

4.2 Most important symptoms and effects, both acute and delayed

Following inhalation: Headaches and dizziness may occur, Breathing difficulties, Dizziness, Drowsiness, Narcosis, Following skin contact: Has degreasing effect on the skin, Irritant effects, After eye contact: Irritation, Following ingestion: Nausea, Aspiration hazard, Vomiting

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetic acid ethyl ester ROTISOLV® Pestilyse® ≥99,8 %

article number: T164

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Store in a dry place. Protect against: Direct light irradiation. May cause decomposition by long-term light influence.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetic acid ethyl ester ROTISOLV® Pestilyse® ≥99,8 %

article number: T164

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| Cou ntr y | Name of agent | CAS No | Identi- fier | TW A [pp m] | TWA [mg/ m³] | STE L [pp m] | STEL [mg/ m³] | Ceil ing- C [pp m] | Ceil- ing-C [mg/ m³] | Nota- tion | Source |
|-----------------|---------------|----------|-----------------|----------------------|--------------------|-----------------------|---------------------|--------------------------------|-------------------------------|---------------|----------------------------|
| EU | ethyl acetate | 141-78-6 | IOELV | 200 | 734 | 400 | 1.468 | | | | 2017/ 164/EU |
| IE | ethyl acetate | 141-78-6 | OELV | 200 | 734 | 400 | 1.468 | | | | S.I. No. 619 of 2001 |

Notation

ſ

Ceiling-C STEL

Ceiling value is a limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

TWA

Human health values

| Relevant DNELs and other threshold levels | | | | | | | | |
|---|-------------------------|------------------------------------|-------------------|----------------------------|--|--|--|--|
| Endpoint | Threshold level | Protection goal, route of exposure | Used in | Exposure time | | | | |
| DNEL | 734 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects | | | | |
| DNEL | 1.468 mg/m ³ | human, inhalatory | worker (industry) | acute - systemic effects | | | | |
| DNEL | 734 mg/m ³ | human, inhalatory | worker (industry) | chronic - local effects | | | | |
| DNEL | 1.468 mg/m ³ | human, inhalatory | worker (industry) | acute - local effects | | | | |
| DNEL | 63 mg/kg bw/ day | human, dermal | worker (industry) | chronic - systemic effects | | | | |

Environmental values

| Relevant | Relevant PNECs and other threshold levels | | | | | | | | | |
|---------------|---|-----------------------|---------------------------------|------------------------------|--|--|--|--|--|--|
| End- point | Threshold level | Organism | Environmental com- partment | Exposure time | | | | | | |
| PNEC | 1,65 ^{mg} / _l | aquatic organisms | water | intermittent release | | | | | | |
| PNEC | 0,24 ^{mg} / _l | aquatic organisms | freshwater | short-term (single instance) | | | | | | |
| PNEC | 0,024 ^{mg} / _l | aquatic organisms | marine water | short-term (single instance) | | | | | | |
| PNEC | 650 ^{mg} / _l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) | | | | | | |
| PNEC | 1,15 ^{mg} / _{kg} | aquatic organisms | freshwater sediment | short-term (single instance) | | | | | | |
| PNEC | 0,115 ^{mg} / _{kg} | aquatic organisms | marine sediment | short-term (single instance) | | | | | | |
| PNEC | 0,148 ^{mg} / _{kg} | terrestrial organisms | soil | short-term (single instance) | | | | | | |

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetic acid ethyl ester ROTISOLV® Pestilyse® ≥99,8 %

article number: T164

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

Butyl caoutchouc (butyl rubber)

• material thickness

0,7mm

• breakthrough times of the glove material

>120 minutes (permeation: level 4)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetic acid ethyl ester ROTISOLV® Pestilyse® ≥99,8 %

article number: **T164**

SECTION 9: Physical and chemical properties Information on basic physical and chemical properties 9.1 Physical state liquid Colour colourless Odour fruity Odour threshold 50 ppm Melting point/freezing point -83,6 °C at 1.013 hPa (ECHA) Boiling point or initial boiling point and boiling 77,1 °C at 1.013 hPa (ECHA) range Flammability flammable liquid in accordance with GHS criteria Lower and upper explosion limit 73 g/m3 (LEL) - 470 g/m3 (UEL) / 2,2 vol% (LEL) - 11,5 vol% (UEL) -4 °C at 1.013 hPa (ECHA) Flash point Auto-ignition temperature 427 °C at 1.013 hPa (ECHA) (auto-ignition temperature (liquids and gases)) Decomposition temperature not relevant pH (value) not determined 0,501 mm²/_s at 20 °C Kinematic viscosity Dynamic viscosity 0,451 mPa s at 20 °C Solubility(ies) Water solubility 80 ^g/_l at 25 °C (ECHA) Partition coefficient Partition coefficient n-octanol/water (log value): 0,68 (pH value: 7, 25 °C) (ECHA) Vapour pressure 97 hPa at 20 °C Density and/or relative density Density 0,9003 ^g/_{cm³} at 20 °C (ECHA) Relative vapour density 3,04 (air = 1) Particle characteristics not relevant (liquid) Other safety parameters Oxidising properties none 9.2 Other information Information with regard to physical hazard There is no additional information.

classes:

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetic acid ethyl ester ROTISOLV® Pestilyse® ≥99,8 %

article number: T164

| Other safety characteristics: | |
|--------------------------------------|--|
| Gas group (explosion group) | IIA Maximum Experimental Safe Gap value; MESG > 0,9 mm |
| Maximum explosion pressure | 9,5 bar |
| Refractive index | 1,372 |
| Temperature class (EU, acc. to ATEX) | T2 Maximum permissible surface temperature on the equipment: 300°C |

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition. Vapours may form explosive mixtures with air.

If heated

Risk of ignition.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Exothermic reaction with: Fluorine, strong oxidiser, **Danger of explosion:** Alkali metals, Alkaline earth metal, **Violent reaction with:** Strong alkali, Strong acid

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Direct light irradiation. Protect from moisture.

10.5 Incompatible materials

different plastics

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

| Acute toxicity | | | | | |
|----------------|----------|---------------------------------------|---------|--------|--------|
| Exposure route | Endpoint | Value | Species | Method | Source |
| oral | LD50 | 5.620 ^{mg} / _{kg} | rat | | TOXNET |
| dermal | LD50 | >20.000 ^{mg} / _{kg} | rabbit | | ECHA |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetic acid ethyl ester ROTISOLV® Pestilyse® ≥99,8 %

article number: T164

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

nausea, vomiting, aspiration hazard

• If in eyes

Causes serious eye irritation, Irritating to eyes

• If inhaled

fatigue, narcosis, headache, vertigo, breathing difficulties, dizziness, drowsiness, narcosis

• If on skin

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation)

Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

11.3 Information on other hazards

There is no additional information.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetic acid ethyl ester ROTISOLV® Pestilyse® ≥99,8 %

article number: **T164**

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

| Endpoint | Value | Species | Source | Exposure time |
|----------|----------------------------------|---------|--------|------------------|
| LC50 | 230 ^{mg} / _l | fish | ECHA | 96 h |
| EC50 | 220 ^{mg} / _l | fish | ECHA | 96 h |

12.2 Persistence and degradability

Theoretical Oxygen Demand: 1,816 ^{mg}/_{mg} Theoretical Carbon Dioxide: 1,998 ^{mg}/_{mg}

Biodegradation

The substance is readily biodegradable.

| Process of degradability | | |
|--------------------------|------------------|------|
| Process | Degradation rate | Time |
| biotic/abiotic | 100 % | 28 d |
| oxygen depletion | 62 % | 5 d |

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

| n-octanol/water (log KOW) | 0,68 (pH value: 7, 25 °C) (ECHA) |
|---------------------------|----------------------------------|
| BCF | 30 (ECHA) |

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetic acid ethyl ester ROTISOLV® Pestilyse® ≥99,8 %

article number: **T164**

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- **HP 3** flammable
- HP 4 irritant skin irritation and eye damage

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

| | ADRRID | UN 1173 |
|------|----------------------------|---------------|
| | IMDG-Code | UN 1173 |
| | ICAO-TI | UN 1173 |
| 14.2 | UN proper shipping name | |
| | ADRRID | ETHYL ACETATE |
| | IMDG-Code | ETHYL ACETATE |
| | ICAO-TI | Ethyl acetate |
| 14.3 | Transport hazard class(es) | |
| | ADRRID | 3 |
| | IMDG-Code | 3 |
| | ICAO-TI | 3 |
| 14.4 | Packing group | |
| | ADRRID | II |
| | IMDG-Code | II |
| | ICAO-TI | II |

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetic acid ethyl ester ROTISOLV® Pestilyse® ≥99,8 %

article number: T164

- **14.5** Environmental hazardsnon-environmentally hazardous acc. to the dan-
gerous goods regulations
- 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

| Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional |
|--|
| information |

| Proper shipping name | ETHYL ACETATE | | |
|---------------------------------------|-------------------------------------|--|--|
| Particulars in the transport document | UN1173, ETHYL ACETATE, 3, II, (D/E) | | |
| Classification code | F1 | | |
| Danger label(s) | 3 | | |
| | | | |
| Excepted quantities (EQ) | E2 | | |
| Limited quantities (LQ) | 1 L | | |
| Transport category (TC) | 2 | | |
| Tunnel restriction code (TRC) | D/E | | |
| Hazard identification No | 33 | | |

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

| Classification code | F1 |
|---|---|
| Danger label(s) | 3 |
| | |
| Excepted quantities (EQ) | E2 |
| Limited quantities (LQ) | 1 L |
| Transport category (TC) | 2 |
| Hazard identification No | 33 |
| International Maritime Dangerous Goods Code | (IMDG) - Additional information |
| Proper shipping name | ETHYL ACETATE |
| Particulars in the shipper's declaration | UN1173, ETHYL ACETATE, 3, II, -4°C c.c. |
| Marine pollutant | - |
| Danger label(s) | 3 |
| | |

Special provisions (SP)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetic acid ethyl ester ROTISOLV® Pestilyse® ≥99,8 %

| Excepted quantities (EQ) | E2 |
|--|--------------------------------------|
| Limited quantities (LQ) | 1 L |
| EmS | F-E, S-D |
| Stowage category | В |
| International Civil Aviation Organization (ICA | O-IATA/DGR) - Additional information |
| Proper shipping name | Ethyl acetate |
| Particulars in the shipper's declaration | UN1173, Ethyl acetate, 3, II |
| Danger label(s) | 3 |
| | |
| Excepted quantities (EQ) | E2 |
| | |
| Limited quantities (LQ) | 1 L |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

| Dangerous substances with restrictions (REACH, Annex XVII) | | | | |
|--|--|--------|-------------|----|
| Name of substance | Name acc. to inventory | CAS No | Restriction | No |
| Acetic acid ethyl ester | this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC | | R3 | 3 |
| Acetic acid ethyl ester | flammable / pyrophoric | | R40 | 40 |
| Acetic acid ethyl ester | substances in tattoo inks and perman- ent make-up | | R75 | 75 |

Legend

R3

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes,

games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
2. Articles not complying with paragraph 1 shall not be placed on the market.
3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume,

or both, if they

can be used as fuel in decorative oil lamps for supply to the general public, and present an aspiration hazard and are labelled with H304.

4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and pack-aging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following require-

ments are met: (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil

or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetic acid ethyl ester ROTISOLV® Pestilyse® ≥99,8 %

article number: T164

Legend R40

- 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following: metallic glitter intended mainly for decoration,
- artificial snow and frost,
- 'whoopee' cushions,

- silly string aerosols,
 imitation excrement,
 horns for parties,
 decorative flakes and foams,
- artificial cobwebs,
- stink bombs.

Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'.

- 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).

4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU





article number: T164



8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetic acid ethyl ester ROTISOLV® Pestilyse® ≥99,8 %

article number: T164

Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

Seveso Directive

| 2012/18/EU (Seveso III) | | | | |
|-------------------------|---------------------------------------|---|--------|-------|
| Νο | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements | | Notes |
| P5c | flammable liquids (cat. 2, 3) | 5.000 | 50.000 | 51) |

Notation

51) Flammable liquids, categories 2 or 3 not covered by P5a and P5b

Deco-Paint Directive

| VOC content | 100 % |
|--|-----------------------------------|
| VOC content (Water content was discounted) | 900,3 ^g / _l |

Industrial Emissions Directive (IED)

| VOC content | 100 % |
|--|-----------------------------------|
| VOC content (Water content was discounted) | 900,3 ^g / _l |

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

not listed

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetic acid ethyl ester ROTISOLV® Pestilyse® ≥99,8 %

article number: T164

Regulation on persistent organic pollutants (POP) not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

| Country | Inventory | Status |
|---------|------------|------------------------------|
| AU | AIIC | substance is listed |
| CA | DSL | substance is listed |
| CN | IECSC | substance is listed |
| EU | ECSI | substance is listed |
| EU | REACH Reg. | substance is listed |
| JP | CSCL-ENCS | substance is listed |
| KR | KECI | substance is listed |
| MX | INSQ | substance is listed |
| NZ | NZIoC | substance is listed |
| PH | PICCS | substance is listed |
| TR | CICR | substance is listed |
| TW | TCSI | substance is listed |
| US | TSCA | substance is listed (ACTIVE) |
| VN | NCI | substance is listed |

Legend

| Legenu | |
|------------|---|
| AIIC | Australian Inventory of Industrial Chemicals |
| CICR | Chemical Inventory and Control Regulation |
| CSCL-ENCS | List of Existing and New Chemical Substances (CSCL-ENCS) |
| DSL | Domestic Substances List (DSL) |
| ECSI | EC Substance Inventory (EINECS, ELINCS, NLP) |
| IECSC | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ | National Inventory of Chemical Substances |
| KECI | Korea Existing Chemicals Inventory |
| NCI | National Chemical Inventory |
| NZIoC | New Zealand Inventory of Chemicals |
| PICCS | Philippine Inventory of Chemicals and Chemical Substances (PICCS) |
| REACH Reg. | REACH registered substances |
| TCSI | Taiwan Chemical Substance Inventory |
| TSCA | Toxic Substance Control Act |
| | |

15.2 Chemical safety assessment

According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetic acid ethyl ester ROTISOLV® Pestilyse® ≥99,8 %

article number: **T164**

SECTION 16: Other information

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|--|---|--------------------------|
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.3 | Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%. | Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%. | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-------------|---|
| 2017/164/EU | Commission Directive establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/ 161/EU |
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road) |
| BCF | Bioconcentration factor |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) |
| ED | Endocrine disruptor |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Acetic acid ethyl ester ROTISOLV® Pestilyse® ≥99,8 %



article number: **T164**

| Abbr. | Descriptions of used abbreviations |
|-------------------------|--|
| IOELV | Indicative occupational exposure limit value |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| LEL | Lower explosion limit (LEL) |
| NLP | No-Longer Polymer |
| РВТ | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| ppm | Parts per million |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail) |
| S.I. No. 619 of 2001 | Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001 |
| STEL | Short-term exposure limit |
| SVHC | Substance of Very High Concern |
| TWA | Time-weighted average |
| UEL | Upper explosion limit (UEL) |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|-------------------------------------|
| H225 | Highly flammable liquid and vapour. |
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.