

date of compilation: 24.11.2015

Revision: 07.09.2022

Karl-Fischer-ROTI®hydroquant C5, 5 mg H₂O/ml, free of pyridine

article number: **T190** Version: **3.0 en** Replaces version of: 06.03.2020 Version: (2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

1.2

Karl-Fischer-ROTI®hydroquant C5 , 5 mg $\rm H_2O/$ ml, free of pyridine

T190

Registration number (REACH)

not relevant (mixture)

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.1I	Acute toxicity (inhal.)	4	Acute Tox. 4	H332
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.7	Reproductive toxicity	1B	Repr. 1B	H360D
3.9	Specific target organ toxicity - repeated exposure	1	STOT RE 1	H372

For full text of abbreviations: see SECTION 16



Karl-Fischer-ROTI®hydroquant C5, 5 mg H₂O/ml, free of pyridine

article number: T190

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms

GHS08



Hazard statements

H314	Causes severe skin burns and eye damage
H332	Harmful if inhaled
H360D	May damage the unborn child
H372	Causes damage to organs (thyroid gland) through prolonged or repeated exposure (if swallowed)
	posure (il swallowed)

Precautionary statements

Precautionary statements - prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements - response

P301+P330+P331 P303+P361+P353	IF SWALLOWED: rinse mouth. Do NOT induce vomiting IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin
P305+P351+P338	with water [or shower] IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P308+P313	IF exposed or concerned: Get medical advice/attention

For professional users only

Hazardous ingredients for labelling:

Imidazole, Sulphur dioxide, Iodine

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)

H314 H360D H372	Causes severe skin burns and eye damage. May damage the unborn child. Causes damage to organs (thyroid gland) through prolonged or repeated exposure (if swallowed).
P303+P361+P353	Wear protective gloves/protective clothing/eye protection/face protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.

according to Regulation (EC) No. 1907/2006 (REACH)

Karl-Fischer-ROTI®hydroquant C5, 5 mg H₂O/ml, free of pyridine

article number: T190 contains:

Imidazole, Sulphur dioxide, Iodine

2.3 **Other hazards**

This material is combustible, but will not ignite readily.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

not relevant (mixture)

3.2 **Mixtures**

Description of the mixture

Description of the f					
Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Diethylene glycol monoethyl ether	CAS No 111-90-0	≥ 50			
	EC No 203-919-7				
	REACH Reg. No 01-2119475105- 42-xxxx				
Imidazole	CAS No 288-32-4	5 - 15	Acute Tox. 4 / H302 Skin Corr. 1C / H314 Eye Dam. 1 / H318		GHS-HC
	EC No 206-019-2		Repr. 1B / H360D		
	Index No 613-319-00-0				
	REACH Reg. No 01-2119485825- 24-xxxx				
Iodine	CAS No 7553-56-2	5 - 15	Acute Tox. 4 / H302 Acute Tox. 4 / H312 Acute Tox. 4 / H332		GHS-HC
	EC No 231-442-4		Skin Irrit. 2 / H315 Eye Irrit. 2 / H319		
	Index No 053-001-00-3		STOT SE 3 / H335 STOT RE 1 / H372 Aquatic Acute 1 / H400		
	REACH Reg. No 01-2119485285- 30-xxxx				
Sulphur dioxide	CAS No 7446-09-5	2 - 10	Press. Gas C / H280 Acute Tox. 3 / H331		5(a) GHS-HC
	EC No 231-195-2		Skin Corr. 1B / H314 Eye Dam. 1 / H318		IOELV U
	Index No 016-011-00-9				

Notes

The classification of the gaseous mixture is based on the concentration of the substance as volume per-5(a): centage

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/ 2008/EC, Annex VI) Substance with a community indicative occupational exposure limit value

IOELV:



® §ROTH

Karl-Fischer-ROTI®hydroquant C5, 5 mg H₂O/ml, free of pyridine

article number: **T190**

Notes

U

When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case.

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Imidazole	CAS No 288-32-4	-	-	970 ^{mg} / _{kg}	oral
	EC No 206-019-2				
	Index No 613-319-00-0				
Iodine	CAS No 7553-56-2	-	-	1.500 ^{mg} / _{kg} 1.100 ^{mg} / _{kg} >4,588 ^{mg} / _l /	oral dermal inhalation: dust/
	EC No 231-442-4			4h	mist
	Index No 053-001-00-3				
Sulphur dioxide	CAS No 7446-09-5	-	-	700 ^{ppmV} / _{4h}	inhalation: gas
	EC No 231-195-2				
	Index No 016-011-00-9				

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

according to Regulation (EC) No. 1907/2006 (REACH)



Karl-Fischer-ROTI®hydroquant C5 , 5 mg H_2O/ml , free of pyridine

article number: T190

- **4.2** Most important symptoms and effects, both acute and delayed Corrosion, Risk of blindness, Gastric perforation, Risk of serious damage to eyes
- **4.3 Indication of any immediate medical attention and special treatment needed** none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO₂), Sulphur oxides (SOx), May produce toxic fumes of carbon monoxide if burning.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

according to Regulation (EC) No. 1907/2006 (REACH)



Karl-Fischer-ROTI®hydroquant C5 , 5 mg H_2O/ml , free of pyridine

article number: T190

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Handle and open container with care. Avoid exposure. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	sulfur dioxide	7446-09- 5	IOELV	0,5	1,3	1	2,7				2017/ 164/EU
MT	sulfur dioxide	7446-09- 5	OELV	0,5	1,3	1	2,7				CAP. 424

Notation

TWA

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Ceiling-C Ceiling value is a limit value above which exposure should not occur

according to Regulation (EC) No. 1907/2006 (REACH)



Karl-Fischer-ROTI®hydroquant C5 , 5 mg H_2O/ml , free of pyridine

article number: T190

Relevant DNELs of components of the mixture						
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Diethylene glycol monoethyl ether	111-90-0	DNEL	61 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Diethylene glycol monoethyl ether	111-90-0	DNEL	30 mg/m ³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Diethylene glycol monoethyl ether	111-90-0	DNEL	83 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemi effects
Imidazole	288-32-4	DNEL	10,6 mg/ m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Imidazole	288-32-4	DNEL	1,5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Iodine	7553-56-2	DNEL	0,07 mg/ m ³	human, inhalat- ory	worker (industry)	chronic - systemi effects
Iodine	7553-56-2	DNEL	0,01 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Sulphur dioxide	7446-09-5	DNEL	1,3 mg/m ³	human, inhalat- ory	worker (industry)	chronic - local ef fects
Sulphur dioxide	7446-09-5	DNEL	2,7 mg/m ³	human, inhalat- ory	worker (industry)	acute - local ef- fects

Relevant PNECs of components of the mixture

	-					
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Diethylene glycol monoethyl ether	111-90-0	PNEC	1,98 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Diethylene glycol monoethyl ether	111-90-0	PNEC	0,198 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Diethylene glycol monoethyl ether	111-90-0	PNEC	500 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Diethylene glycol monoethyl ether	111-90-0	PNEC	7,32 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Diethylene glycol monoethyl ether	111-90-0	PNEC	0,732 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (single instance)
Diethylene glycol monoethyl ether	111-90-0	PNEC	0,34 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Imidazole	288-32-4	PNEC	0,13 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Imidazole	288-32-4	PNEC	0,013 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Imidazole	288-32-4	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Imidazole	288-32-4	PNEC	0,336 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Imidazole	288-32-4	PNEC	0,034 ^{mg} / ^{kg}	aquatic organ- isms	marine sediment	short-term (single instance)

according to Regulation (EC) No. 1907/2006 (REACH)



Karl-Fischer-ROTI®hydroquant C5 , 5 mg H_2O/ml , free of pyridine

article number: T190

Relevant PNECs of components of the mixture								
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time		
Imidazole	288-32-4	PNEC	0,043 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)		
Iodine	7553-56-2	PNEC	18,13 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)		
Iodine	7553-56-2	PNEC	60,01 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)		
Iodine	7553-56-2	PNEC	11 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)		
Iodine	7553-56-2	PNEC	3,99 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)		
Iodine	7553-56-2	PNEC	20,22 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (single instance)		
Iodine	7553-56-2	PNEC	5,95 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)		

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection. Wear face protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

Butyl caoutchouc (butyl rubber)

material thickness

0,5 mm

- breakthrough times of the glove material
- >480 minutes (permeation: level 6)

according to Regulation (EC) No. 1907/2006 (REACH)

Karl-Fischer-ROTI®hydroquant C5, 5 mg H₂O/ml, free of pyridine

article number: T190

• Splash protection - Protective gloves

- type of material: CR: chloroprene (chlorobutadiene) rubber
- material thickness: 0,5 mm
- breakthrough times of the glove material:

>120 minutes (permeation: level 4)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C, colour code: Brown). Type: E (against acidic gases like sulphur dioxide or hydrogen chloride, colour code: Yellow).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	dark brown
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	194 °C at 1.013 hPa
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	1,2 vol% (LEL) - 12,2 vol% (UEL) (data apply to the main component)
Flash point	90 °C
Auto-ignition temperature	204 °C (data apply to the main component)
Decomposition temperature	not relevant
pH (value)	4 – 6 (20 °C)
Kinematic viscosity	not determined
Solubility(ies)	
Water solubility	(soluble)
Partition coefficient	
Partition coefficient n-octanol/water (log value):	this information is not available
Vapour pressure	not determined





Karl-Fischer-ROTI®hydroquant C5, 5 mg H₂O/ml, free of pyridine

article number: T190

Density and/or relative density	
Density	1,17 ^g / _{cm³} at 20 °C
Relative vapour density	information on this property is not available
Particle characteristics	not relevant (liquid)
Other safety parameters	
Oxidising properties	none
Other information	
Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics:	
Temperature class (EU, acc. to ATEX)	T3 Maximum permissible surface temperature on the equipment: 200°C

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

This material is not reactive under normal ambient conditions.

If heated

Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Dangerous/dangerous reactions with: strong oxidiser, Reducing agents, Acids, Bases, **Release of an acute toxic gas:** Heat => Sulphur dioxide (SO2)

10.4 Conditions to avoid

Keep away from heat.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

Page 10 / 24



according to Regulation (EC) No. 1907/2006 (REACH)

Karl-Fischer-ROTI®hydroquant C5, 5 mg H₂O/ml, free of pyridine

article number: **T190**

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Harmful if inhaled.

Acute toxicity estimate (ATE) of components of the mixture				
Name of substance	CAS No	Exposure route	ATE	
Imidazole	288-32-4	oral	970 ^{mg} / _{kg}	
Iodine	7553-56-2	oral	1.500 ^{mg} / _{kg}	
Iodine	7553-56-2	dermal	1.100 ^{mg} / _{kg}	
Iodine	7553-56-2	inhalation: dust/mist	>4,588 ^{mg} /ı/4h	
Sulphur dioxide	7446-09-5	inhalation: gas	700 ^{ppmV} / _{4h}	

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Diethylene glycol monoethyl ether	111-90-0	oral	LD50	6.031 ^{mg} / _{kg}	mouse
Diethylene glycol monoethyl ether	111-90-0	dermal	LD50	9.143 ^{mg} / _{kg}	rabbit
Imidazole	288-32-4	oral	LD50	970 ^{mg} / _{kg}	rat
Iodine	7553-56-2	oral	LD50	14.000 ^{mg} / _{kg}	not specified
Iodine	7553-56-2	inhalation: dust/mist	LC50	>4,588 ^{mg} / _l / 4h	rat
Iodine	7553-56-2	dermal	LD50	>2.000 ^{mg} / _{kg}	rabbit

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.



according to Regulation (EC) No. 1907/2006 (REACH)

Karl-Fischer-ROTI®hydroquant C5 , 5 mg H_2O/ml , free of pyridine

article number: **T190**

Reproductive toxicity

May damage the unborn child.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Causes damage to organs (thyroid gland) through prolonged or repeated exposure (if swallowed).

Hazard category	Target organ	Exposure route
1	thyroid gland	if swallowed

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

• If inhaled

cough, irritant effects

• If on skin

causes severe burns, causes poorly healing wounds, pruritis, localised redness

• Other information

none

11.2 Endocrine disrupting properties

None of the ingredients are listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture							
Name of sub- stance							
Diethylene glycol monoethyl ether	111-90-0	LC50	6.010 ^{mg} / _l	fish	96 h		
Diethylene glycol monoethyl ether	111-90-0	00-0 ErC50 14.861 ^{mg} / _l algae		72 h			
Imidazole	288-32-4	LC50	283,6 ^{mg} / _l	fish	48 h		
Imidazole	288-32-4	EC50	341,5 ^{mg} / _l	aquatic invertebrates	48 h		



according to Regulation (EC) No. 1907/2006 (REACH)



Karl-Fischer-ROTI®hydroquant C5 , 5 mg H_2O/ml , free of pyridine

article number: T190

Aquatic toxicity (acute) of components of the mixture						
Name of sub- stanceCAS NoEndpointValueSpeciesExposu time						
Imidazole	288-32-4	ErC50	133 ^{mg} / _l	algae	72 h	
Iodine	7553-56-2	LC50	1,67 ^{mg} / _l	fish	96 h	
Iodine	7553-56-2	ErC50	0,13 ^{mg} / _l	algae	72 h	

Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Endpoint Value Species		Exposure time
Imidazole	288-32-4	EC50	>1.000 ^{mg} / _l	microorganisms	30 min
Iodine	7553-56-2	EC50	280 ^{mg} / _l	microorganisms	3 h

Biodegradation

Data are not available.

12.2 Process of degradability

Degradabilit	Degradability of components of the mixture						
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source	
Diethylene glycol mono- ethyl ether	111-90-0	biotic/abiotic	90 %	28 d			
Diethylene glycol mono- ethyl ether	111-90-0	carbon dioxide generation	7,1 %	3 d		ECHA	
Imidazole	288-32-4	biotic/abiotic	86 %	19 d			
Imidazole	288-32-4	DOC removal	90 – 100 %	18 d		ECHA	

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture					
Name of substance	CAS No	BCF	Log KOW	BOD5/COD	
Diethylene glycol monoethyl eth- er	111-90-0		-0,54 (pH value: 7, 20 °C)		
Imidazole	288-32-4		0,0586		
Iodine	7553-56-2		2,49 (20 °C)		

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH)



Karl-Fischer-ROTI®hydroquant C5, 5 mg H₂O/ml, free of pyridine

article number: T190

12.6 Endocrine disrupting properties None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

	ADR	UN 1760
	IMDG-Code	UN 1760
	ICAO-TI	UN 1760
14.2	UN proper shipping name	
	ADR	CORROSIVE LIQUID, N.O.S.
	IMDG-Code	CORROSIVE LIQUID, N.O.S.
	ICAO-TI	Corrosive liquid, n.o.s.
	Technical name (hazardous ingredients)	Imidazole, Iodine
14.3	Transport hazard class(es)	
	ADR	8
	IMDG-Code	8
	ICAO-TI	8
14.4	Packing group	
	ADR	II
	IMDG-Code	II

according to Regulation (EC) No. 1907/2006 (REACH)



Karl-Fischer-ROTI®hydroquant C5 , 5 mg H_2O/ml , free of pyridine

article number: **T190**

article	e number: T190					
	ICAO-TI	II				
14.5	Environmental hazards	non-environmentally hazardous acc. to the dar gerous goods regulations				
14.6	Special precautions for user					
	Provisions for dangerous goods (ADR) should be	complied within the premises.				
14.7	Maritime transport in bulk according to IMO i	instruments				
	The cargo is not intended to be carried in bulk.					
14.8	Information for each of the UN Model Regula	tions				
	Transport of dangerous goods by road, rail an information	id inland waterway (ADR/RID/ADN) - Additional				
	Proper shipping name CORROSIVE LIQUID, N.O.S.					
	Particulars in the transport document	UN1760, CORROSIVE LIQUID, N.O.S., (contains: Imidazole, Iodine), 8, II, (E)				
	Classification code	C9				
	Danger label(s)	8				
	Special provisions (SP)	274				
	Excepted quantities (EQ)	E2				
	Limited quantities (LQ)	1 L				
	Transport category (TC)	2				
	Tunnel restriction code (TRC)	E				
	Hazard identification No	80				
	International Maritime Dangerous Goods Cod	le (IMDG) - Additional information				
	Proper shipping name	CORROSIVE LIQUID, N.O.S.				
	Particulars in the shipper's declaration	UN1760, CORROSIVE LIQUID, N.O.S., (contains: Imidazole, Iodine), 8, II				
	Marine pollutant	-				
	Danger label(s)	8				
	Special provisions (SP)	274				
	Excepted quantities (EQ)	E2				
	Limited quantities (LQ)	1 L				
	EmS	F-A, S-B				
	Stowage category	В				
	~ = -					

according to Regulation (EC) No. 1907/2006 (REACH)



Karl-Fischer-ROTI®hydroquant C5, 5 mg H₂O/ml, free of pyridine

article number: T190

International Civil Aviation Organization (IC	CAO-IATA/DGR) - Additional information
Proper shipping name	Corrosive liquid, n.o.s.
Particulars in the shipper's declaration	UN1760, Corrosive liquid, n.o.s., (contains: Im- idazole, Iodine), 8, II
Danger label(s)	8
Special provisions (SP)	A3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	0,5 L

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)					
Name of substance	Name acc. to inventory	CAS No	Restriction	No	
Karl-Fischer-ROTI®hydroquant C5	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3	
Imidazole	toxic for reproduction		R28-30	30	
Imidazole	substances in tattoo inks and perman- ent make-up		R75	75	

Legend

R28-30 1. Shall not be placed on the market, or used,

- as substances - as constituents of other substances, or,

in mixtures,

for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:

- either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or, - the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of

such substances and mixtures is marked visibly, legibly and indelibly as follows:

Restricted to professional users'.
2. By way of derogation, paragraph 1 shall not apply to:
(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;
(b) cosmetic products as defined by Directive 76/768/EEC;

(c) the following fuels and oil products:

motor fuels which are covered by Directive 98/70/EC,
 mineral oil products intended for use as fuel in mobile or fixed combustion plants,

(d) artists' paints covered by Regulation (EC) No 1272/2008;
(e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date; (f) devices covered by Regulation (EU) 2017/745.



Karl-Fischer-ROTI®hydroquant C5, 5 mg H₂O/ml, free of pyridine

article number: T190

Legend R3

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes,

games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
Articles not complying with paragraph 1 shall not be placed on the market.
Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

can be used as fuel in decorative oil lamps for supply to the general public, and present an aspiration hazard and are labelled with H304.

4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and pack-aging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met

(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black on a containers not acceding 1 litre by 1 December 2010."

opaque containers not exceeding 1 litre by 1 December 2010.';



article number: T190



tattooing purposes.





Karl-Fischer-ROTI®hydroquant C5 , 5 mg H_2O/ml , free of pyridine

article number: **T190**

Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed.

Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes
	not assigned		

Deco-Paint Directive

VOC content	>50 % 585 ^g /l	
-------------	------------------------------	--

Industrial Emissions Directive (IED)

VOC content	>50 %
VOC content	585 ^g /l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

ist of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Imidazole	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	

Legend A)

Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Karl-Fischer-ROTI®hydroquant C5, 5 mg H₂O/ml, free of pyridine

article number: T190

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AIIC Australian Inventory of Industrial Chemicals Adstralian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) Domestic Substances List (DSL) EC Substance Inventory (EINECS, ELINCS, NLP) Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances CICR CSCL-ENCS DSL ECSI IECSC INSQ

 INSQ
 National Inventory of Chemical Substances

 KECI
 Korea Existing Chemicals Inventory

 NZIoC
 New Zealand Inventory of Chemicals

 PICCS
 Philippine Inventory of Chemicals and Chemical Substances (PICCS)

 REACH Reg.
 REACH registered substances

 TCSI
 Taiwan Chemical Substance Inventory

 TSCA
 Toxic Substance Control Act

15.2 **Chemical Safety Assessment**

Chemical safety assessments for substances in this mixture were not carried out.



according to Regulation (EC) No. 1907/2006 (REACH)

Karl-Fischer-ROTI®hydroquant C5 , 5 mg H_2O/ml , free of pyridine



article number: **T190**

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.1		The most important adverse physicochemical, human health and environmental effects: Skin corrosion produces an irreversible dam- age to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure.	yes
2.2	Hazardous ingredients for labelling: Imidazole, Iodine, Sulphur dioxide	Hazardous ingredients for labelling: Imidazole, Sulphur dioxide, Iodine	yes
2.2	contains: Imidazole, Iodine, Sulphur dioxide	contains: Imidazole, Sulphur dioxide, Iodine	yes
2.3	Other hazards: There is no additional information.	Other hazards: This material is combustible, but will not ignite readily.	yes
2.3		Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2017/164/EU	Commission Directive establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/ 161/EU
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAP. 424	Occupational Health and Safety Authority Act (CAP. 424)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

according to Regulation (EC) No. 1907/2006 (REACH)

Karl-Fischer-ROTI®hydroquant C5, 5 mg H₂O/ml, free of pyridine

article number: **T190**

Abbr.	Descriptions of used abbreviations
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Press. Gas	Gas under pressure
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity



according to Regulation (EC) No. 1907/2006 (REACH)



Karl-Fischer-ROTI®hydroquant C5 , 5 mg H_2O/ml , free of pyridine

article number: **T190**

Abbr.	Descriptions of used abbreviations
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H360D	May damage the unborn child.
H372	Causes damage to organs (thyroid gland) through prolonged or repeated exposure (if swallowed).
H400	Very toxic to aquatic life.



Karl-Fischer-ROTI®hydroquant C5 , 5 mg H_2O/ml , free of pyridine

article number: **T190**

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.