acc. to Regulation (EC) No. 1907/2006 (REACH)

Karl-Fischer-ROTI®Hydroquant S for KF titration

article number: **T192**Version: **2.0 en**date of compilation: 2020-03-06
Revision: 2022-09-07

Replaces version of: 2020-03-06

Version: (1)



1.1 Product identifier

Identification of the substance Karl-Fischer-ROTI®Hydroquant S for KF titration

Article number T192

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against:

Do not use for squirting or spraying. Do not use

for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private

purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	2	Flam. Liq. 2	H225
3.10	Acute toxicity (oral)	3	Acute Tox. 3	H301
3.1D	Acute toxicity (dermal)	3	Acute Tox. 3	H311
3.1I	Acute toxicity (inhal.)	3	Acute Tox. 3	H331

United Kingdom (en) Page 1 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

Karl-Fischer-ROTI®Hydroquant S for KF titration

article number: T192



Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.7	Reproductive toxicity	1B	Repr. 1B	H360D
3.8	Specific target organ toxicity - single exposure	1	STOT SE 1	H370

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Immediate effects can be expected after short-term exposure. The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS02, GHS05, GHS06, GHS08









Hazard statements

H225 Highly flammable liquid and vapour

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled

H314 Causes severe skin burns and eye damage

H360D May damage the unborn child H370 Causes damage to organs (eye)

Precautionary statements

Precautionary statements - prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements - response

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower]

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor

Precautionary statements - storage

P405 Store locked up

For professional users only

Hazardous ingredients for labelling: Imidazole, Methanol, Sulphur dioxide

United Kingdom (en) Page 2 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

Karl-Fischer-ROTI®Hydroquant S for KF titration

article number: T192



2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

Substances

not relevant (mixture)

3.2 **Mixtures**

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Methanol	CAS No 67-56-1 EC No	≥ 50	Flam. Liq. 2 / H225 Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331		GHS-HC IOELV
	200-659-6		STOT SE 1 / H370		
	Index No 603-001-00-X			~	
Imidazole	CAS No 288-32-4	15 - 25	Acute Tox. 4 / H302 Skin Corr. 1C / H314 Eye Dam. 1 / H318		GHS-HC
	EC No 206-019-2		Repr. 1B / H360D		
	Index No 613-319-00-0			•	
Sulphur dioxide	CAS No 7446-09-5	5 – 10	Press. Gas C / H280 Acute Tox. 3 / H331 Skin Corr. 1B / H314		5(a) GHS-HC IOELV
	EC No 231-195-2		Eye Dam. 1 / H318		U
	Index No 016-011-00-9				

Notes

The classification of the gaseous mixture is based on the concentration of the substance as volume per-volume per-5(a):

centage
GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/

2008/EC, Annex VI)

IOELV: U:

Substance with a community indicative occupational exposure limit value

When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case.

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Methanol	CAS No 67-56-1 EC No 200-659-6	STOT SE 1; H370: C ≥ 10 % STOT SE 2; H371: 3 % ≤ C < 10 %	-	100 ^{mg} / _{kg} 300 ^{mg} / _k g 3 ^{mg} / _l /4h	oral dermal inhalation: va- pour
Imidazole	CAS No 288-32-4 EC No 206-019-2	-	-	970 ^{mg} / _{kg}	oral

United Kingdom (en) Page 3 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)



article number: T192



Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Sulphur dioxide	CAS No 7446-09-5	-	-	700 ^{ppmV} / _{4h}	inhalation: gas
	EC No 231-195-2				

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Vomiting, Gastric perforation, Risk of serious damage to eyes, Risk of blindness, Large doses may result in coma and death

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

United Kingdom (en) Page 4 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

Karl-Fischer-ROTI®Hydroquant S for KF titration

article number: T192



5.2

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO₂), Sulphur oxides (SOx), May produce toxic fumes of carbon monoxide if burning.

5.3 **Advice for firefighters**

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures 6.1



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 **Environmental precautions**

Keep away from drains, surface and ground water. Danger of explosion.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

Precautions for safe handling

Provision of sufficient ventilation. Use extractor hood (laboratory). Handle and open container with care. Avoid exposure. Clear contaminated areas thoroughly.

United Kingdom (en) Page 5 / 21



water jet

Special hazards arising from the substance or mixture

acc. to Regulation (EC) No. 1907/2006 (REACH)

Karl-Fischer-ROTI®Hydroquant S for KF titration

article number: T192



Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Store locked up. Ground/bond container and receiving equipment.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	methanol	67-56-1	IOELV	200	260					Н	2006/15/ EC
EU	sulfur dioxide	7446-09- 5	IOELV	0,5	1,3	1	2,7				2017/ 164/EU
GB	methanol	67-56-1	WEL	200	266	250	333				EH40/ 2005
GB	sulfur dioxide	7446-09- 5	WEL	0,5	1,3	1	2,7				EH40/ 2005

United Kingdom (en) Page 6 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

Karl-Fischer-ROTI®Hydroquant S for KF titration

article number: T192

Notation

Ceiling-C

STEL

Ceiling value is a limit value above which exposure should not occur
Absorbed through the skin
Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8
hours time-weighted average (unless otherwise specified) **TWA**

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Methanol	67-56-1	DNEL	130 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Methanol	67-56-1	DNEL	130 mg/m³	human, inhalat- ory	worker (industry)	acute - systemic effects
Methanol	67-56-1	DNEL	130 mg/m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Methanol	67-56-1	DNEL	130 mg/m ³	human, inhalat- ory	worker (industry)	acute - local ef- fects
Methanol	67-56-1	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Methanol	67-56-1	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
Imidazole	288-32-4	DNEL	10,6 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Imidazole	288-32-4	DNEL	1,5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Sulphur dioxide	7446-09-5	DNEL	1,3 mg/m ³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Sulphur dioxide	7446-09-5	DNEL	2,7 mg/m³	human, inhalat- ory	worker (industry)	acute - local ef- fects

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Methanol	67-56-1	PNEC	20,8 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Methanol	67-56-1	PNEC	2,08 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Methanol	67-56-1	PNEC	100 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Methanol	67-56-1	PNEC	77 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Methanol	67-56-1	PNEC	7,7 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Methanol	67-56-1	PNEC	100 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Imidazole	288-32-4	PNEC	0,13 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)

United Kingdom (en) Page 7 / 21



acc. to Regulation (EC) No. 1907/2006 (REACH)

Karl-Fischer-ROTI®Hydroquant S for KF titration

article number: T192



short-term (single instance)

Relevant PNECS	Relevant PNECS of components of the mixture										
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time					
Imidazole	288-32-4	PNEC	0,013 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)					
Imidazole	288-32-4	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)					
Imidazole	288-32-4	PNEC	0,336 ^{mg} / kg	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)					
Imidazole	288-32-4	PNEC	0,034 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (single instance)					

terrestrial organ-

isms

soil

0,043 ^{mg}/

kg

8.2 Exposure controls

Individual protection measures (personal protective equipment)

PNEC

288-32-4

Eye/face protection

Imidazole





Use safety goggle with side protection. Wear face protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a quide.

type of material

Butyl caoutchouc (butyl rubber)

material thickness

0,7mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

• Splash protection - Protective gloves

• type of material: FKM: fluoro-elastomer

material thickness: 0.65 mm

• breakthrough times of the glove material: >120 minutes (permeation: level 4)

United Kingdom (en) Page 8 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

Karl-Fischer-ROTI®Hydroquant S for KF titration

article number: T192



Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: AX (gas filters and combined filters against low-boiling point organic compounds, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour clear - colourless
Odour characteristic
Melting point/freezing point not determined
Boiling point or initial boiling point and boiling 65 °C at 1.013 hPa

range

Flammability flammable liquid in accordance with GHS criteria

Lower and upper explosion limit 5,5 vol% (LEL) - 44 vol% (UEL) (data apply to the

main component)

Flash point 11 °C
Auto-ignition temperature 455 °C

Decomposition temperature not relevant pH (value) 4-6 (20 °C) Kinematic viscosity not determined

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure 128 hPa at 20 °C

Density and/or relative density

Density $0,891 \, {}^{9}/_{cm^3}$ at 20 ${}^{\circ}$ C

Relative vapour density information on this property is not available

United Kingdom (en) Page 9 / 21



acc. to Regulation (EC) No. 1907/2006 (REACH)

Karl-Fischer-ROTI®Hydroquant S for KF titration

article number: T192

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

There is no additional information.

Other safety characteristics:

Miscibility completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

The mixture contains reactive substance(s). Risk of ignition. Vapours may form explosive mixtures with air.

If heated

Risk of ignition.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Danger of explosion: Oxidisers, Perchlorates, Nitrogen oxides (NOx), Chlorates, Halogenated hydrocarbons, Hydrogen peroxide, Nitric acid, Sulphuric acid,

Exothermic reaction with: Reducing agents, Acids, Chlorine, Chloroform, Acid chlorides, inorganic, **Dangerous/dangerous reactions with:** Fluorine, Alkali metals, Alkaline earth metal, strong oxidiser, **Release of an acute toxic gas:** Heat => Sulphur dioxide (SO2)

10.4 Conditions to avoid

UV-radiation/sunlight. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

aluminium, iron, zinc, different plastics, Rubber articles

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).


Classification acc. to GHS

United Kingdom (en) Page 10 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

Karl-Fischer-ROTI®Hydroquant S for KF titration

article number: T192



Toxic if swallowed. Toxic in contact with skin. Toxic if inhaled.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Methanol	67-56-1	oral	100 ^{mg} / _{kg}
Methanol	67-56-1	dermal	300 ^{mg} / _{kg}
Methanol	67-56-1	inhalation: vapour	3 ^{mg} / _l /4h
Imidazole	288-32-4	oral	970 ^{mg} / _{kg}
Sulphur dioxide	7446-09-5	inhalation: gas	700 ^{ppmV} / _{4h}

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Methanol	67-56-1	inhalation: va- pour	LC50	131 ^{mg} / _l /4h	rat
Methanol	67-56-1	oral	LD50	5.628 ^{mg} / _{kg}	rat
Methanol	67-56-1	oral	LDLo	143 ^{mg} / _{kg}	human
Methanol	67-56-1	dermal	LD50	15.800 ^{mg} / _{kg}	rabbit
Imidazole	288-32-4	oral	LD50	970 ^{mg} / _{kg}	rat

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

May damage the unborn child.

Specific target organ toxicity - single exposure

Causes damage to organs (eye).

Hazard category	Target organ	Exposure route
1	eye	if exposed

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

United Kingdom (en) Page 11 / 21



acc. to Regulation (EC) No. 1907/2006 (REACH)

Karl-Fischer-ROTI®Hydroquant S for KF titration

article number: T192



Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

vomiting, nausea, If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects), large doses may result in coma and death

If in eyes

conjunctivitis (pink eye), causes burns, Causes serious eye damage, risk of blindness

If inhaled

vertigo, cough, headache, irritant effects

If on skin

causes severe burns, causes poorly healing wounds, risk of absorption via the skin

Other information

none

11.2 Endocrine disrupting properties

None of the ingredients are listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Methanol	67-56-1	LC50	15.400 ^{mg} / _l	fish	96 h
Methanol	67-56-1	ErC50	22.000 ^{mg} / _l	algae	96 h
Imidazole	288-32-4	LC50	283,6 ^{mg} / _l	fish	48 h
Imidazole	288-32-4	EC50	341,5 ^{mg} / _l	aquatic invertebrates	48 h
Imidazole	288-32-4	ErC50	133 ^{mg} / _l	algae	72 h

Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Imidazole	288-32-4	EC50	>1.000 ^{mg} / _l	microorganisms	30 min

Biodegradation

Data are not available.

United Kingdom (en) Page 12 / 21



Aspiration hazard

acc. to Regulation (EC) No. 1907/2006 (REACH)

Karl-Fischer-ROTI®Hydroquant S for KF titration

article number: T192



12.2 Process of degradability

Degradability of components of the mixture

Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Methanol	67-56-1	biotic/abiotic	99 %	30 d		
Methanol	67-56-1	oxygen deple- tion	69 %	5 d		ECHA
Imidazole	288-32-4	biotic/abiotic	86 %	19 d		
Imidazole	288-32-4	DOC removal	90 – 100 %	18 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Methanol	67-56-1		-0,77	
Imidazole	288-32-4		0,0586	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

United Kingdom (en) Page 13 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

Karl-Fischer-ROTI®Hydroquant S for KF titration

article number: T192

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 **UN number or ID number**

ADRRID UN 3286 **IMDG-Code UN 3286** ICAO-TI **UN 3286**

14.2 UN proper shipping name

ADRRID FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. **IMDG-Code** FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.

Flammable liquid, toxic, corrosive, n.o.s. **ICAO-TI**

Methanol, Imidazole Technical name (hazardous ingredients)

14.3 Transport hazard class(es)

ADRRID 3(6.1)

(8)

IMDG-Code 3 (6.1)

(8)

ICAO-TI 3(6.1)

(8)

14.4 Packing group

ADRRID II Π **IMDG-Code** ICAO-TI Π

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.

UN3286, FLAMMABLE LIQUID, TOXIC, CORROS-Particulars in the transport document

IVE, N.O.S., (contains: Methanol, Imidazole), 3

(6.1+8), II, (D/E)

FTC Classification code

3+6.1+8 Danger label(s)

United Kingdom (en) Page 14 / 21



acc. to Regulation (EC) No. 1907/2006 (REACH)

Karl-Fischer-ROTI®Hydroquant S for KF titration

article number: T192







Special provisions (SP) 274, 802(ADN)

Excepted quantities (EQ) E2 1 L Limited quantities (LQ) Transport category (TC) 2 Tunnel restriction code (TRC) D/E Hazard identification No 368 **Emergency Action Code** 3WF

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

FTC Classification code

Danger label(s) 3+6.1+8

Special provisions (SP) 274, 802(ADN)

Excepted quantities (EQ) E2 Limited quantities (LQ) 1 L **Transport category (TC)** 2 **Hazard identification No** 368

International Maritime Dangerous Goods Code (IMDG) - Additional information

FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. Proper shipping name

Particulars in the shipper's declaration UN3286, FLAMMABLE LIQUID, TOXIC, CORROS-

IVE, N.O.S., (contains: Methanol, Imidazole), 3 (6.1+8), II, 11°C c.c.

Marine pollutant

Danger label(s) 3+6.1+8







Special provisions (SP) 274 Excepted quantities (EQ) E2 Limited quantities (LQ) 1 L **EmS** F-E, S-C

Stowage category В


United Kingdom (en) Page 15 / 21



acc. to Regulation (EC) No. 1907/2006 (REACH)

Karl-Fischer-ROTI®Hydroquant S for KF titration

article number: T192



Proper shipping name Flammable liquid, toxic, corrosive, n.o.s.

Particulars in the shipper's declaration UN3286, Flammable liquid, toxic, corrosive, n.o.s.,

(contains: Methanol, Imidazole), 3 (6.1+8), II

Danger label(s) 3+6.1+8







Excepted quantities (EQ) E2
Limited quantities (LQ) 0,5 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/18/EU (Seveso III)							
No	Dangerous substance/hazard categories		(tonnes) for the ap- and upper-tier re- ments	Notes			
H2	acute toxic (cat. 2 + cat. 3, inhal.)	50	200	41)			

Notation

41) - Category 2, all exposure routes

- category 3, inhalation exposure route

Deco-Paint Directive

VOC content	50 - 100 % 891 ⁹ / _I
-------------	---

Industrial Emissions Directive (IED)

VOC content	50 – 100 %
VOC content	891 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

United Kingdom (en) Page 16 / 21



acc. to Regulation (EC) No. 1907/2006 (REACH)

Karl-Fischer-ROTI®Hydroquant S for KF titration

article number: T192



Water Framework Directive (WFD)

List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Imidazole	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Methanol	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	

Legend

A) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

none of the ingredients are listed

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)					
Name of substance	Name acc. to inventory	CAS No	No		
Karl-Fischer-ROTI®Hydroquant S	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3		
Imidazole	toxic for reproduction		30		

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

United Kingdom (en) Page 17 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

Karl-Fischer-ROTI®Hydroquant S for KF titration

article number: T192





National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AIIC CICR CSCL-ENCS DSL ECSI IECSC

Australian Inventory of Industrial Chemicals
Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Korea Existing Chemicals Inventory

INSQ KECI Korea Existing Chemicals Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances

Taiwan Chemical Substance Inventory Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation:

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.1		The most important adverse physicochemical, human health and environmental effects: Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Immediate effects can be expected after short-term exposure. The product is combustible and can be ignited by potential ignition sources.	yes

United Kingdom (en) Page 18 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

Karl-Fischer-ROTI®Hydroquant S for KF titration

article number: **T192**



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2	contains: Imidazole, Methanol, Sulphur dioxide		yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
2017/164/EU	Commission Directive establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)

United Kingdom (en) Page 19 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

Karl-Fischer-ROTI®Hydroquant S for KF titration

article number: **T192**



Abbr.	Descriptions of used abbreviations
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Press. Gas	Gas under pressure
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin

United Kingdom (en) Page 20 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

Karl-Fischer-ROTI®Hydroquant S for KF titration

article number: T192



Abbr.	Descriptions of used abbreviations
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H280	Contains gas under pressure; may explode if heated.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H360D	May damage the unborn child.
H370	Causes damage to organs (eye).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 21 / 21