

Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931084	VISOCOLOR ECO Phosphate	Page: 1/11
Printing date: 22.11.2022	Date of issue: 27.09.2022	Version: 2.2.2.10

SECTION 1: Identification of the substance/mixture and of the company

1.1	Product identifier REF 931084 no data available VISOCOLOR ECO Phosphate REACH Registration number (s): see SECTION 3.1/3.2 or A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.
	1 x 25 mL PO 4 -1 UFI: QFEU-T3MX-A20U-EFTT 1 x 25 mL PO 4 -2 UFI: NJEU-A3AA-N20A-3TDV
1.2	Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses Product for analytical use. Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 The exposure scenario is integrated into sections 1-16. Uses advised against not described
1.3	Details of the supplier of the safety data sheet Manufactured by: MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, Germany Phone: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)
1.4	Emergency telephone number Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service mbH + Co KG DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730, <https: www.ggiz-erfurt.de=""> You find our current versions of SDS in Internet: <http: sds<="" td="" www.mn-net.com=""></http:></https:>
	DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730, <https: www.ggiz-erfurt.de=""> You find our current versions of SDS in Internet: <http: sds<="" td="" www.mn-net.com=""> Karlsruhe, Germany 49 721 5606 0 sicherheit@carlroth.de</http:></https:>
SECI	ION 2: Hazard identification

SECTION 2: Hazard identification

Classification of the complete product according to Regulation (EC) 1272/2008 2.0

	GHS05 GHS07	
Signal word	DANGER	
Hazard identification	Hazard classes/categories	
H315 H318 H319 EUH031	Skin Irrit. 2 Eye Dam. 1 Eye Irrit. 2 031 not defined	

2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

25 mL PO 4 -1





Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931084	VISOCOLOR ECO Phosphate	Page: 2/11
Printing date: 22.11.2022	Date of issue: 27.09.2022	Version: 2.2.2.1
Signal word	WARNING	
Hazard identification	Hazard classes/categories	
H315 H319	Skin Irrit. 2 Eye Irrit. 2	
25 mL PO 4 -2		
	GHS05	
Signal word	DANGER	
Hazard identification	Hazard classes/categories	

List of H phrases: see section 16.2

2.2 Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2). Harmful chemicals/mixtures with signal word: **WARNING** must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2).

25 mL PO 4 -1



Signal word: WARNING

25 mL PO 4 -2



Signal word: DANGER H318 Causes serious eye damage. P280sh, P305+351+338, P310 Wear protective gloves/eye protection.IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.Immediately call a POISON CENTER/doctor.

Label elements of the complete product



Signal word: DANGER H318 Causes serious eye damage. P280sh, P305+351+338, P310 Wear protective gloves/eye protection.IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.Immediately call a POISON CENTER/doctor.



DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-tr@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931084	VISOCOLOR ECO Phosphate	Page: 3/11
Printing date: 22.11.2022	Date of issue: 27.09.2022	Version: 2.2.2.10

2.3 Other hazards

Possible hazards from physicochemical properties

Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive. In the case of pH values are less than 5 or higher than 9 then it is irritant.

Information pertaining to particular risks to human and possible symptoms

Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs.

 Information pertaining to particular risks to the environment

 PBT:
 not applicable

 vPvB:
 not applicable

Possible endocrine disrupting effects

no data available

Other hazards

Contains an odor intensive reagent.

SECTION 3: Composition / information on ingredients

3.1 Substances or 3.2 Mixtures

25 mL F	PO ₄ -1 Substance name: CAS No.:	ammonium heptamolybdate 12054-85-2		
	Substance rating: Formula: Pseudonym (de): REACH Reg. No.: EC No.: Concentration: The classification refers to	No criteria for classification or naming of che H $_{24}$ Mo $_7$ N $_6$ O $_{24}$ Ammoniummolybdat 01-2119498057-28-xxxx 234-722-4 0,5 - <2 % the weight percentage of the metal (according	Correlation factor: x	
	acc. CLP (GHS): Substance name: CAS No.:	The criteria for classification are not fulfilled. <i>sulfuric acid</i> 7664-93-9		
	Substance rating: Formula: REACH Reg. No.: EC No.: Concentration: acc. CLP (GHS):	H315, Skin Irrit. 2, H319, Eye Irrit. 2 H ₂ SO ₄ •H ₂ O 01-2119458838-20-xxxx 231-639-5 5 - <15 % H315, Skin Irrit. 2, H319, Eye Irrit. 2	Indice No.:	016-020-00-8
25 mL F	PO 4 -2 Substance name: CAS No.:	sodium disulfite 7681-57-4		
	Substance rating: Formula: Pseudonym (de): REACH Reg. No.: EC No.: Concentration: acc. CLP (GHS):	H302, Acute Tox. 4 oral, H318, Eye Na ₂ O ₅ S ₂ Disulfit 01-2119531326-45-xxxx 231-673-0 10 - <25 % H318, Eye Dam. 1, EUH031, 031 n	Indice No.:	not defined 016-063-00-2

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.List of H and P phrases: see section 16.2.

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor.



DE Tel.: +49 24 21 969-0 info@mn-net.com

- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931084	VISOCOLOR ECO Phosphate	Page: 4/11
Printing date: 22.11.2022	Date of issue: 27.09.2022	Version: 2.2.2.10

4.1.1 After SKIN Contact

Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

4.1.3 After INHALATION of vapours After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. ---

4.1.4 After ORAL Intake

After oral intake lots of water should be drunk after it has been ingested.

4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must to be carried out by an eye specialist. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

- 5.1.1 Suitable extinguishing media Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.
- 5.1.2 Unsuitable extinguishing media no data available
- 5.2 Special hazards arising from the substance or mixture

Formation of hazardous and caustic vapour-air mixtures possible.

5.3 Advice for firefighters

No, for listed product.Product package burns like paper or plastic.

5.4 Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 Environmental precautions

PBT: not applicable vPvB: not applicable

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water. Collect small amounts of leaked liquid and flush with water into drains.

6.4 Reference to other sections



FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931084VISOCOPrinting date: 22.11.2022Date of			Phosphate Page: 5/11 .2022 Version: 2.2	2.2.10
SEC	TION 7: Handling an	d storage		
7.1	Precautions for safe	-	roduct	
7.2	Conditions for safe s	Conditions for safe storage, including any incompatibilities Safe storage is guaranteed in the original packaging . Storage class (German chemical industry): see chapter 12.1 Storage class (VCI): 8B		
7.2.1		:k rooms and containers ges tightly closed during handling and sto	rage. Use inbreakable container for transport of glass bottles	S.
7.3	Specific end use(s) Product for analytical use.			
SEC	TION 8: Exposure co	ontrols /personal protectio	n	
3.1	Control parameters			
	25 mL PO 4 -1 Chemical: ammoni TRGS 900 (DE):	<i>um heptamolybdate</i> [Mo] 5 E mg/m³ E/e respirable	CAS No.: 12054-85-2	
	SUVA(CH) MAK value:	[Mo] 5 e mg/m³		
	Chemical: <i>sulfuric a</i> DNEL: DNEL = Derived No	acid 50 μg/m³ -Effect Level (for workers)	CAS No.: 7664-93-9	
		2.5 µg/L lo Effected Concentration		
	TRGS 900 (DE):	0.1 E mg/m³ E/e respirable		
	Short-term exposure fa skin resorptive (H),	ctor: 1 (I) respiratory sensitizable (Sa), skin sensitizable (Sh),	teratogenic (Z) not securely excluded / (Y) certainly excluded	
	SUVA(CH) MAK value: NIOSH: [TWA] Time-weight OSHA:	NTP Report on Carcinogens (RoC)	List Yes (Known to be a human carcinogen); TWA 1 mg/m ³ Short-term exposure limit related to a 15-minute period	
	25 mL PO ₄ -2 Chemical: sodium (DNEL: DNEL = Derived No	<i>lisulfite</i> [inh] 225 mg/m³ -Effect Level (for workers)	CAS No.: 7681-57-4	
	TRGS 900 (DE):	- E/e respirable		
	SUVA(CH) MAK value: NIOSH: [TWA] Time-weighte	5 e mg/m³ [TWA] 5 mg/m³ d average to a reference period of 8 hours, [STEL]	Short-term exposure limit related to a 15-minute period	
	OSHA:	none		
8.2		,	hemicals with floor drainage and washing facilities. The high	nest
3.2.1	level of cleanliness must be Respiratory protection	maintained at the workplace.		
	No additional recomme			
.2.2	Skin protection / Hand protection Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell			

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection or face protection.

8.2.4 Skin protection

Recommended to avoid contamination with these hazards.



- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 - FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 - US Tel.: +1 888 321 62 24 sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931084 Printing date: 22.11.2022		VISOCOLOR ECO Phosphate	Page: 6/11
		Date of issue: 27.09.2022	Version: 2.2.2.10
8.2.5	with the skin, eyes and clothing. Rins	ff and storage of food in work areas and at outdoor workp e any clothing on which the substance has been spilled, a n stopping work and before eating, and then apply protecti	and soak it in water. Wash hands
8.2.6	Thermal hazards no data available		
8.3	Limitation and monitoring of er Do not release product into environment.	nvironmental exposure	
SEC ⁻	FION 9: Physical and chemic	al properties	
9.1	Information on basic physical a	• •	
	 25 mL PO 4 -1 a) State of aggregation: b) Colour: c) Odor: d) Melting point: e) Boiling point: f) Flammability: g) Explosive limits (lower / upper): h) Flash point: i) Flashing temperature: j) Decomposition temperature: k) pH value: l) Kinematic viscosity: m) Solubility in water: n) Dispersion coefficient (o/w) : o) Vapour pressure (20°C): p) Specific gravity: q) Relative vapour density (air=1): r) Particle size: 	colourless red no data available no data available	
	 25 mL PO 4 -2 a) State of aggregation: b) Colour: c) Odor: d) Melting point: e) Boiling point: f) Flammability: g) Explosive limits (lower / upper): h) Flash point: i) Flashing temperature: j) Decomposition temperature: k) pH value: l) Kinematic viscosity: m) Solubility in water: n) Dispersion coefficient (o/w) : o) Vapour pressure (20°C): n) Specific gravity: 	colourless red no data available no data available no data available no data available no data available no data available 6-7 no data available no data available no data available no data available no data available no data available	

9.2 Other information

p) Specific gravity:

r) Particle size:

q) Relative vapour density (air=1) :

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required. **Properties relevant to substance groups**



no data available

no data available

no data available



Safety Data Sheet

REF: 93 Printing	31084 date: 22.11.2022		VISOCOLOR ECO Phosphate Date of issue: 27.09.2022	Page: 7/11 Version: 2.2.2.10
SECT	ION 10: Stability a	nd reactivity		
10.1	Reactivity no further data available.			
10.2	Chemical stability no known instability.			
10.3	Possibility of hazar No further data available.	dous reactions		
10.4	Conditions to avoid No more required.	I		
10.5	Incompatible mater no additional data availab			
0.6	Hazardous decomp	osition product	6	
	In the original package all period under recommende		safety and separated stored. Decompositions are	not observed during the expiration
SECT	ION 11: Toxicolog	ical informati	on	
11.1	Information on the	hazard classes a	according regulation (EC) 1272/2008	
			tances. Quantitative data on the toxicity of this pro	duct are not available.
	25 mL PO ₄ -1 Chemical: TSCA Inventory: Japan ISHL: Korea Exist.Chem.Inv LD50 orl rat : LD50 ihl rat :	ammonium heptamo listed (CAS 1 listed ≥1,0%/ ventory: not listed 2000-5000 n 1,930-5,840	1098-84-3) ≥0,1%, ıg/kg	S No.: 12054-85-2
	Chemical: TSCA Inventory: ACGIH: Exposure Routes: Target Organs: Symptoms: Australia NICNAS: Japan CSCL/PRTR: Japan ISHL: South Korea TCCA: Korea Exist.Chem.Inv LD50 orl rat :	Eyes, skin, ro irritation eyes not listed not listed, Ja listed ≥1,0%/ Accident Pre ventory: KE-32570 2140 mg/kg	California Proposition 65 List: not listed gestion, skin and/or eye contact spiratory system, teeth s, skin, nose Canada CEPA 1999: DSL Yes pan PDSCL: Deleterious Substance ≥1,0%, Article 57-2 (SDS required) caution Chemical Yes	S No.: 7664-93-9
	LC50 _{ihl mus} :	0,85 mg/L/4H	1	

25 mL PO ₄ -2 Chemical:	sodium disulfite		CAS No.: 7681-57-4
TSCA Inventory:	listed	California Proposition 65 List	
Exposure Routes:		tion, skin and/or eye contact	
Target Organs:	Eyes, skin, respi		
Symptoms:	irritation eyes, sk	kin, mucous membrane	
Australia NICNAS:	not listed	Canada CEPA 1999:	DSL yes
Japan CSCL/PRTR:	not listed, Japan	PDSCL: not listed	
Japan ISHL:	listed ≥1,0%/≥1,0	0%, Article 57-2 (SDS required)	
South Korea TCCA:	not listed		
Korea Exist.Chem.Inve	entory: KE-12701		
LD50 orl rat :	1540 mg/kg		



MACHEREY-NAGEL GmbH & Co. KG DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 9	31084 g date: 22.11.2022	VISOCOLOR ECO Phosphate Date of issue: 27.09.2022	Page: 8/11 Version: 2.2.2.10
11.2	Other hazards		
11.2	Possible endocrine disrupting no data available Other information no additional data available	effects	
SECT	ION 12: Ecological inforn	nation	
12.1	Toxicity		
	Following information is valid for p	ure substances.	
	25 mL PO 4 -1 Chemical: ammoniun Water hazard class (DE): Storage class (VCI):	n heptamolybdate 1 WGK No.: 0637 12-13	CAS No.: 12054-85-2
	Chemical: sulfuric aci PNEC (fresh water): PNEC = Predicted No Effected Concentra		CAS No.: 7664-93-9
	LC50 fish/96h : EC50 daphnia/48h : EC10 pseudomonas putita/16h : Water hazard class (DE): Storage class (VCI):	[NOEC, 65d] 25 μg/L 100 mg/L [72h] 100 mg/L 1 WGK No.: 0182 8 Β	
	25 mL PO 4 -2 Chemical: sodium dis LC50 fish/96h : EC50 daphnia/48h : IC50 scenedesmus quadricauda/72h : Water hazard class (DE): Storage class (VCI):	ulfite 150-220 mg/L 89 mg/L 48 mg/L 1 WGK No.: 1169 8 B	CAS No.: 7681-57-4
12.2	Persistence and degradabili	ty	
12.3	Bioaccumulative potential not necessary		
12.4	Mobility in soil not necessary		
12.5	Results of PBT and vPvB as This substance/mixture contains no ca and very bioaccumulative (vPvB) at le	omponents considered to be either persistent, b	ioaccumulative and toxic (PBT) or very persistent
12.6	Endocrine disrupting proper no data available	rties	
12.7	Other adverse effects no additional data available		
SECT	ION 13: Disposal conside	erations	
Р	•	tion and disposal of hazardous waste and conta	act waste disposal company, where you will obtain
13.1	Waste treatment methods		



water.

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

Normally it is possible to empty small amounts (diluted!) into drains. Empty containers of corrosive reagents prior to disposal, rinse with

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

EF: 931084			VISOCO	DLOR ECO Phosphate		Page: 9/11
rinting date: 22.11.2022		Date of issue: 27.09.2022			Version: 2.2.2.10	
ECTION 14: Tra	nspo	rt inf	formation			
14.1. UN number:	3316					
14.2. UN proper sh		name:	Chemical Kit			
14.3. Class:	9		Packing group: II			
Road transport ADR	-					
Classification code:	M11		Tunnel restriction code:	Е		
Limited Quantity:	acc. ADR 3.3.1/251: see LQ in Alternative declaration for transportation					
Air transport ICAO						
PAX:	960		max. weight PAX: 10	KG		
CAO:	960			KG		
Maritime transport IN	1DG		0			
EmS:	F-A. S	р	Storage estagen "			
Or use Alternative of	leclarati	ion for			50	
Or use Alternative of UN No.: (see below) or 14.1 UN number: 14.3 Class:	leclarati class 8 3264 8	ion for II, Exc 14.2	• transportation: epted Quantities (≤30 mL/			(sodium disulfite solution)
Or use Alternative of UN No.: (see below) or 14.1 UN number: 14.3 Class: Road transport ADR	leclarati class 8 3264 8	ion for II, Exc 14.2	transportation: epted Quantities (≤30 mL/ UN proper shipping nam			(sodium disulfite solution)
Or use Alternative o UN No.: (see below) or 14.1 UN number: 14.3 Class: <i>Road transport ADR</i> Classification code:	leclarati class 8 3264 8 C1	ion for II, Exc 14.2	transportation: epted Quantities (≤30 mL/ UN proper shipping nam	e: Corrosive liquid, aci		(sodium disulfite solution)
Or use Alternative of UN No.: (see below) or 14.1 UN number: 14.3 Class: Road transport ADR	leclarati class 8 3264 8	ion for II, Exc 14.2	transportation: epted Quantities (≤30 mL/ UN proper shipping nam Packing group: II	e: Corrosive liquid, aci		(sodium disulfite solution)
Or use Alternative of UN No.: (see below) or 14.1 UN number: 14.3 Class: Road transport ADR Classification code: Limited Quantity:	leclarati class 8 3264 8 C1 1 L	ion for II, Exc 14.2	transportation: epted Quantities (≤30 mL/ UN proper shipping nam Packing group: II	e: Corrosive liquid, aci		(sodium disulfite solution)
Or use Alternative of UN No.: (see below) or 14.1 UN number: 14.3 Class: Road transport ADR Classification code: Limited Quantity: Excepted Quantity: Air transport ICAO Limited Quantity:	leclarati class 8 3264 8 C1 1 L	ion for II, Exc 14.2	transportation: epted Quantities (≤30 mL/ UN proper shipping nam Packing group: II Tunnel restriction	e: Corrosive liquid, aci		(sodium disulfite solution)
Or use Alternative of UN No.: (see below) or 14.1 UN number: 14.3 Class: Road transport ADR Classification code: Limited Quantity: Excepted Quantity: Excepted Quantity: Excepted Quantity:	leclarati class 8 3264 8 C1 1 L	ion for II, Exc 14.2 14.4 LQ 22 E 2	transportation: epted Quantities (≤30 mL/ UN proper shipping nam Packing group: II Tunnel restriction	e: Corrosive liquid, aci		(sodium disulfite solution)
Or use Alternative of UN No.: (see below) or 14.1 UN number: 14.3 Class: Road transport ADR Classification code: Limited Quantity: Excepted Quantity: Air transport ICAO Limited Quantity: Excepted Quantity: Excepted Quantity: PAX:	leclarati class 8 3264 8 C1 1 L	ion for II, Exc 14.2 14.4 LQ 22 E 2 851	transportation: epted Quantities (≤30 mL/ UN proper shipping nam Packing group: II Tunnel restriction	e: Corrosive liquid, acie code: E max. weight PAX:	dic, inorganic, n.o.s. 1 L	(sodium disulfite solution)
Or use Alternative of UN No.: (see below) or 14.1 UN number: 14.3 Class: Road transport ADR Classification code: Limited Quantity: Excepted Quantity: Excepted Quantity: Excepted Quantity: Excepted Quantity: PAX: CAO:	leclarati class 8 3264 8 C1 1 L E 2	ion for II, Exc 14.2 14.4 LQ 22 E 2	transportation: epted Quantities (≤30 mL/ UN proper shipping nam Packing group: II Tunnel restriction	e: Corrosive liquid, acie code: E	dic, inorganic, n.o.s.	(sodium disulfite solution)
Or use Alternative of UN No.: (see below) or 14.1 UN number: 14.3 Class: Road transport ADR Classification code: Limited Quantity: Excepted Quantity: Air transport ICAO Limited Quantity: Excepted Quantity: Excepted Quantity: PAX:	leclarati class 8 3264 8 C1 1 L E 2	ion for II, Exc 14.2 14.4 LQ 22 E 2 851 855	transportation: epted Quantities (≤30 mL/ UN proper shipping nam Packing group: II Tunnel restriction	e: Corrosive liquid, acie code: E max. weight PAX: max. weight CAO:	dic, inorganic, n.o.s. 1 L	(sodium disulfite solution)

14.5 **Environmental hazards**

none, contains only small quantities of hazardous substances

- 14.6 Special precautions for user not necessary
- Transport in bulk according to Annex II of MARPOL and the IBC Code 14.7 Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020

- Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung GefStoffV), Nov 2010, Stand: Mrz 2017
 - TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017
 - TRGS 220, National aspects when preparing safety data sheets, Jan 2017 TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017

BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012

TRGS 500, Protective measures, Mai 2008

TRGS 510, Storage of hazardous substances in portable containers from March 2013, status: Oct 2015

- Chapter 4, Measures when storing hazardous substances up to 50 kg (small quantity regulation)
- Wasserhaushaltsgesetz WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016 MN leaflet/instructions for use, also at www.mn-net.com

If necessary, observe other country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts



DE Tel.: +49 24 21 969-0 info@mn-net.com

- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 - FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 - US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

REF: 931084 Printing date: 22.11.2022		VISOCOLOR ECO Phosphate Date of issue: 27.09.2022	Page: 10/11 Version: 2.2.2.10				
SECI	ION 16: Other	Information					
16.1	Changes comp Between versions 2						
16.2	Between versions 2.2.2.10 and 2.2.2.2 following changes were applied: - 8 substance data corrected List of H and P phrases						
16.2.1	List of releva i H315 H318 H319 EUH031	nt H phrases Causes skin irritation. Causes serious eye damage. Causes serious eye irritation. Contact with acids liberates toxic gas.					
16.2.2	List of relevan P260D P280sh P305+351+33 P310	Do not breathe vapours. Wear protective gloves/eye protection.	enses, if present and easy to				
16.3	Recommended restriction on use Only for professional user. Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)! Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)! An individual package of this product or test kit has a moderate hazardous potential.						
	Sources of key data KÜHN, BIRETT leaflets on dangerous working materials Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres SUVA.CH, limit values in the air at work 2009, revised on 01/2009 Regulation 790/2009/EU Adaptation of the CLP Regulation 1272/2008/EU to technical and scientific progress Regulation 453/2010/EU REACH – REQUIREMENTS FOR THE PREPARATION OF SAFETY DATA SHEET Regulation 487/2013/EU, 4. Adaptation of the CLP regulation to technical and scientific progress Regulation 669/2018/EU, 4. Adaptation of the CLP regulation to technical and scientific progress Regulation 1480/2018/EU, 4. Adaptation of the CLP regulation to technical and scientific progress Regulation 869/2018/EU, 4. Adaptation of the CLP regulation to technical and scientific progress Regulation 869/2018/EU, 4. Adaptation of the CLP regulation to technical and scientific progress TRGS 900, German engineering rules on limit values in the air at work, as of 03/2019 Regulation 878/2020/EU Regulation 849/2021/EU, 4. Adaptation of the CLP regulation to technical and scientific progress TRGS 900, German engineering rules on limit values in the air at work, as of 03/2019 Regulation 849/2021/EU, 4. Adaptation of the CLP regulation to technical and scientific progress TRGS 900, German engineering rules on limit values in the air at work, as of 03/2019 Regul						
		2016-03 Adjustment of Regulation 1221/2015/EU 2017-11 adaptation of the ECHA registration dossier 2022-11 Adjustment of Regulation 878/2020/EU					
16.5	Further information MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose. MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages result from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.						
16.6	Legend / Abbreviations						
	ADR: Con Act: acut BAT: biolo CAO: Caro Carc: caro CAS: Che	ording vention concerning the International Carriage of Dangerous Goods by Road e ogical workplace tolerance value go Aircraft Only inogen mical Abstracts Service softention. Labelling and Packaging rogulation					

- CLP: CMR: Classification, Labelling and Packaging regulation
 - carcinogen, mutagen, reproduction toxic
- Corr: corrosive
- COD: chemical oxigen demand
- CSCL: Chemical Substance Control Law (Jp)





according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931084 Printing date: 22.11.2022 VISOCOLOR ECO Phosphate Date of issue: 27.09.2022

Page: 11/11 Version: 2.2.2.10

Dama	
Dam:	damage
DNEL:	Derived No-Effect Level (for workers)
derm:	dermal
dog:	dog
EC10:	Concentration causing a toxic effect in 10% of the test organisms
EC:	European Community
EC-Nr:	Substance number of the EC substance inventory
EmS:	Guide to accident management measures on ships
EU:	European Union
fish:	fish (not spezified)
GHS:	Global Harmonized System of Classification and Labeling of Chemicals
gpg:	guinea pig
ICAO:	International Civil Aviation Organization
ihl:	inhaled
IMDG:	International Maritime Dangerous Goods Code
intrav:	intravenous
ipt:	intraperitonaeal
ISHL:	Industrial Safety and Health Law (Jp)
LC50:	letale concentration 50%
LD50:	letale dosis 50%
leuciscus idus	
MAK:	maximum workplace concentration
Met:	Metall
mus:	mouse
Muta:	mutagen
NIOSH:	National Institute for Occupational Safety and Health (US)
NRD:	Non-rapidly degradable
onchorhynchu	
orl:	oral
OSHA:	
PAX:	Occupational Safety and Health Administration
	transport on passenger planes allowed
PBT:	persistent, bioaccumulating, toxic substance
pH:	pH value
pimephales pi	
PNEC:	Predicted No Effected Concentration
PROC 15:	Process category 'for laboratory use'
PRTR:	Law for PRTR and Promotion of Chemical Management (Jp)
PVC:	polyvinyl chloride
quail:	bird, quail
rat:	rat
rbt:	rabbit
RD:	rapidly degradable
RE:	repeated
REACh:	Registration, Evaluation, Authorisation and Restriction of Chemicals
REF:	item number, reference number
Reg.No.:	rRegistration number
Repr:	harmful to reproduction
Resp:	respiratory
RIP:	REACH Implementations Projects
SCU:	sub cutan
SDS:	safety data sheet
Sens:	sensitisation
STEL:	short term exposure limit
STOT:	Specific Target Organ Toxicity
SVHC:	Substance of Very High Concern
t/a:	tons per year
TCCA:	Toxic Chemicals Control Act (S. Korea)
Tox:	toxic
TSCA:	The Toxic Substances Control Act (US)
TWA:	time weighted average
TRGS:	technical regulations (DE)
vPvB:	very persistent, very bioaccumulating substance

16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com