according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



N,N-Dimethylformamide ROTIPURAN® ≥99,8 %, p.a., ACS

article number: **T921** Version: **5.0 en** Replaces version of: 2022-10-20 Version: (4)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance	N,N-Dimethylformamide ROTIPURAN® ≥99,8 %, p.a., ACS
Article number	Т921
Registration number (REACH)	01-2119475605-32-xxxx
Index number in CLP Annex VI	616-001-00-X
EC number	200-679-5
CAS number	68-12-2
Pelevant identified uses of the substance or mix	ture and uses advised against

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	+353 1 809 2166	https:// www.poisons.ie/

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



N,N-Dimethylformamide ROTIPURAN® ≥99,8 %, p.a., ACS

article number: **T921**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	3	Flam. Liq. 3	H226
3.1D	Acute toxicity (dermal)	4	Acute Tox. 4	H312
3.1I	Acute toxicity (inhal.)	4	Acute Tox. 4	H332
3.3	3 Serious eye damage/eye irritation		Eye Irrit. 2	H319
3.7	Reproductive toxicity	1B	Repr. 1B	H360D

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms

GHS02, GHS07, GHS08



Hazard statements

H226 Flammable liquic H312+H332 Harmful in conta	d and vapour act with skin or if inhaled
H319 Causes serious e H360D May damage the	
H360D May damage the	unborn

Precautionary statements

Precautionary statements - prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements - response

P302+P352	IF ON SKIN: Wash with plenty of soap and water
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing
P308+P313	IF exposed or concerned: Get medical advice/attention

For professional users only

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



N,N-Dimethylformamide ROTIPURAN® ≥99,8 %, p.a., ACS

article number: T921



H360DMay damage the unborn child.P280Wear protective gloves/protective clothing/eye protection/face protection.P308+P313IF exposed or concerned: Get medical advice/attention.

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	N,N-Dimethylformamide
Molecular formula	C ₃ H ₇ NO
Molar mass	73,09 ^g / _{mol}
REACH Reg. No	01-2119475605-32-xxxx
CAS No	68-12-2
EC No	200-679-5
Index No	616-001-00-X

Substance of Very High Concern (SVHC)						
Name of substance CAS No EC No Listed in Remarks						
N,N-Dimethylformamide	68-12-2	200-679-5	Candidate list	Repr. A57a		

Legend

Candidate Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

list Repr. A57a Toxic for reproduction (article 57c)

Substance, Specific Conc. Limits, M-factors, ATE						
Specific Conc. Limits M-Factors ATE Exposure rout						
-	-	1.100 ^{mg} / _{kg} 11 ^{mg} / _l /4h	dermal inhalation: vapour			

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



N,N-Dimethylformamide ROTIPURAN® ≥99,8 %, p.a., ACS

article number: **T921**

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Irritation, Gastrointestinal complaints, Headache, Vertigo, Dyspnoea, Dizziness

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO₂)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



N,N-Dimethylformamide ROTIPURAN® ≥99,8 %, p.a., ACS

article number: **T921**

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid exposure.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



N,N-Dimethylformamide ROTIPURAN® ≥99,8 %, p.a., ACS

article number: **T921**

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	N,N-dimethylform- amide	68-12-2	IOELV	5	15	10	30			Н	2022/ 431/EU
IE	dimethyl formamide	68-12-2	OELV	5	15	10	30			Н	S.I. No. 619 of 2001

Notation

Ceiling-C
HCeiling value is a limit value above which exposure should not occur
Absorbed through the skinSTELShort-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-
minute period (unless otherwise specified)TWATime-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8
hours time-weighted average (unless otherwise specified)

Human health values

Relevant DNELs and other threshold levels									
EndpointThreshold levelProtection goal, route of exposureUsed inExposure tir									
DNEL	6 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects					
DNEL	1,1 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects					

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



N,N-Dimethylformamide ROTIPURAN® ≥99,8 %, p.a., ACS

article number: **T921**

Environm	Environmental values								
Relevant	Relevant PNECs and other threshold levels								
End- point	Threshold level	Organism	Environmental com- partment	Exposure time					
PNEC	44 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)					
PNEC	111 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)					
PNEC	11,1 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)					

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

Butyl caoutchouc (butyl rubber)

material thickness

≥0,5 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



N,N-Dimethylformamide ROTIPURAN® ≥99,8 %, p.a., ACS

article number: **T921**

Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 $^{\circ}$ C, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1	Information on basic physical and chemical properties				
	Physical state	liquid			
	Colour	colourless			
	Odour	like: - amine			
	Odour threshold	0,329 ppm			
	Melting point/freezing point	-61 °C			
	Boiling point or initial boiling point and boiling range	153 °C at 1.013 hPa			
	Flammability	flammable liquid in accordance with GHS criteria			
	Lower and upper explosion limit	70 g/m³ (LEL) - 500 g/m³ (UEL) / 2,2 vol% (LEL) - 16 vol% (UEL)			
	Flash point	57,5 °C at 1.013 hPa (ECHA)			
	Auto-ignition temperature	435 °C at 1.013 hPa			
	Decomposition temperature	>350 °C			
	pH (value)	7 (in aqueous solution: 200 ^g / _l , 20 °C)			
	Kinematic viscosity	0,8947 ^{mm²} / _s at 20 °C			
	Dynamic viscosity	0,85 mPa s at 20 °C			
	Solubility(ies)				
	Water solubility	miscible in any proportion			
	Partition coefficient				
	Partition coefficient n-octanol/water (log value):	-1,01 (TOXNET)			
	Vapour pressure	3,77 hPa at 20 °C			
	Density and/or relative density				
	Density	0,95 ^g / _{cm³} at 20 °C			
	Relative vapour density	2,52 (air = 1)			
	Particle characteristics	not relevant (liquid)			
	Other safety parameters				

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



N,N-Dimethylformamide ROTIPURAN® ≥99,8 %, p.a., ACS

article	number:	T921
---------	---------	------

	Oxidising properties	none
9.2	Other information	
	Information with regard to physical hazard classes:	There is no additional information.
	Other safety characteristics:	
	Miscibility	completely miscible with water
	Gas group (explosion group)	IIA Maximum Experimental Safe Gap value; MESG > 0,9 mm
	Maximum explosion pressure	7,2 bar
	Refractive index	1,431
	Temperature class (EU, acc. to ATEX)	T2 Maximum permissible surface temperature on the equipment: 300°C

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition.

If heated

Risk of ignition. Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Permanganates, for example potassium permanganate, Phosphorus oxides (e.g. P2O5)

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from heat. Decompostion takes place from temperatures above: >350 °C.

10.5 Incompatible materials

different plastics, copper, tin

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5. Release of: Formaldehyde. Ammonia (NH3).

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Harmful in contact with skin. Harmful if inhaled.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



N,N-Dimethylformamide ROTIPURAN® ≥99,8 %, p.a., ACS

article number: **T921**

Acute toxicity						
Exposure route	Endpoint	Value	Species	Method	Source	
oral	LD50	3.010 ^{mg} / _{kg}	rat		ECHA	
dermal	LD50	>3.160 ^{mg} / _{kg}	rat		ECHA	

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

May damage the unborn child.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

gastrointestinal complaints

• If in eyes

Causes serious eye irritation

If inhaled

irritant effects, cough, Dyspnoea

• If on skin

risk of absorption via the skin

Other information

Other adverse effects: Cardiovascular system, Liver and kidney damage, Headache, Vertigo, Dizziness

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

11.3 Information on other hazards

There is no additional information.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



21 d

21 d

ECHA

ECHA

N,N-Dimethylformamide ROTIPURAN® ≥99,8 %, p.a., ACS

article number: **T921**

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)									
Endpoint	Value	Species	Source	Exposure time					
LC50	7.100 ^{mg} / _l	fish	ECHA	96 h					
EC50	13.100 ^{mg} / _l	aquatic invertebrates	ECHA	48 h					
ErC50	>1.000 ^{mg} / _l	algae	ECHA	72 h					
Aquatic toxicity (chronic)									
EndpointValueSpeciesSourceExposure time									

fish

aquatic invertebrates

12.2 Persistence and degradability

LC50

EC50

Theoretical Oxygen Demand (without nitrification): 1,532 $^{mg}/_{mg}$ Theoretical Oxygen Demand (with nitrification): 2,408 $^{mg}/_{mg}$ Theoretical Carbon Dioxide: 1,806 $^{mg}/_{mg}$

>102 ^{mg}/_l

3.721 mg/I

Process of degradability					
Process	Degradation rate	Time			
biotic/abiotic	>90 %	28 d			
DOC removal	1 %	1 d			

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octano	ol/water (log KOW)	-1,01 (TOXNET)
BCF		0,3 – 1,2 (ECHA)

12.4 Mobility in soil

Henry's law constant	0,377 ^{Pa m³} / _{mol} at 25 °C (ECHA)
----------------------	---

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

12.7 Other adverse effects

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

N,N-Dimethylformamide ROTIPURAN® ≥99,8 %, p.a., ACS



article number: **T921**

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- **HP 3** flammable
- HP 4 irritant skin irritation and eye damage
- HP6 acute toxicity
- HP 10 toxic for reproduction

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

	ADRRID	UN 2265
	IMDG-Code	UN 2265
	ICAO-TI	UN 2265
14.2	UN proper shipping name	
	ADRRID	N,N-DIMETHYLFORMAMIDE
	IMDG-Code	N,N-DIMETHYLFORMAMIDE
	ICAO-TI	N,N-Dimethylformamide
14.3	Transport hazard class(es)	
	ADRRID	3
	IMDG-Code	3
	ICAO-TI	3
14.4	Packing group	
14.4	Packing group ADRRID	III

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



N,N-Dimethylformamide ROTIPURAN® ≥99,8 %, p.a., ACS

articl	e number: T921				
	IMDG-Code	III			
	ICAO-TI	III			
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations			
14.6	Special precautions for user				
	Provisions for dangerous goods (ADR) should				
14.7	Maritime transport in bulk according to IN				
	The cargo is not intended to be carried in bu	IK.			
14.8	Information for each of the UN Model Reg	ulations			
	Agreement concerning the International (information	Carriage of Dangerous Goods by Road (ADR)Additiona			
	Proper shipping name	N,N-DIMETHYLFORMAMIDE			
	Particulars in the transport document	UN2265, N,N-DIMETHYLFORMAMIDE, 3, III, (D/E)			
	Classification code	F1			
	Danger label(s)	3			
	Excepted quantities (EQ)	E1			
	Limited quantities (LQ)	5 L			
	Transport category (TC)	3			
	Tunnel restriction code (TRC)	D/E			
	Hazard identification No	30			
	Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information				
	Classification code	F1			
	Danger label(s)	3			
	Excepted quantities (EQ)	E1			
	Limited quantities (LQ)	5 L			
	Transport category (TC)	3			
	Hazard identification No	30			
	International Maritime Dangerous Goods	Code (IMDG) - Additional information			
	Proper shipping name	N,N-DIMETHYLFORMAMIDE			
	Particulars in the shipper's declaration	UN2265, N,N-DIMETHYLFORMAMIDE, 3, III, 57,5°C c.c.			
	Marine pollutant	-			
	Danger label(s)	3			

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



N,N-Dimethylformamide ROTIPURAN® ≥99,8 %, p.a., ACS

article number: T921

Special provisions (SP)	-
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-E, S-D
Stowage category	A
International Civil Aviation Organization (ICAC	-IATA/DGR) - Additional information
Proper shipping name	N,N-Dimethylformamide
Particulars in the shipper's declaration	UN2265, N,N-Dimethylformamide, 3, III
Danger label(s)	3
Excepted quantities (EQ)	E1
Limited quantities (LQ)	10 L

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

angerous substances with restrictions (REACH, Annex XVII)					
Name of substance	Name of substanceName acc. to inventoryCAS No				
N,N-Dimethylformamide	N,N-dimethylformamide (dimethyl formamide) (DMF)	68-12-2	R72 R72_3000mg	72	
N,N-Dimethylformamide	N,N-dimethylformamide	68-12-2	R76	76	
N,N-Dimethylformamide	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3	
N,N-Dimethylformamide	toxic for reproduction		R28-30	30	
N,N-Dimethylformamide	flammable / pyrophoric		R40	40	
N,N-Dimethylformamide	substances in tattoo inks and perman- ent make-up		R75	75	

Legend

R28-30 1. Shall not be placed on the market, or used,

- as substances, - as constituents of other substances, or,

- in mixtures


for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:


- either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or, - the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows: 'Restricted to professional users'.

2. By way of derogation, paragraph 1 shall not apply to:
(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU









according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



N,N-Dimethylformamide ROTIPURAN® ≥99,8 %, p.a., ACS

article number: T921

Legend

R72_300 Appendix 12 (maximum concentration limits by weight in homogeneous materials): 3000 mg/kg 0mg

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



N,N-Dimethylformamide ROTIPURAN® ≥99,8 %, p.a., ACS

article number: T921



tattooing purposes.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



N,N-Dimethylformamide ROTIPURAN® ≥99,8 %, p.a., ACS

article number: **T921**

Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

R76
1. Shall not be placed on the market as a substance on its own, as a constituent of other substances, or in mixtures in a concentration equal to or greater than 0,3 % after 12 December 2023 unless manufacturers, importers and downstream users have included in the relevant chemical safety reports and safety data sheets, Derived No-Effect Levels (DNELs) relating to exposure of workers of 6 mg/m3 for exposure by inhalation and 1,1 mg/kg/day for dermal exposure.

2. Shall not be manufactured, or used, as a substance on its own, as a constituent of other substances, or in mixtures in a concentration equal to or greater than 0,3 % after 12 December 2023 unless manufacturers and downstream users take the appropriate risk management measures and provide the appropriate operational conditions to ensure that exposure of workers is below the DNELs specified in paragraph 1.

3. By way of derogation from paragraphs 1 and 2, the obligations laid down therein shall apply from 12 December 2024 in relation to placing on the market for use, or use, as a solvent in direct or transfer polyurethane coating processes of textiles and paper material or the production of polyurethane membranes, and from 12 December 2025 in relation to placing on the market for use, or use, as a solvent in the dry and wet spinning processes of synthetic fibres.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Substance of Very High Concern (SVHC)

Name acc. to invent- ory	CAS No	Listed in	Remarks	Latest ap- plication date	Sunset date	Date of in- clusion
N,N-dimethylformamide	68-12-2	Candidate list	Repr. A57a			2012-12-19

Legend

Candidate list Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV Repr. A57a Toxic for reproduction (article 57c)

Seveso Directive

2012/18/EU (Seveso III)			
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	
P5c	flammable liquids (cat. 2, 3)	5.000 50.000	51)

Notation

51) Flammable liquids, categories 2 or 3 not covered by P5a and P5b

Deco-Paint Directive

VOC content	100 %
VOC content	950 ^g /l

Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	950 ^g /l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



N,N-Dimethylformamide ROTIPURAN® ≥99,8 %, p.a., ACS

article number: **T921**

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

List of pollutants (WFD) **CAS No** Listed in Name of substance Name acc. to inventory **Remarks** N,N-Dimethylformamide Substances and preparations, or a) the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrinerelated functions in or via the aquatic environment

Legend

a) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



N,N-Dimethylformamide ROTIPURAN® ≥99,8 %, p.a., ACS

article number: **T921**

Country	Inventory	Status
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed
CICR CSCL-ENCS DSL ECSI IECSC INSQ KECI NCI NZIOC PICCS REACH Reg. TCSI	Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation ENCS List of Existing and New Chemical Substances (CSCL-ENCS) Domestic Substances List (DSL) EC Substance Inventory (EINECS, ELINCS, NLP) Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances Korea Existing Chemical Substances National Inventory	

15.2 Chemical safety assessment

According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1	VOC content: 100 % 950 ^g / _l	VOC content: 100 %	yes
15.1		VOC content: 950 ^g / _l	yes
15.1		National inventories: change in the listing (table)	yes
15.2	Chemical Safety Assessment: No Chemical Safety Assessment has been car- ried out for this substance.	Chemical safety assessment: According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.	yes

Abbreviations and acronyms

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

N,N-Dimethylformamide ROTIPURAN® ≥99,8 %, p.a., ACS



article number: **T921**

Abbr.	Descriptions of used abbreviations
2022/431/EU	Directive (EU) 2022/431 of the European Parliament and of the Council of 9 March 2022 amending Direct- ive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or muta- gens at work
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



N,N-Dimethylformamide ROTIPURAN® ≥99,8 %, p.a., ACS

article number: **T921**

Abbr.	Descriptions of used abbreviations
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
S.I. No. 619 of 2001	Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H312	Harmful in contact with skin.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H360D	May damage the unborn child.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.