

Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

UNISOL 113 pH 1-13 (100ml) Page: 1/9 Date of issue: 19.04.2022 Printing date: 22.11.2022 Version: 2.2.2.2

SECTION 1: Identification of the substance/mixture and of the company

1.1 **Product identifier**

REF 91031

no data available UNISOL 113 pH 1-13 (100ml) REACH Registration number(s): see SECTION 3.1/3.2 or

A registration number for the substance(s) does not exist because the annual tonnage does not require registration or

the substance or its use is excluded from registration.

1 x 100 mL UNISOL pH 1-13 UFI: R4QT-735Q-Q205-FQA1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, Germany

Phone: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 **Emergency telephone number**

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service. Supplier:

DE: Gemeinsames Giffinformationszentrum (GGIZ) Carl Roth GmbH + Co KG Carl Roth Gmbn 3-5

Carl Roth Gmbn Germ 99089 Erfurt tel. +49 361 730 730, https://www.ggiz-erfurt.de

You find our current versions of SDS in Internet:

76185 Karlsruhe, Germany +49 721 5606 0 sicherheit@carlroth.de

SECTION 2: Hazard identification

2.0 Classification of the complete product according to Regulation (EC) 1272/2008



GHS02

Signal word **DANGER**

Hazard identification Hazard classes/categories

H225 Flam. Liq. 2

2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

100 mL UNISOL pH 1-13



Signal word

DANGER

Hazard identification Hazard classes/categories

H225 Flam. Liq. 2



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91031 UNISOL 113 pH 1-13 (100ml) Page: 2/9
Printing date: 22.11.2022 Date of issue: 19.04.2022 Version: 2.2.2.2

List of H phrases: see section 16.2

2.2 Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2). Harmful chemicals/mixtures with signal word: **WARNING** and highly flammable chemicals/mixtures must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2).

100 mL UNISOL pH 1-13



Signal word: DANGER

Label elements of the complete product



Signal word: DANGER

2.3 Other hazards

Possible hazards from physicochemical properties

Flammable properties.

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

Possible endocrine disrupting effects

no data available

SECTION 3: Composition / information on ingredients

3.1 Substances or 3.2 Mixtures

100 mL UNISOL pH 1-13

Substance name: *ethanol* CAS No.: *ethanol* 64-17-5

(denatured with 1% 2-butanone / 1% 2-propanol)

Substance rating: H225, Flam. Liq. 2 Formula: C_2H_6O ; C_2H_5OH Pseudonym (de): Athylalkohol, vergällter Spiritus Athylalkohol, vergällter Spiritus

EC No.: 200-578-6 Indice No.: 603-002-00-5

Substance rating: No criteria for classification or naming of chemical not required.

Concentration: 0,1 - <1 %

acc. CLP (GHS): The criteria for classification are not fulfilled

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.List of H and P phrases: see section 16.2.



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 91031
 UNISOL 113 pH 1-13 (100ml)
 Page: 3/9

 Printing date: 22.11.2022
 Date of issue: 19.04.2022
 Version: 2.2.2.2

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice.

4.1.1 After SKIN Contact

Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. ---

4.1.4 After ORAL Intake

After oral intake lots of water should be drunk after it has been ingested.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

No additionally recommendations. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used. Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.1.2 Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

DANGER: Highly flammable (GHS regulation). Forms explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible.

5.3 Advice for firefighters

Product package burns like paper or plastic.

5.4 Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Regular staff training is necessary.

6.2 Environmental precautions

not necessary

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent.

Collect small amounts of leaked liquid and flush with water into drains.

6.4 Reference to other sections



Software: M2 V 6.0.20.60

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.co

CHEREY-NAGEI



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

UNISOL 113 pH 1-13 (100ml) Page: 4/9 Printing date: 22.11.2022 Date of issue: 19.04.2022 Version: 2.2.2.2

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging . Storage class (German chemical industry): see chapter 12.1 Storage class (VCI): Water hazard class (DE):

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls /personal protection

8.1 Control parameters

100 mL UNISOL pH 1-13

Chemical: ethanoi CAS No.: 64-17-5

[derm] 343 mg/kg; [inh] 950 mg/m³ DNFI: DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): U.90 IIIg/L PNEC = Predicted No Effected Concentration

200 mL/m3 / 380 mg/m3 TRGS 900 (DE):

Short-term exposure factor: 4 (II), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 500 ppm / 960 mg/m³

[TWA] 1000 ppm / 1900 mg/m³

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 1000 ppm / 1900 mg/m³

Chemical: indicator dye(s) CAS No .: -

8.2 **Exposure controls**

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

No additional recommendations.

8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

8.2.4 Skin protection

Not necessary

8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

8.2.6 Thermal hazards

no data available

8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.



Software: M2 V 6.0.20.60

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91031 UNISOL 113 pH 1-13 (100ml) Page: 5/9
Printing date: 22.11.2022 Date of issue: 19.04.2022 Version: 2.2.2.2

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

100 mL UNISOL pH 1-13

a) State of aggregation:

b) Colour: colourless
c) Odor: red
d) Melting point: no data available
e) Boiling point: no data available
f) Flammability: no data available
g) Explosive limits (lower / upper): no data available
h) Flash point: 20 °C

i) Flashing temperature: no data available j) Decomposition temperature: no data available k) pH value: no data available

I) Kinematic viscosity: no data available m) Solubility in water: 0-100 %

n) Dispersion coefficient _(o/w):

o) Vapour pressure (20°C):

no data available

o) Specific gravity:

q) Relative vapour density _(air=1):

no data available

r) Particle size:

no data available

9.2 Other information

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required. **Properties relevant to substance groups**

Substances are highly volatile and form flammable gas-air mixtures.

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

10.2 Chemical stability

no known instability.

10.3 Possibility of hazardous reactions

No further data available.

10.4 Conditions to avoid

10.5 Incompatible materials

no additional data available

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

100 mL UNISOL pH 1-13

Chemical: ethanol CAS No.: 64-17-5

TSCA Inventory: listed California Proposition 65 List: not listed

ACGIH: 1000 ppm

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system

Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough;

liver damage; anemia; reproductive, teratogenic

Australia NICNAS: not listed Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed



MACHEREY-NAGEL GmbH & Co. KG

DE Tel.: +
Valencienner Str. 11

CH Tel.: +

52355 Düren · Germany

www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com



CAS No .: -

Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91031 UNISOL 113 pH 1-13 (100ml) Page: 6/9 Date of issue: 19.04.2022 Printing date: 22.11.2022 Version: 2.2.2.2

> Japan ISHL: listed ≥0,1%/≥0,1%, Article 57-2 (SDS required)

South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-13217 6200 mg/kg LD50 orl rat: LC_Low ihl gpg : LC_Low orl hmn : 21,900 mg/L 1400 mg/kg 123,4 mg/L/4H LC50 ihl mus: LC50 ihl rat: 115,9-133,8 mg/L/4H

LD50 orl mus: 3450 mg/kg

indicator dye(s)

K5, M5, R F C

TSCA Inventory: all listed, <1%

11.2 Other hazards

Possible endocrine disrupting effects

no data available

TRGS 905 (DE):

Chemical:

Other information

no additional data available

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

100 mL UNISOL pH 1-13

Chemical: CAS No.: 64-17-5 ethanol 0.96 mg/L

PNEC (fresh water):
PNEC = Predicted No Effected Concentration

LC50 daphnia magna/48h : >100 mg/L 13400 - 15100 mg/L LC50 pimephales promelas/96h: [48h] 8140 mg/L LC50 leuciscus idus/96h: LC50 fish/96h: 13 g/L EC50 daphnia/48h: 9.3-14.2 g/L

[7d] 5000 mg/L IC50 scenedesmus quadricauda/72h: [EC5] 6500 mg/L EC10 pseudomonas putita/16h WGK No.: 0096 Water hazard class (DE):

Dispersion coefficient (o/w): -0,31 Storage class (VCI):

indicator dye(s) 12-13 CAS No.: -Chemical:

Storage class (VCI):

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

12.6 **Endocrine disrupting properties**

no data available

12.7 Other adverse effects

no additional data available



Software: M2 V 6.0.20.60

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91031 UNISOL 113 pH 1-13 (100ml) Page: 7/9
Printing date: 22.11.2022 Date of issue: 19.04.2022 Version: 2.2.2.2

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains.

SECTION 14: Transport information

14.1. UN number: 3316

14.2. UN proper shipping name: Chemical Kit 14.3. Class: 9 14.4. Packing group: I

Road transport ADR

Classification code: M11 Tunnel restriction code: E

Limited Quantity: acc. ADR 3.3.1/251: see LQ in Alternative declaration for transportation

Air transport ICAO

PAX: 960 max. weight PAX: 10 KG CAO: 960 max. weight CAO: 10 KG

Maritime transport IMDG

EmS: F-A, S-P Storage category: A

Or use Alternative declaration for transportation:

14.1 UN number: 1993 14.2 UN proper shipping name: Flammable liquid, n.o.s. (ethanol mixture)

14.3 Class: 3 14.4 Packing group:

Road transport ADR Classification code:

Limited Quantity: 1 L Tunnel restriction code: E Excepted Quantity: E 2 Special instructions: 640C

Air transport ICAO

Limited Quantity: LQ 4
Excepted Quantity: E 2

PAX: 353 max. weight PAX: 5 L CAO: 364 max. weight CAO: 60 L

Maritime transport IMDG

EmS: F-E, S-E Storage category: B

14.5 Environmental hazards

none, contains only small quantities of hazardous substances

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020

Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017

TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017

TRGS 220, National aspects when preparing safety data sheets, Jan 2017

TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017

BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012

MN leaflet/instructions for use, also at www.mn-net.com

If necessary, observe other country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts



Software: M2 V 6.0.20.60

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

UNISOL 113 pH 1-13 (100ml) Page: 8/9 Printing date: 22.11.2022 Date of issue: 19.04.2022 Version: 2.2.2.2

SECTION 16: Other information

16.1 Changes compared to the last version

16.2 List of H and P phrases

16.2.1 List of relevant H phrases

Highly flammable liquid and vapour.

16.2.2 List of relevant P phrases

Keep away from heat/sparks/open flames/hot surfaces. No smoking. P210

16.3 Recommended restriction on use

Only for professional user.

An individual package of this product or test kit has a moderate hazardous potential.

16.4 Sources of key data

KÜHN, BIRETT leaflets on dangerous working materials

Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive

SUVA .CH, limit values in the air at work 2009, revised on 01/2009 Regulation 790/2009/EU Adaptation of the CLP Regulation 1272/2008/EU to technical and scientific progress Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE PREPARATION OF SAFETY DATA SHEET

Regulation 487/2013/EU, 4. Adaptation of the CLP regulation to technical and scientific progress

Regulation 669/2018/EU, 4. Adaptation of the CLP regulation to technical and scientific progress Regulation 1480/2018/EU, 4. Adaptation of the CLP regulation to technical and scientific progress

TRGS 900, German engineering rules on limit values in the air at work, as of 03/2019

Regulation 878/2020/EŬ

Regulation 849/2021/EU, 4. Adaptation of the CLP regulation to technical and scientific progress

Revisions/Updates

2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary Reason for revision:

2014-04 Adjustment of Regulation 487/2013/EU 2016-03 Adjustment of Regulation 1221/2015/EU

2017-08 Adaptation of the new ethanol denaturation 2016/1867/EU

2017-11 adaptation of the ECHA registration dossier 2022-11 Adjustment of Regulation 878/2020/EU

16.5 **Further information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.6 Legend / Abbreviations

according acc:

ADR: Convention concerning the International Carriage of Dangerous Goods by Road

Act:

BAT: biological workplace tolerance value

Cargo Aircraft Only CAO:

Carc: carcinogen

Chemical Abstracts Service CAS:

CLP: Classification, Labelling and Packaging regulation

CMR: carcinogen, mutagen, reproduction toxic

corrosive Corr:

COD: chemical oxigen demand

CSCI · Chemical Substance Control Law (Jp)

Dam: damage

DNEL: Derived No-Effect Level (for workers)

derm: dermal dog: doa

EC10: Concentration causing a toxic effect in 10% of the test organisms

European Community EC:

EC-Nr: Substance number of the EC substance inventory Guide to accident management measures on ships EmS:

EU: European Union



MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91031 UNISOL 113 pH 1-13 (100ml) Page: 9/9 Date of issue: 19.04.2022 Printing date: 22.11.2022 Version: 2.2.2.2

fish: fish (not spezified)

GHS: Global Harmonized System of Classification and Labeling of Chemicals

gpg: ICAO: International Civil Aviation Organization

ihl: inhaled

IMDG: International Maritime Dangerous Goods Code

intrav: intravenous intraperitonaeal

İSHL: Industrial Safety and Health Law (Jp)

LC50: letale concentration 50%

LD50: letale dosis 50%

leuciscus idus: fisch, ide, orfe MAK: maximum workplace concentration

Met: Metall mus: mouse mutagen Muta:

NIOSH: National Institute for Occupational Safety and Health (US)

NRD: Non-rapidly degradable onchorhynchus mykiss: fish, rainbow trout

orl: oral

OSHA: Occupational Safety and Health Administration transport on passenger planes allowed PAX: PBT: persistent, bioaccumulating, toxic substance

pH: pH value

pimephales promelas: fish, fathead minnow Predicted No Effected Concentration PNEC: PROC 15: Process category 'for laboratory use'

Law for PRTR and Promotion of Chemical Management (Jp) PRTR:

polyvinyl chloride PVC: quail: bird, quail rat: rat rabbit rbt:

rapidly degradable RD:

RF: repeated

REACh: Registration, Evaluation, Authorisation and Restriction of Chemicals

REF: item number, reference number Reg.No.: rRegistration number harmful to reproduction Repr:

respiratory Resp:

RIP: **REACH Implementations Projects**

scu: sub cutan SDS: safety data sheet Sens: sensitisation

short term exposure limit STEL: STOT: Specific Target Organ Toxicity SVHC: Substance of Very High Concern

t/a: tons per year

TCCA: Toxic Chemicals Control Act (S. Korea)

Tox: toxic

TSCA: The Toxic Substances Control Act (US)

TWA: time weighted average technical regulations (DE) TRGS:

vPvB: very persistent, very bioaccumulating substance

16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com