

Resorcinol-Fuchsin solution according to Weigert for microscopy

article number: **X877** Version: **4.0 en** Replaces version of: 19.07.2019 Version: (3)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

Resorcinol-Fuchsin solution according to Weigert for microscopy

X877

Registration number (REACH)

not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	2	Flam. Liq. 2	H225
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1D	Acute toxicity (dermal)	4	Acute Tox. 4	H312
3.1I	Acute toxicity (inhal.)	4	Acute Tox. 4	H332
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.8	Specific target organ toxicity - single exposure	1	STOT SE 1	H370

date of compilation: 10.08.2015 Revision: 25.10.2021

according to Regulation (EC) No. 1907/2006 (REACH)



Resorcinol-Fuchsin solution according to Weigert for microscopy

article number: X877

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.8D	Specific target organ toxicity - single exposure (narcotic effects, drowsiness)	3	STOT SE 3	H336

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Immediate effects can be expected after short-term exposure. The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word	Danger
Pictograms	
GHS02, GHS05, GHS07, GHS08	
Hazard statemen	ts
H225	Highly flammable liquid and vapour

H225	Highly flammable liquid and vapour
H290	May be corrosive to metals
H302+H312+H332	Harmful if swallowed, in contact with skin or if inhaled
H318	Causes serious eye damage
H336	May cause drowsiness or dizziness
H370	Causes damage to organs (eye)

Precautionary statements

Precautionary statements - prevention

P210	Keep away from heat, sparks, open flames, hot surfaces. No smoking
P260	Do not breathe mist/vapours
P280	Wear protective gloves/eye protection

Precautionary statements - response

P302+P352	IF ON SKIN: Wash with plenty of water
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing
P308+P311	IF exposed or concerned: Call a POISON CENTER/doctor

Hazardous ingredients for labelling:

Methanol, 2-Propanol, Iron(III) chloride hexahydrate, Hydrochloric acid %

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)



H318 H370 Causes serious eye damage. Causes damage to organs (eye).

according to Regulation (EC) No. 1907/2006 (REACH)



Resorcinol-Fuchsin solution according to Weigert for microscopy

article number: X877

P260	Do not broathe mist/vanours
	Do not breathe mist/vapours.
P280	Wear protective gloves/eye protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to
	do. Continue rinsing.
P308+P311	IF exposed or concerned: Call a POISON CENTER/doctor.
contains:	Methanol, 2-Propanol, Iron(III) chloride hexahydrate, Hydrochloric acid %

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Endocrine disrupting properties

The mixture contains substance(s) with an endocrine disrupting potential.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
2-Propanol	CAS No 67-63-0	50 - < 100	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336		GHS-HC
	EC No 200-661-7		5101 3L 37 11330		
	Index No 603-117-00-0				
	REACH Reg. No 01-2119457558- 25-xxxx				
Methanol	CAS No 67-56-1	10 - < 25	Flam. Liq. 2 / H225 Acute Tox. 3 / H301 Acute Tox. 3 / H311		GHS-HC IOELV
	EC No 200-659-6		Acute Tox. 3 / H331 STOT SE 1 / H370		
	Index No 603-001-00-X				
	REACH Reg. No 01-2119433307- 44-xxxx				
Hydrochloric acid %	CAS No 7647-01-0	2-<10	Met. Corr. 1 / H290 Skin Corr. 1B / H314 Eye Dam. 1 / H318		B(a) GHS-HC IOELV
	EC No 231-595-7		STOT SE 3 / H335		IOELV
	Index No 017-002-01-X				
	REACH Reg. No 01-2119484862- 27-xxxx				

according to Regulation (EC) No. 1907/2006 (REACH)



Resorcinol-Fuchsin solution according to Weigert for microscopy

article number: X877

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Iron(III) chloride hexahydrate	CAS No 10025-77-1 EC No	1-<3	Met. Corr. 1 / H290 Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Dam. 1 / H318		
	600-047-2				
Resorcinol	CAS No 108-46-3	< 3	Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319	(!) ()	GHS-HC IOELV
	EC No 203-585-2		Aquatic Acute 1 / H400		
	Index No 604-010-00-1				
	REACH Reg. No 01-2119480136- 40-xxxx				
Fuchsine	CAS No 632-99-5	<1	Carc. 2 / H351		IARC: 2B
	EC No 211-189-6			×	

Notes

B(a): The classification refers to an aqueous solution
 GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)
 IARC: IARC group 2B: possibly carcinogenic to humans (International Agency for Research on Cancer)

2B: IOELV: Substance with a community indicative occupational exposure limit value

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ΑΤΕ	Exposure route
Methanol	CAS No 67-56-1	STOT SE 1; H370: C ≥ 10 % STOT SE 2; H371: 3 % ≤ C < 10 %	-	100 ^{mg} / _{kg} 300 ^{mg} / _{kg} 3 ^{mg} / _ا /4h	oral dermal inhalation: va-
	EC No 200-659-6			5 5/1411	pour
	Index No 603-001-00-X				
Hydrochloric acid %	CAS No 7647-01-0	Met. Corr. 1; H290: C ≥ 0,1 % Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 %	-	-	
	EC No 231-595-7	Eye Dam. 1; H318: C ≥ 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % STOT SE 3; H335: C ≥ 10 %			
	Index No 017-002-01-X	5101 52 5, 11555. C 2 10 %			
Iron(III) chloride hexahydrate	CAS No 10025-77-1	-	-	500 ^{mg} / _{kg}	oral
	EC No 600-047-2				
Resorcinol	CAS No 108-46-3	-	-	510 ^{mg} / _{kg}	oral
	EC No 203-585-2				
	Index No 604-010-00-1				

For full text of abbreviations: see SECTION 16

according to Regulation (EC) No. 1907/2006 (REACH)



Resorcinol-Fuchsin solution according to Weigert for microscopy

article number: X877

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Drowsiness, Dizziness, Vertigo, Narcosis, Nausea, Vomiting, Risk of serious damage to eyes

4.3 Indication of any immediate medical attention and special treatment needed none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

according to Regulation (EC) No. 1907/2006 (REACH)



Resorcinol-Fuchsin solution according to Weigert for microscopy

article number: **X877**

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Danger of explosion.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Handle and open container with care. When not in use, keep containers tightly closed.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed.

Resorcinol-Fuchsin solution according to Weigert for microscopy

article number: X877

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	resorcinol	108-46-3	IOELV	10	45						2006/15/ EC
EU	methanol	67-56-1	IOELV	200	260						2006/15/ EC
EU	hydrogen chloride	7647-01- 0	IOELV	5	8	10	15				2000/39/ EC
MT	resorcinol	108-46-3	OELV	10	45						CAP. 424
MT	methanol	67-56-1	OELV	200	260						CAP. 424
MT	hydrogen chloride	7647-01- 0	OELV	5	8	10	15				CAP. 424

Notation

TWA

Ceiling-C STEL Ceiling value is a limit value above which exposure should not occur

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture										
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time				
2-Propanol	67-63-0	DNEL	500 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects				
2-Propanol	67-63-0	DNEL	888 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects				
Methanol	67-56-1	DNEL	130 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects				



according to Regulation (EC) No. 1907/2006 (REACH)



Resorcinol-Fuchsin solution according to Weigert for microscopy

article number: X877

Relevant DNELs of components of the mixture							
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time	
Methanol	67-56-1	DNEL	130 mg/m ³	human, inhalat- ory	worker (industry)	acute - systemic effects	
Methanol	67-56-1	DNEL	130 mg/m ³	human, inhalat- ory	worker (industry)	chronic - local ef- fects	
Methanol	67-56-1	DNEL	130 mg/m ³	human, inhalat- ory	worker (industry)	acute - local ef- fects	
Methanol	67-56-1	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects	
Methanol	67-56-1	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects	
Hydrochloric acid %	7647-01-0	DNEL	8 mg/m ³	human, inhalat- ory	worker (industry)	chronic - local ef- fects	
Hydrochloric acid %	7647-01-0	DNEL	15 mg/m ³	human, inhalat- ory	worker (industry)	acute - local ef- fects	
Iron(III) chloride hexahydrate	10025-77-1	DNEL	2,8 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects	
Resorcinol	108-46-3	DNEL	5,6 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects	
Resorcinol	108-46-3	DNEL	132,8 mg/ m ³	human, inhalat- ory	worker (industry)	chronic - local ef- fects	
Resorcinol	108-46-3	DNEL	40 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects	

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
2-Propanol	67-63-0	PNEC	140,9 ^{mg} / _l	aquatic organ-freshwater isms		short-term (single instance)
2-Propanol	67-63-0	PNEC	140,9 ^{mg} / _l	aquatic organ- isms	1	
2-Propanol	67-63-0	PNEC	2.251 ^{mg} / _l	aquatic organ- isms sewage treatment plant (STP)		short-term (single instance)
2-Propanol	67-63-0	PNEC	552 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
2-Propanol	67-63-0	PNEC	552 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
2-Propanol	67-63-0	PNEC	28 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Methanol	67-56-1	PNEC	20,8 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Methanol	67-56-1	PNEC	2,08 ^{mg} / _l	aquatic organ- isms		
Methanol	67-56-1	PNEC	100 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)

according to Regulation (EC) No. 1907/2006 (REACH)



Resorcinol-Fuchsin solution according to Weigert for microscopy

article number: X877

Relevant PNECs of components of the mixture								
Name of sub- stance	CAS No	CAS No End- point Threshol Organism Environmental compartment		Exposure time				
Methanol	67-56-1	PNEC	77 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)		
Methanol	67-56-1	PNEC	7,7 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)		
Methanol	67-56-1	PNEC	100 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)		
Resorcinol	108-46-3	PNEC	0,017 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)		
Resorcinol	108-46-3	PNEC	0,002 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)		
Resorcinol	108-46-3	PNEC	0,79 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)		
Resorcinol	108-46-3	PNEC	0,08 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)		
Resorcinol	108-46-3	PNEC	0,008 ^{mg} / kg	aquatic organ- isms				
Resorcinol	108-46-3	PNEC	10 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)		

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

according to Regulation (EC) No. 1907/2006 (REACH)



article number: X877

material thickness

- 0,4 mm
- breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Flame-retardant protective clothing.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

I	Physical state	liquid
(Colour	violet
(Odour	like: - alcohol
I	Melting point/freezing point	not determined
	Boiling point or initial boiling point and boiling range	>65 °C
I	Flammability	flammable liquid in accordance with GHS criteria
I	Lower and upper explosion limit	2 vol% (LEL) - 13,4 vol% (UEL) data apply to the main component
I	Flash point	12 °C (data apply to the main component)
,	Auto-ignition temperature	425 °C (data apply to the main component)
I	Decomposition temperature	not relevant
I	pH (value)	<3 (20 °C)
I	Kinematic viscosity	not determined
-	Solubility(ies)	
١	Water solubility	miscible in any proportion
ļ	Partition coefficient	
I	Partition coefficient n-octanol/water (log value):	this information is not available



article number: X877

according to Regulation (EC) No. 1907/2006 (REACH)



Resorcinol-Fuchsin solution according to Weigert for microscopy

untie		
	Vapour pressure	43 hPa at 20 °C data apply to the main component
	Density	~ 0,9 ^g / _{cm³} at 20 °C
	Relative vapour density	information on this property is not available
	Particle characteristics	not relevant (liquid)
	Other safety parameters	
	Oxidising properties	none
9.2	Other information	
	Information with regard to physical hazard classes:	
	Corrosive to metals	category 1: corrosive to metals
	Other safety characteristics:	
	Miscibility	completely miscible with water
	Temperature class (EU, acc. to ATEX)	T2 Maximum permissible surface temperature on the equipment: 300°C

SECTION 10: Stability and reactivity

10.1 Reactivity

The mixture contains reactive substance(s). Risk of ignition. Substance or mixture corrosive to metals. Vapours may form explosive mixtures with air.

If heated

Risk of ignition.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Aldehydes, Alkali metals, Nitric acid, strong oxidiser, **Danger of explosion:** Chlorates, Hydrogen peroxide, Nitro compound

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

plastic and rubber, different metals

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

according to Regulation (EC) No. 1907/2006 (REACH)

Resorcinol-Fuchsin solution according to Weigert for microscopy

article number: X877

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.

Acute toxicity estimate (ATE) of components of the mixture						
Name of substance	CAS No	Exposure route	ATE			
Methanol	67-56-1	oral	100 ^{mg} / _{kg}			
Methanol	67-56-1	dermal	300 ^{mg} / _{kg}			
Methanol	67-56-1	inhalation: vapour	3 ^{mg} /ı/4h			
Iron(III) chloride hexahydrate	10025-77-1	oral	500 ^{mg} / _{kg}			
Resorcinol	108-46-3	oral	510 ^{mg} / _{kg}			

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
2-Propanol	67-63-0	inhalation: va- pour	LC50	37,5 ^{mg} / _l /4h	rat
2-Propanol	67-63-0	oral	LD50	5.045 ^{mg} / _{kg}	rat
2-Propanol	67-63-0	dermal	LD50	12.800 ^{mg} / _{kg}	rabbit
Methanol	67-56-1	inhalation: va- pour	LC50	131 ^{mg} / _l /4h	rat
Methanol	67-56-1	oral	LD50	5.628 ^{mg} / _{kg}	rat
Methanol	67-56-1	oral	LDLo	143 ^{mg} / _{kg}	human
Methanol	67-56-1	dermal	LD50	15.800 ^{mg} / _{kg}	rabbit
Iron(III) chloride hexahydrate	10025-77-1	oral	LD50	500 ^{mg} / _{kg}	rat
Iron(III) chloride hexahydrate	10025-77-1	dermal	LD50	>2.000 ^{mg} / _{kg}	rat
Resorcinol	108-46-3	oral	LD50	510 ^{mg} / _{kg}	rat
Resorcinol	108-46-3	dermal	LD50	2.830 ^{mg} / _{kg}	rabbit
Fuchsine	632-99-5	oral	LD50	>2.000 ^{mg} / _{kg}	monkey

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation



according to Regulation (EC) No. 1907/2006 (REACH)

Resorcinol-Fuchsin solution according to Weigert for microscopy

article number: X877

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Causes damage to organs (eye). May cause drowsiness or dizziness.

Hazard category	Target organ	Exposure route
1	eye	if exposed

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

vomiting, nausea

• If in eyes

Causes serious eye damage, risk of blindness

• If inhaled

vertigo, dizziness, headache, fatigue, narcosis

• If on skin

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation), risk of absorption via the skin

• Other information

none

11.2 Endocrine disrupting properties

The mixture contains substance(s) with an endocrine disrupting potential.

Endocrine disrupting chemicals (EDC)						
CAS No	Combined cat- egory	Human health category	Wildlife cat- egory			
108-46-3	CAT1	CAT1	CAT3			
	CAS No	CAS No Combined cat- egory	CAS No Combined cat- egory Human health category			

Legend CAT1 CAT3

Category 1 - evidence of endocrine disruption in at least one species using intact animals Category 3 - no evidence of endocrine disruption or no data available



according to Regulation (EC) No. 1907/2006 (REACH)



Resorcinol-Fuchsin solution according to Weigert for microscopy

article number: X877

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture								
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time			
2-Propanol	67-63-0	LC50	9.640 ^{mg} / _l	Pimephales promelas	96 h			
Methanol	67-56-1	LC50	15.400 ^{mg} / _l	fish	96 h			
Methanol	67-56-1	ErC50	22.000 ^{mg} / _l	algae	96 h			
Resorcinol	108-46-3	LC50	26,8 ^{mg} / _l	fish	96 h			
Resorcinol	108-46-3	ErC50	>97 ^{mg} / _l	algae	72 h			
Fuchsine	632-99-5	LC50	6,8 ^{mg} / _l	fish	24 h			

Aquatic toxicity (chronic) of components of the mixture								
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time			
2-Propanol	67-63-0	LC50	>10.000 ^{mg} / _l	aquatic invertebrates	24 h			
Resorcinol	108-46-3	EC50	260 ^{mg} / _l	fish	60 d			
Resorcinol	108-46-3	EC50	>172 ^{µg} / _l	aquatic invertebrates	21 d			

Biodegradation

Data are not available.

12.2 Process of degradability

Degradability of components of the mixture									
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source			
2-Propanol	67-63-0	biotic/abiotic	95 %	21 d	modifizierter OECD Screen- ing Test				
2-Propanol	67-63-0	oxygen deple- tion	53 %	5 d		ECHA			
Methanol	67-56-1	biotic/abiotic	99 %	30 d					
Methanol	67-56-1	oxygen deple- tion	69 %	5 d		ECHA			
Resorcinol	108-46-3	biotic/abiotic	66,7 %	14 d					

12.3 Bioaccumulative potential

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH)



Resorcinol-Fuchsin solution according to Weigert for microscopy

article number: X877

Bioaccumulative potential of components of the mixture					
Name of substance	CAS No	BCF	BCF Log KOW BOD5/		
2-Propanol	67-63-0		0,05		
Methanol	67-56-1		-0,77		
Resorcinol	108-46-3	3,16	0,8 (20 °C)		
Fuchsine	632-99-5		1,632 (pH value: 6,3, 25 °C)		

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

The mixture contains substance(s) with an endocrine disrupting potential.

Endocrine disrupting chemicals (EDC)

	-			
Name of substance	CAS No	Combined cat- egory	Human health category	Wildlife cat- egory
Resorcinol	108-46-3	CAT1	CAT1	CAT3

Legend CAT1 CAT3

Category 1 - evidence of endocrine disruption in at least one species using intact animals Category 3 - no evidence of endocrine disruption or no data available

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

according to Regulation (EC) No. 1907/2006 (REACH)

® BOTH

Resorcinol-Fuchsin solution according to Weigert for microscopy

article number: X877

SEC	TION 14: Transport information	
14.1	UN number or ID number	
	ADR/RID/ADN	UN 2924
	IMDG-Code	UN 2924
	ICAO-TI	UN 2924
14.2	UN proper shipping name	
	ADR/RID/ADN	FLAMMABLE LIQUID, CORROSIVE, N.O.S.
	IMDG-Code	FLAMMABLE LIQUID, CORROSIVE, N.O.S.
	ICAO-TI	Flammable liquid, corrosive, n.o.s.
	Technical name (hazardous ingredients)	2-Propanol, Hydrochloric acid %
14.3	Transport hazard class(es)	
	ADR/RID/ADN	3 (8)
	IMDG-Code	3 (8)
	ICAO-TI	3 (8)
14.4	Packing group	
	ADR/RID/ADN	II
	IMDG-Code	II
	ICAO-TI	II
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Addit information		
Proper shipping name	FLAMMABLE LIQUID, CORROSIVE, N.O.S.	
Particulars in the transport document	UN2924, FLAMMABLE LIQUID, CORROSIVE, N.O.S., (contains: 2-Propanol, Hydrochloric acid	

FC 3+8

274

E2

.... %), 3 (8), II, (D/E) Special provision 640not relevant

Classification code
Danger label(s)



according to Regulation (EC) No. 1907/2006 (REACH)



Resorcinol-Fuchsin solution according to Weigert for microscopy

e number: X877	
Limited quantities (LQ)	1 L
Transport category (TC)	2
Tunnel restriction code (TRC)	D/E
Hazard identification No	338
International Maritime Dangerous Goods	Code (IMDG) - Additional information
Proper shipping name	FLAMMABLE LIQUID, CORROSIVE, N.O.S.
Particulars in the shipper's declaration	UN2924, FLAMMABLE LIQUID, CORROSIVE, N.O.S., (contains: 2-Propanol, Hydrochloric acid %), 3 (8), II, 12°C c.c.
Marine pollutant	-
Danger label(s)	3+8
Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
EmS	F-E, S-C
Stowage category	В
International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information
Proper shipping name	Flammable liquid, corrosive, n.o.s.
Particulars in the shipper's declaration	UN2924, Flammable liquid, corrosive, n.o.s., (con- tains: 2-Propanol, Hydrochloric acid %), 3 (8), II
Danger label(s)	3+8
Special provisions (SP)	A3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	0,5 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII) Name of substance Name acc. to inventory CAS No Restriction No					
Resorcinol-Fuchsin solution according to Weigert	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3	

according to Regulation (EC) No. 1907/2006 (REACH)



Resorcinol-Fuchsin solution according to Weigert for microscopy

article number: X877

Name of substance	Name acc. to inventory	CAS No	Restriction	No
Iron(III) chloride hexahydrate	substances in tattoo inks and perman- ent make-up		R75	75
Resorcinol	substances in tattoo inks and perman- ent make-up		R75	75
Fuchsine	substances in tattoo inks and perman- ent make-up		R75	75
Methanol	methanol	67-56-1	R69	69
Methanol	flammable / pyrophoric		R40	40
2-Propanol	flammable / pyrophoric		R40	40
2-Propanol	substances in tattoo inks and perman- ent make-up		R75	75
Hydrochloric acid %	substances in tattoo inks and perman- ent make-up		R75	75

Legend R3

R40

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes,

games for one or more participants, or any article intended to be used as such, even with ornamental aspects,

 Articles not complying with paragraph 1 shall not be placed on the market.
 Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

can be used as fuel in decorative oil lamps for supply to the general public, and
present an aspiration hazard and are labelled with H304.
4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and pack-before the placing on the market, that the following require aging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following require-ments are met:

ments are met:
(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';
1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public of contrainers are intended for supply to the general public of the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';

for supply to the general public for entertainment and decorative purposes such as the following:

- metallic glitter intended mainly for decoration,

- artificial snow and frost, - 'whoopee' cushions, - silly string aerosols, - imitation excrement,

- horns for parties,

- decorative flakes and foams,

- artificial cobwebs, stink bombs.

2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:

'For professional users only'.

By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
 The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

Shall not be placed on the market to the general public after 9 May 2019 in windscreen washing or defrosting fluids, in a concentration equal to or greater than 0,6 % by weight. R69

ROTH

Resorcinol-Fuchsin solution according to Weigert for microscopy

article number: X877



8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

® §ROTH

Resorcinol-Fuchsin solution according to Weigert for microscopy

article number: X877

Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed.

Seveso Directive

2012/18/EU (Seveso III)					
Νο	Dangerous substance/hazard categories	es Qualifying quantity (tonnes) for the application of lower and upper-tier requirements			
22	methanol	500 5.000			

Deco-Paint Directive

VOC content	91,2 % , 820,8 ^g / ₁
	, , ,

Industrial Emissions Directive (IED)

VOC content	91,2 %
VOC content	820,8 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

List of pollutants (WFD)					
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks	
Iron(III) chloride hexahydrate	Metals and their compounds		A)		
Resorcinol	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)		
Fuchsine	Organohalogen compounds and substances which may form such compounds in the aquatic envir- onment		A)		

according to Regulation (EC) No. 1907/2006 (REACH)



Resorcinol-Fuchsin solution according to Weigert for microscopy

article number: X877

Г

st of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Fuchsine	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)	
Methanol	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)	
2-Propanol	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)	

Legend A)

Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on drug precursors

Name of substance	CAS No	Classification	CN Code	Threshold level
Hydrochloric acid %	7647-01-0	Category 3	2806 10 00	

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

UN Convention against Illicit Traffic in Narcotic Drugs and Psychotropic Substances

Name of substance	CAS No	Listed in	HS code
Hydrochloric acid %	7647-01-0	Table II	2806.10

according to Regulation (EC) No. 1907/2006 (REACH)



Resorcinol-Fuchsin solution according to Weigert for microscopy

article number: X877

National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	not all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	not all ingredients are listed

Legend

Legena	
AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes

Restructuring: section 9, section 14

according to Regulation (EC) No. 1907/2006 (REACH)



Resorcinol-Fuchsin solution according to Weigert for microscopy

article number: X877

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1	The most important adverse physicochemical, human health and environmental effects: Narcotic effects.	The most important adverse physicochemical, human health and environmental effects: Immediate effects can be expected after short- term exposure. The product is combustible and can be ignited by potential ignition sources.	yes
2.2		Hazard statements: change in the listing (table)	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2	Precautionary statements - storage		yes
2.2		Precautionary statements - storage: change in the listing (table)	yes
2.2	Hazardous ingredients for labelling: Methanol, 2-Propanol, Iron(III) chloride	Hazardous ingredients for labelling: Methanol, 2-Propanol, Iron(III) chloride hexahy- drate, Hydrochloric acid %	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2	contains: Methanol, 2-Propanol, Iron(III) chloride	contains: Methanol, 2-Propanol, Iron(III) chloride hexahy- drate, Hydrochloric acid %	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	yes
2.3		Endocrine disrupting properties: The mixture contains substance(s) with an en- docrine disrupting potential.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)

according to Regulation (EC) No. 1907/2006 (REACH)



Resorcinol-Fuchsin solution according to Weigert for microscopy

article number: X877

Abbr.	Descriptions of used abbreviations
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAP. 424	Occupational Health and Safety Authority Act (CAP. 424)
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CN Code	Combined Nomenclature
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi fier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
HS	Harmonized Commodity Description and Coding System (Harmonized System, drawn up by the World Customs Organisation)
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008

according to Regulation (EC) No. 1907/2006 (REACH)



Resorcinol-Fuchsin solution according to Weigert for microscopy

article number: **X877**

Abbr.	Descriptions of used abbreviations
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
log KOW	n-Octanol/water
Met. Corr.	Substance or mixture corrosive to metals
NLP	No-Longer Polymer
РВТ	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

according to Regulation (EC) No. 1907/2006 (REACH)



Resorcinol-Fuchsin solution according to Weigert for microscopy

article number: X877

Code	Text
H225	Highly flammable liquid and vapour.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H370	Causes damage to organs (eye).
H400	Very toxic to aquatic life.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.