

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Methanol ROTISOLV® HPLC Ultra Gradient Grade

article number: **X948**  
Version: **7.0 en**  
Replaces version of: 2022-03-10  
Version: (6)

date of compilation: 2015-09-08  
Revision: 2023-07-10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

|                                 |   |
|---------------------------------|---|
| Identification of the substance | <b>Methanol ROTISOLV® HPLC Ultra Gradient Grade</b> |
| Article number                  | X948  |
| Registration number (REACH)     | 01-2119433307-44-xxxx                               |
| Index number in CLP Annex VI    | 603-001-00-X  |
| EC number                       | 200-659-6   |
| CAS number                      | 67-56-1   |

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

|                           |   |
|---------------------------|---|
| Relevant identified uses: | Laboratory chemical<br>Laboratory and analytical use<br>Industrial use<br>Professional use<br>Formulation [mixing] of preparations and/or re-packaging (excluding alloys) |
| Uses advised against:     | Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-stuffs.                      |

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:** +49 (0) 721 - 56 06 0  
**Telefax:** +49 (0) 721 - 56 06 149  
**e-mail:** [sicherheit@carloth.de](mailto:sicherheit@carloth.de)  
**Website:** [www.carloth.de](http://www.carloth.de)

Competent person responsible for the safety data sheet: :Department Health, Safety and Environment

**e-mail (competent person):** [sicherheit@carloth.de](mailto:sicherheit@carloth.de)

### 1.4 Emergency telephone number

| Name   | Street        | Postal code/city | Telephone       | Website   |
|--|---------------|------------------|-----------------|---|
| National Poisons Information Centre<br>Beaumont Hospital | Beaumont Road | Dublin 9         | +353 1 809 2166 | <a href="https://www.poisons.ie/">https://www.poisons.ie/</a> |

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Methanol ROTISOLV® HPLC Ultra Gradient Grade

article number: X948

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008 (CLP)

| Section | Hazard class                                     | Cat-egory | Hazard class and category | Hazard statement |
|---------|--|-----------|---------------------------|------------------|
| 2.6     | Flammable liquid                                 | 2         | Flam. Liq. 2              | H225             |
| 3.10    | Acute toxicity (oral)                            | 3         | Acute Tox. 3              | H301             |
| 3.1D    | Acute toxicity (dermal)                          | 3         | Acute Tox. 3              | H311             |
| 3.1I    | Acute toxicity (inhal.)                          | 3         | Acute Tox. 3              | H331             |
| 3.8     | Specific target organ toxicity - single exposure | 1         | STOT SE 1                 | H370             |

For full text of abbreviations: see SECTION 16

##### The most important adverse physicochemical, human health and environmental effects

Immediate effects can be expected after short-term exposure. The product is combustible and can be ignited by potential ignition sources.

#### 2.2 Label elements

##### Labelling according to Regulation (EC) No 1272/2008 (CLP)

###### Signal word

**Danger**

###### Pictograms

GHS02, GHS06,  
GHS08



###### Hazard statements

H225 Highly flammable liquid and vapour  
H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled  
H370 Causes damage to organs (eye)

###### Precautionary statements

###### Precautionary statements - prevention

P210 Keep away from heat, sparks, open flames, hot surfaces. No smoking  
P270 Do not eat, drink or smoke when using this product  
P280 Wear protective gloves/eye protection

###### Precautionary statements - response

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor

###### Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Methanol ROTISOLV® HPLC Ultra Gradient Grade

article number: X948

Symbol(s)



H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.  
H370 Causes damage to organs (eye).

P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves/eye protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.

### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0,1\%$ .

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

|                   |                       |
|-------------------|-----------------------|
| Name of substance | Methanol              |
| Molecular formula | CH <sub>4</sub> O     |
| Molar mass        | 32,04 g/mol           |
| REACH Reg. No     | 01-2119433307-44-xxxx |
| CAS No            | 67-56-1               |
| EC No             | 200-659-6             |
| Index No          | 603-001-00-X          |

#### Substance, Specific Conc. Limits, M-factors, ATE

| Specific Conc. Limits  | M-Factors | ATE                                 | Exposure route                       |
|--|-----------|-------------------------------------|--------------------------------------|
| STOT SE 1; H370: C $\geq 10\%$<br>STOT SE 2; H371: 3% $\leq$ C < 10% | -         | 100 mg/kg<br>300 mg/kg<br>3 mg/l/4h | oral<br>dermal<br>inhalation: vapour |

## SECTION 4: First aid measures

### 4.1 Description of first aid measures



#### General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

#### Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

#### Following skin contact

After contact with skin, wash immediately with plenty of water.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Methanol ROTISOLV® HPLC Ultra Gradient Grade

article number: X948

### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

### Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

Following inhalation: Cough, Vertigo, Headache,

Following skin contact: Has degreasing effect on the skin,

After eye contact: Conjunctival redness of the eyes, Conjunctivitis (pink eye),

Following ingestion: Abdominal pain, Malaise, Vomiting, Poisoning effect on central nervous system can cause convulsions, laboured breathing and loss of consciousness, Loss of righting reflex, and ataxia, Serious physical decay of vision, Risk of blindness, Large doses may result in coma and death

### 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings  
water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

#### Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Methanol ROTISOLV® HPLC Ultra Gradient Grade

article number: X948

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures



##### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

##### Advice on how to contain a spill

Covering of drains.

##### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

##### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Provision of sufficient ventilation. Use extractor hood (laboratory). Handle and open container with care. Clear contaminated areas thoroughly.

##### Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

##### Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product. When using do not smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Methanol ROTISOLV® HPLC Ultra Gradient Grade

article number: X948

### Incompatible substances or mixtures

Observe hints for combined storage.

### Consideration of other advice:

Store locked up. Ground/bond container and receiving equipment.

### Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

### 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### National limit values

#### Occupational exposure limit values (Workplace Exposure Limits)

| Country | Name of agent | CAS No  | Identifier | TWA [ppm] | TWA [mg/m <sup>3</sup> ] | STEL [ppm] | STEL [mg/m <sup>3</sup> ] | Ceiling-C [ppm] | Ceiling-C [mg/m <sup>3</sup> ] | Notation | Source               |
|---------|---------------|---------|------------|-----------|--------------------------|------------|---------------------------|-----------------|--------------------------------|----------|----------------------|
| EU      | methanol      | 67-56-1 | IOELV      | 200       | 260                      |            |                           |                 |                                | H        | 2006/15/EC           |
| IE      | methanol      | 67-56-1 | OELV       | 200       | 260                      |            |                           |                 |                                | H        | S.I. No. 619 of 2001 |

#### Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

H Absorbed through the skin

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

#### Human health values

| Relevant DNELs and other threshold levels |                       |                                    |                   |                            |
|---|-----------------------|------------------------------------|-------------------|----------------------------|
| Endpoint                                  | Threshold level       | Protection goal, route of exposure | Used in           | Exposure time              |
| DNEL                                      | 130 mg/m <sup>3</sup> | human, inhalatory                  | worker (industry) | chronic - systemic effects |
| DNEL                                      | 130 mg/m <sup>3</sup> | human, inhalatory                  | worker (industry) | acute - systemic effects   |
| DNEL                                      | 130 mg/m <sup>3</sup> | human, inhalatory                  | worker (industry) | chronic - local effects    |
| DNEL                                      | 130 mg/m <sup>3</sup> | human, inhalatory                  | worker (industry) | acute - local effects      |
| DNEL                                      | 20 mg/kg bw/day       | human, dermal                      | worker (industry) | chronic - systemic effects |
| DNEL                                      | 20 mg/kg bw/day       | human, dermal                      | worker (industry) | acute - systemic effects   |

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Methanol ROTISOLV® HPLC Ultra Gradient Grade

article number: X948

### Environmental values

| Relevant PNECs and other threshold levels |                 |                       |                              |                              |
|---|-----------------|-----------------------|------------------------------|------------------------------|
| End-point                                 | Threshold level | Organism              | Environmental compartment    | Exposure time                |
| PNEC                                      | 20,8 mg/l       | aquatic organisms     | freshwater                   | short-term (single instance) |
| PNEC                                      | 2,08 mg/l       | aquatic organisms     | marine water                 | short-term (single instance) |
| PNEC                                      | 100 mg/l        | aquatic organisms     | sewage treatment plant (STP) | short-term (single instance) |
| PNEC                                      | 77 mg/kg        | aquatic organisms     | freshwater sediment          | short-term (single instance) |
| PNEC                                      | 7,7 mg/kg       | aquatic organisms     | marine sediment              | short-term (single instance) |
| PNEC                                      | 100 mg/kg       | terrestrial organisms | soil                         | short-term (single instance) |

## 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection.

#### Skin protection



##### • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

##### • type of material

Butyl caoutchouc (butyl rubber)

##### • material thickness

0,7mm

##### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

##### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Methanol ROTISOLV® HPLC Ultra Gradient Grade

article number: X948

### Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: AX (gas filters and combined filters against low-boiling point organic compounds, colour code: Brown).

### Environmental exposure controls

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|  |  |
|--|--|
| Physical state   | liquid   |
| Colour   | colourless                                       |
| Odour  | like: - alcohol                                  |
| Melting point/freezing point                             | -98 °C (ECHA)                                    |
| Boiling point or initial boiling point and boiling range | 65 °C at 1.013 hPa (ECHA)                        |
| Flammability   | flammable liquid in accordance with GHS criteria |
| Lower and upper explosion limit                          | 5,5 vol% (LEL) - 44 vol% (UEL)                   |
| Flash point  | 9,7 °C at 1.013 hPa (ECHA)                       |
| Auto-ignition temperature                                | 455 °C at 1.013 hPa (ECHA)                       |
| Decomposition temperature                                | not relevant                                     |
| pH (value)   | not determined                                   |
| Kinematic viscosity                                      | 0,7595 mm <sup>2</sup> /s at 20 °C               |
| Dynamic viscosity  | 0,6 mPa s at 20 °C                               |
| <u>Solubility(ies)</u>                                   |  |
| Water solubility   | miscible in any proportion                       |
| <u>Partition coefficient</u>                             |  |
| Partition coefficient n-octanol/water (log value):       | -0,77 (ECHA)                                     |
| <u>Vapour pressure</u>                                   |  |
|  | 128 hPa at 20 °C<br>200 hPa at 30 °C             |
| <u>Density and/or relative density</u>                   |  |
| Density  | 0,79 g/cm <sup>3</sup> at 20 °C                  |
| Relative vapour density                                  | 1,11 (air = 1)                                   |
| Particle characteristics                                 | not relevant (liquid)                            |



# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Methanol ROTISOLV® HPLC Ultra Gradient Grade

article number: X948

### Other safety parameters

Oxidising properties none

### 9.2 Other information

Information with regard to physical hazard classes: There is no additional information.

Other safety characteristics:

Miscibility completely miscible with water

Temperature class (EU, acc. to ATEX) T1  
Maximum permissible surface temperature on the equipment: 450°C

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

It's a reactive substance. Risk of ignition. Vapours may form explosive mixtures with air.

#### **If heated**

Risk of ignition.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

**Danger of explosion:** Oxidisers, Perchlorates, Nitrogen oxides (NO<sub>x</sub>), Chlorates, Halogenated hydrocarbons, Hydrogen peroxide, Nitric acid, Sulphuric acid,

**Exothermic reaction with:** Reducing agents, Acids, Chlorine, Chloroform, Acid chlorides, inorganic,

**Dangerous/dangerous reactions with:** Fluorine, Alkali metals, Alkaline earth metal, strong oxidiser

### 10.4 Conditions to avoid

UV-radiation/sunlight. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### 10.5 Incompatible materials

aluminium, iron, zinc, different plastics, Rubber articles

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Classification according to GHS (1272/2008/EC, CLP)**

#### **Acute toxicity**

Toxic if swallowed. Toxic in contact with skin. Toxic if inhaled.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Methanol ROTISOLV® HPLC Ultra Gradient Grade

article number: X948

| Acute toxicity     |          |              |         |        |        |
|--------------------|----------|--------------|---------|--------|--------|
| Exposure route     | Endpoint | Value        | Species | Method | Source |
| inhalation: vapour | LC50     | 131 mg/l/4h  | rat     |        | ECHA   |
| oral               | LD50     | 5.628 mg/kg  | rat     |        | TOXNET |
| oral               | LDLo     | 143 mg/kg    | human   |        | TOXNET |
| dermal             | LD50     | 15.800 mg/kg | rabbit  |        | TOXNET |

### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Causes damage to organs (eye).

| Hazard category | Target organ | Exposure route |
|-----------------|--------------|----------------|
| 1               | eye          | if exposed     |

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

abdominal pain, vomiting, loss of righting reflex, and ataxia, poisoning effect on central nervous system can cause convulsions, laboured breathing and loss of consciousness, risk of blindness, large doses may result in coma and death

#### • If in eyes

conjunctivitis (pink eye)

#### • If inhaled

vertigo, cough, headache

#### • If on skin

has degreasing effect on the skin

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Methanol ROTISOLV® HPLC Ultra Gradient Grade

article number: X948

### • Other information

none

### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0,1\%$ .

### 11.3 Information on other hazards

There is no additional information.

## SECTION 12: Ecological information

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

| Aquatic toxicity (acute) |             |         |        |               |
|--------------------------|-------------|---------|--------|---------------|
| Endpoint                 | Value       | Species | Source | Exposure time |
| LC50                     | 15.400 mg/l | fish    | ECHA   | 96 h          |
| ErC50                    | 22.000 mg/l | algae   | ECHA   | 96 h          |

### 12.2 Persistence and degradability

#### Biodegradation

The substance is readily biodegradable.

| Process of degradability |                  |      |
|--------------------------|------------------|------|
| Process                  | Degradation rate | Time |
| biotic/abiotic           | 99 %             | 30 d |
| oxygen depletion         | 69 %             | 5 d  |

### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

|                           |              |
|---------------------------|--------------|
| n-octanol/water (log KOW) | -0,77 (ECHA) |
|---------------------------|--------------|

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0,1\%$ .

### 12.7 Other adverse effects

Data are not available.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Methanol ROTISOLV® HPLC Ultra Gradient Grade

article number: X948

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

##### Sewage disposal-relevant information

Do not empty into drains.

##### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

##### Properties of waste which render it hazardous

**HP 3** flammable

**HP 5** specific target organ toxicity (STOT)/aspiration toxicity

**HP 6** acute toxicity

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

### SECTION 14: Transport information

#### 14.1 UN number or ID number

|           |         |
|-----------|---------|
| ADRRID    | UN 1230 |
| IMDG-Code | UN 1230 |
| ICAO-TI   | UN 1230 |

#### 14.2 UN proper shipping name

|           |          |
|-----------|----------|
| ADRRID    | METHANOL |
| IMDG-Code | METHANOL |
| ICAO-TI   | Methanol |

#### 14.3 Transport hazard class(es)

|           |         |
|-----------|---------|
| ADRRID    | 3 (6.1) |
| IMDG-Code | 3 (6.1) |
| ICAO-TI   | 3 (6.1) |

#### 14.4 Packing group

|           |    |
|-----------|----|
| ADRRID    | II |
| IMDG-Code | II |

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Methanol ROTISOLV® HPLC Ultra Gradient Grade

article number: **X948**

ICAO-TI II



**14.5 Environmental hazards** non-environmentally hazardous acc. to the dangerous goods regulations

**14.6 Special precautions for user**  
Provisions for dangerous goods (ADR) should be complied within the premises.



**14.7 Maritime transport in bulk according to IMO instruments**  
The cargo is not intended to be carried in bulk.

### **14.8 Information for each of the UN Model Regulations**

#### **Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) Additional information**

|   |                                      |
|---|--------------------------------------|
| Proper shipping name  | METHANOL                             |
| Particulars in the transport document   | UN1230, METHANOL, 3 (6.1), II, (D/E) |
| Classification code   | FT1                                  |
| Danger label(s)   | 3+6.1                                |
|   |                                      |
| Special provisions (SP)   | 279, 802(ADN)                        |
| Excepted quantities (EQ)  | E2                                   |
| Limited quantities (LQ)   | 1 L                                  |
| Transport category (TC)   | 2                                    |
| Tunnel restriction code (TRC)   | D/E                                  |
| Hazard identification No  | 336                                  |

#### **Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) Additional information**

|   |               |
|---|---------------|
| Classification code   | FT1           |
| Danger label(s)   | 3+6.1         |
|   |               |
| Special provisions (SP)   | 279, 802(ADN) |
| Excepted quantities (EQ)  | E2            |
| Limited quantities (LQ)   | 1 L           |
| Transport category (TC)   | 2             |
| Hazard identification No  | 336           |

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Methanol ROTISOLV® HPLC Ultra Gradient Grade

article number: **X948**

### International Maritime Dangerous Goods Code (IMDG) - Additional information

|  |   |
|--|---|
| Proper shipping name                     | METHANOL                                  |
| Particulars in the shipper's declaration | UN1230, METHANOL, 3 (6.1), II, 9,7°C c.c. |
| Marine pollutant                         | -   |
| Danger label(s)                          | 3+6.1                                     |
|  |   |
| Special provisions (SP)                  | 279                                       |
| Excepted quantities (EQ)                 | E2  |
| Limited quantities (LQ)                  | 1 L                                       |
| EmS                                      | F-E, S-D                                  |
| Stowage category                         | B   |

### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

|  |                               |
|--|-------------------------------|
| Proper shipping name                     | Methanol                      |
| Particulars in the shipper's declaration | UN1230, Methanol, 3 (6.1), II |
| Danger label(s)                          | 3+6.1                         |
|  |                               |
| Special provisions (SP)                  | A113                          |
| Excepted quantities (EQ)                 | E2                            |
| Limited quantities (LQ)                  | 1 L                           |

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

#### Restrictions according to REACH, Annex XVII

| Dangerous substances with restrictions (REACH, Annex XVII) |  |         |             |    |
|--|--|---------|-------------|----|
| Name of substance  | Name acc. to inventory   | CAS No  | Restriction | No |
| Methanol   | methanol   | 67-56-1 | R69         | 69 |
| Methanol   | this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC |         | R3          | 3  |
| Methanol   | flammable / pyrophoric   |         | R40         | 40 |

#### Legend

- R3
- Shall not be used in:
    - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
    - tricks and jokes,
    - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
  - Articles not complying with paragraph 1 shall not be placed on the market.
  - Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
    - can be used as fuel in decorative oil lamps for supply to the general public, and

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Methanol ROTISOLV® HPLC Ultra Gradient Grade

article number: **X948**

### Legend

- present an aspiration hazard and are labelled with H304.
4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
- (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
- (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter fluid may lead to life threatening lung damage";
- (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.;
- R40 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
- metallic glitter intended mainly for decoration,
  - artificial snow and frost,
  - 'whoopee' cushions,
  - silly string aerosols,
  - imitation excrement,
  - horns for parties,
  - decorative flakes and foams,
  - artificial cobwebs,
  - stink bombs.
2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:
- 'For professional users only'.
3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.
- R69 Shall not be placed on the market to the general public after 9 May 2019 in windscreen washing or defrosting fluids, in a concentration equal to or greater than 0,6 % by weight.

### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

### Seveso Directive

| 2012/18/EU (Seveso III) |                                       |   |       |       |
|-------------------------|---------------------------------------|---|-------|-------|
| No                      | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the application of lower and upper-tier requirements |       | Notes |
| 22                      | methanol                              | 500   | 5.000 |       |

### Deco-Paint Directive

|             |         |
|-------------|---------|
| VOC content | 100 %   |
| VOC content | 790 g/l |

### Industrial Emissions Directive (IED)

|             |         |
|-------------|---------|
| VOC content | 100 %   |
| VOC content | 790 g/l |

### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

### Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Methanol ROTISOLV® HPLC Ultra Gradient Grade

article number: X948

### Water Framework Directive (WFD)

| List of pollutants (WFD) |   |        |           |         |
|--------------------------|---|--------|-----------|---------|
| Name of substance        | Name acc. to inventory  | CAS No | Listed in | Remarks |
| Methanol                 | Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment |        | a)        |         |

#### Legend

A) Indicative list of the main pollutants

### Regulation on the marketing and use of explosives precursors

not listed

### Regulation on drug precursors

not listed

### Regulation on substances that deplete the ozone layer (ODS)

not listed

### Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

### Regulation on persistent organic pollutants (POP)

not listed

### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

### National inventories

| Country | Inventory  | Status              |
|---------|------------|---------------------|
| AU      | AIIC       | substance is listed |
| CA      | DSL        | substance is listed |
| CN      | IECSC      | substance is listed |
| EU      | ECSI       | substance is listed |
| EU      | REACH Reg. | substance is listed |
| JP      | CSCL-ENCS  | substance is listed |
| KR      | KECI       | substance is listed |
| MX      | INSQ       | substance is listed |
| NZ      | NZIoC      | substance is listed |
| PH      | PICCS      | substance is listed |
| TR      | CICR       | substance is listed |
| TW      | TCSI       | substance is listed |



# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Methanol ROTISOLV® HPLC Ultra Gradient Grade

article number: **X948**

| Country | Inventory | Status                       |
|---------|-----------|------------------------------|
| US      | TSCA      | substance is listed (ACTIVE) |

### Legend

|            |   |
|------------|---|
| AIIC       | Australian Inventory of Industrial Chemicals                            |
| CICR       | Chemical Inventory and Control Regulation                               |
| CSCL-ENCS  | List of Existing and New Chemical Substances (CSCL-ENCS)                |
| DSL        | Domestic Substances List (DSL)  |
| ECSI       | EC Substance Inventory (EINECS, ELINCS, NLP)                            |
| IECSC      | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ       | National Inventory of Chemical Substances                               |
| KECI       | Korea Existing Chemicals Inventory                                      |
| NZIoC      | New Zealand Inventory of Chemicals                                      |
| PICCS      | Philippine Inventory of Chemicals and Chemical Substances (PICCS)       |
| REACH Reg. | REACH registered substances   |
| TCSI       | Taiwan Chemical Substance Inventory                                     |
| TSCA       | Toxic Substance Control Act   |

## 15.2 Chemical safety assessment

According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.

## SECTION 16: Other information

### Indication of changes (revised safety data sheet)

| Section | Former entry (text/value)        | Actual entry (text/value)   | Safety-relevant |
|---------|----------------------------------|---|-----------------|
| 2.3     |                                  | Endocrine disrupting properties:<br>Does not contain an endocrine disruptor (EDC)<br>in a concentration of $\geq 0,1\%$ . | yes             |
| 14.8    |                                  | Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) Additional information                 | yes             |
| 14.8    |                                  | Classification code:<br>FT1   | yes             |
| 14.8    |                                  | Danger label(s):<br>3+6.1   | yes             |
| 14.8    |                                  | Danger label(s):<br>change in the listing (table)   | yes             |
| 14.8    |                                  | Special provisions (SP):<br>279, 802(ADN)   | yes             |
| 14.8    |                                  | Excepted quantities (EQ):<br>E2   | yes             |
| 14.8    |                                  | Limited quantities (LQ):<br>1 L   | yes             |
| 14.8    |                                  | Transport category (TC):<br>2   | yes             |
| 14.8    |                                  | Hazard identification No:<br>336  | yes             |
| 15.1    | VOC content:<br>100 %<br>790 g/l | VOC content:<br>100 %   | yes             |
| 15.1    |                                  | VOC content:<br>790 g/l   | yes             |

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Methanol ROTISOLV® HPLC Ultra Gradient Grade

article number: X948

| Section | Former entry (text/value)   | Actual entry (text/value)   | Safety-relevant |
|---------|---|---|-----------------|
| 15.1    |   | Other information:<br>Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.  | yes             |
| 15.1    |   | National inventories:<br>change in the listing (table)  | yes             |
| 15.2    | Chemical Safety Assessment:<br>No Chemical Safety Assessment has been carried out for this substance. | Chemical safety assessment:<br>According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant. | yes             |

### Abbreviations and acronyms

| Abbr.      | Descriptions of used abbreviations   |
|------------|--|
| 2006/15/EC | Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC |
| ADR        | Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)                                      |
| ATE        | Acute Toxicity Estimate  |
| CAS        | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)   |
| Ceiling-C  | Ceiling value  |
| CLP        | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures   |
| DGR        | Dangerous Goods Regulations (see IATA/DGR)   |
| DNEL       | Derived No-Effect Level  |
| EC No      | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)                  |
| EINECS     | European Inventory of Existing Commercial Chemical Substances  |
| ELINCS     | European List of Notified Chemical Substances  |
| EmS        | Emergency Schedule   |
| ErC50      | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control                             |
| GHS        | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations  |
| IATA       | International Air Transport Association  |
| IATA/DGR   | Dangerous Goods Regulations (DGR) for the air transport (IATA)   |
| ICAO       | International Civil Aviation Organization  |
| ICAO-TI    | Technical instructions for the safe transport of dangerous goods by air  |
| IMDG       | International Maritime Dangerous Goods Code  |
| IMDG-Code  | International Maritime Dangerous Goods Code  |
| index No   | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008   |

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Methanol ROTISOLV® HPLC Ultra Gradient Grade

article number: **X948**

| Abbr.                | Descriptions of used abbreviations  |
|----------------------|---|
| IOELV                | Indicative occupational exposure limit value  |
| LC50                 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval                       |
| LD50                 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval  |
| LEL                  | Lower explosion limit (LEL)   |
| NLP                  | No-Longer Polymer   |
| PBT                  | Persistent, Bioaccumulative and Toxic   |
| PNEC                 | Predicted No-Effect Concentration   |
| ppm                  | Parts per million   |
| REACH                | Registration, Evaluation, Authorisation and Restriction of Chemicals  |
| RID                  | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) |
| S.I. No. 619 of 2001 | Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001   |
| STEL                 | Short-term exposure limit   |
| SVHC                 | Substance of Very High Concern  |
| TWA                  | Time-weighted average   |
| UEL                  | Upper explosion limit (UEL)   |
| VOC                  | Volatile Organic Compounds  |
| vPvB                 | Very Persistent and very Bioaccumulative  |

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.  
Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text                                |
|------|-------------------------------------|
| H225 | Highly flammable liquid and vapour. |
| H301 | Toxic if swallowed.                 |
| H311 | Toxic in contact with skin.         |
| H331 | Toxic if inhaled.                   |
| H370 | Causes damage to organs (eye).      |

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.