

MACHERY-NAGEL

# PF-3 Drinking Water and *VISOCOLOR*<sup>®</sup>



## The perfect team for drinking water analysis

- Compact photometer with intuitive menu guidance
- Tough and water-proof according to IP 68
- Mobile use at all water intake points
- Determination of Cl<sub>2</sub>, pH, F<sup>-</sup>, Fe, ClO<sub>2</sub>

Water Analysis

# PF-3 Drinking Water and VISOCOLOR®

## For drinking water analysis

Drinking water is the most important foodstuff and cannot be replaced. Hence, it has to be wholesome and free of impurities that may adversely affect human health. Continuous water analysis is therefore the fundament for a sustainable and reliable drinking water supply.

The compact photometer PF-3 Drinking Water in combination with the proven VISOCOLOR® ECO tests allows a quick and easy way of monitoring and checking the most important drinking water parameters (chlorine, chlorine dioxide, pH, fluoride and iron) for all water suppliers and industrial users during drinking water treatment.



## PF-3 Drinking Water benefits at a glance



### Small and compact

- Handy and light weight
- Glass-fiber reinforced housing
- Water proof according to IP 68
- Shock-resistant optics

Ideal for all your analysis needs in the lab and right at the point of interest



### Easy and convenient

- Fully developed menu structure using just 4 buttons
- Optional storage for just one 0-measurement
- Results in different units
- Open cuvette slot

Safe results and convenient operation



### Smart and clever

- Runs on standard or rechargeable batteries
- Free of charge data export software
- Add new tests and parameters anytime
- Power supply and data transfer via USB port

Flexible use and easy data administration

## Technical data compact photometer PF-3 Drinking Water

Type:	LED photometer with 3 interference filters
Wavelengths:	450 nm, 530 nm, 590 nm
Wavelength accuracy:	± 2 nm, bandwidth at half transmission 10–12 nm
Measuring modes:	Pre-programmed MN-tests
Cuvette holder:	Tubes 16 mm OD
Memory:	50 results
Display:	Backlit graphic display, 64 x 128 pix, all important data at a glance: result with unit, data, time
Operation:	Self-explanatory menu guidance, foil keypad, test selection via parameter lists
Power supply:	3 AA batteries, rechargeable batteries, USB interface; optional internal accu-pack
Housing:	Water proof, IP 68 certified
Dimensions:	170 x 95 x 68 mm



This device complies with the following directives: EMC Directive 2014-30-EU; LVD Directive 2014-35-EU



[www.mn-net.com](http://www.mn-net.com)

# PF-3 Drinking Water and VISOCOLOR®

## VISOCOLOR® benefits at a glance

### Reliable and accurate

- Highly accurate measurements due to photometric determination with PF-3 Drinking Water
- Simple chemical-analytical methods
- Reaction principles based on internationally acknowledged regulations (DIN, EN, ISO)
- Low susceptibility to interferences assures reliable results


High measurement safety for reliable water analysis



### Comfortable and fast

- Intuitive instructions with pictograms
- Color-coded reagent bottles with clear dosing instructions
- Fast-dissolving reagents save time
- Maximum safety for the user and easy disposal

Convenient handling for quick analysis without the need for time consuming training



### Fair and economical

- Individual combination of reagent bundles
- Cost efficient refill packs available
- Competent customer service by highly educated and experienced professionals
- Fast replacement availability in case of repairs

Consistently fair concept with impressive price-performance ratio



## VISOCOLOR® ECO tests running on the PF-3 Drinking Water

VISOCOLOR® ECO test	Measurement range	Test number	No. of tests	REF
Alkalinity TA	5–250 mg/L CaCO <sub>3</sub>	5-04	100	931 204
Bromine	0.10–13.00 mg/L Br <sub>2</sub>	5-11	200	931 211
Chlorine 1, free, total and combined	0.05–2.00 mg/L Cl <sub>2</sub>	5-35	150	931 235
Chlorine 2, free, total and combined*	0.05–2.00 mg/L Cl <sub>2</sub>	5-15	150	931 215
free Chlorine 2*	0.05–2.00 mg/L Cl <sub>2</sub>	5-16	150	931 216
Chlorine 6, free, total and combined	0.05–6.00 mg/L Cl <sub>2</sub>	5-17	200	931 217
free Chlorine 6	0.05–6.00 mg/L Cl <sub>2</sub>	5-19	400	931 219
Chlorine dioxide*	0.10–3.80 mg/L ClO <sub>2</sub>	5-21	150	931 221
Cyanuric acid *	10–100 mg/L Cya	5-23	100	931 223
Fluoride*	0.1–2.0 mg/L F <sup>-</sup>	5-27	150	931 227
Iron 1*	0.04–2.00 mg/L Fe	5-25	150	931 225
Iron 2	0.04–2.00 mg/L Fe	5-26	150	931 226
pH 6.0–8.2	6.10–8.40	5-70	150	931 270
Silica HR 200*	10–200 mg/L SiO <sub>2</sub>	5-34	100	931 234

\* This product contains harmful substances which must be specially labeled as hazardous. For detailed information please see MSDS.





# PF-3 Drinking Water and VISOCOLOR®

## VISOCOLOR® reagent cases with PF-3 Drinking Water

To provide maximum flexibility, MACHEREY-NAGEL offers flexible case solutions for multiple applications. These mini-labs in rugged cases with premium foam inlays can be equipped in an individual and highly flexible way with different test kits. Catering to our customer needs we also offer a pre-packed reagent case including the PF-3 Drinking Water, all important tests for a complete drinking water analysis and accessories.



## Ordering Information

Description	REF
Compact photometer PF-3 Drinking Water, in a cardboard box, incl. manual, batteries and certificate	919 343
Compact photometer PF-3 Drinking Water, in a case with foam inlay, incl. manual, batteries and certificate	934 402
Reagent case with photometer PF-3 Drinking Water, with VISOCOLOR® ECO reagents* chlorine 2 (liquid) free and total, pH 6.0–8.2, fluoride, iron 2, chlorine dioxide	934 124
Reagent case with photometer PF-3 Drinking Water, with VISOCOLOR® ECO reagents* chlorine 6 (solid) free and total, pH 6.0–8.2, fluoride, iron 2, chlorine dioxide	934 125

\* These products contain harmful substances which must be specially labeled as hazardous. For detailed information please see MSDS.

For more information please visit [www.mn-net.com/PF-3](http://www.mn-net.com/PF-3).



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany



Germany  
and international:  
Tel.: +49 24 21 969-0  
Fax: +49 24 21 969-199  
E-mail: [info@mn-net.com](mailto:info@mn-net.com)

Switzerland:  
MACHEREY-NAGEL AG  
Tel.: +41 62 388 55 00  
Fax: +41 62 388 55 05  
E-mail: [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)

France:  
MACHEREY-NAGEL EURL  
Tel.: +33 388 68 22 68  
Fax: +33 388 51 76 88  
E-mail: [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)

