according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetonitrile ROTISOLV® ≥99,9 %, for preparative HPLC, low UV

article number: **25K0** Version: **2.0 en** Replaces version of: 2023-12-01 Version: (1)

date of compilation: 2023-12-01 Revision: 2024-03-03

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

Registration number (REACH) Index number in CLP Annex VI EC number CAS number

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Laboratory chemical Laboratory and analytical use

ive HPLC, low UV

608-001-00-3

200-835-2

75-05-8

01-2119471307-38-xxxx

25K0

Uses advised against:

Do not use for private purposes (household). Food, drink and animal feedingstuffs.

Acetonitrile ROTISOLV® ≥99,9 %, for preparat-

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	+353 1 809 2166	https:// www.poisons.ie/

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetonitrile ROTISOLV® ≥99,9 %, for preparative HPLC, low UV

article number: 25K0

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	2	Flam. Liq. 2	H225
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1D	Acute toxicity (dermal)	4	Acute Tox. 4	H312
3.1I	Acute toxicity (inhal.)	4	Acute Tox. 4	H332
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms

GHS02, GHS07



Hazard statements

H225	Highly flammable liquid and vapour
H302+H312+H332	Harmful if swallowed, in contact with skin or if inhaled
H319	Causes serious eye irritation

Precautionary statements

Precautionary statements - prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition
	sources. No smoking
P280	Wear protective gloves/eye protection

Precautionary statements - response

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Precautionary statements - storage

P403+P235 Store in a well-ventilated place. Keep cool


Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger





according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



article number: **25K0**

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances	
----------------	--

Name of substance	Acetonitrile
Molecular formula	C_2H_3N
Molar mass	41,05 ^g / _{mol}
REACH Reg. No	01-2119471307-38-xxxx
CAS No	75-05-8
EC No	200-835-2
Index No	608-001-00-3

Substance, Specific Conc. Limits, M-factors, ATE					
Specific Conc. Limits	M-Factors	ΑΤΕ	Exposure route		
-	-	469 ^{mg} / _{kg} 1.100 ^{mg} / _{kg} 11 ^{mg} / _l /4h	oral dermal inhalation: vapour		

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor.





according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetonitrile ROTISOLV® ≥99,9 %, for preparative HPLC, low UV

article number: 25K0

4.2 Most important symptoms and effects, both acute and delayed

After eye contact: Irritant effects, Conjunctival redness of the eyes, Following skin contact: Localised redness, oedema, pruritis and/or pain, Following ingestion: Vomiting, Irritation, Headaches and dizziness may occur, Following inhalation: Cough, pain, choking, and breathing difficulties

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetonitrile ROTISOLV® ≥99,9 %, for preparative HPLC, low UV

article number: 25K0

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetonitrile ROTISOLV® ≥99,9 %, for preparative HPLC, low UV

article number: 25K0

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	acetonitrile	75-05-8	IOELV	40	70					Н	2006/15/ EC
IE	acetonitrile	75-05-8	OELV	40	70					Н	S.I. No. 619 of 2001

Notation

Ceiling-C

н STEL

TWA hours time-weighted average (unless otherwise specified)

Human health values

Relevant DNELs and other threshold levels							
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time			
DNEL	68 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects			
DNEL	68 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects			
DNEL	68 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects			
DNEL	68 mg/m ³	human, inhalatory	worker (industry)	acute - local effects			
DNEL	32,2 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects			

Environmental values

Relevant PNECs and other threshold levels							
End- point	Threshold level	Organism	Environmental com- partment	Exposure time			
PNEC	10 ^{mg} /l	aquatic organisms	freshwater	short-term (single instance)			
PNEC	1 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)			
PNEC	32 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)			
PNEC	40,5 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)			
PNEC	4,05 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)			
PNEC	2,23 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)			

Ceiling value is a limit value above which exposure should not occur Absorbed through the skin Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time weighted average (long-term exposure carefied)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetonitrile ROTISOLV® ≥99,9 %, for preparative HPLC, low UV

article number: 25K0

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

Butyl caoutchouc (butyl rubber)

• material thickness

0,5 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetonitrile ROTISOLV® ≥99,9 %, for preparative HPLC, low UV

article number: 25K0

SECTION 9: Physical and chemical properties

9.1	Information on basic physical and chemical properties				
	Physical state	liquid			
	Colour	colourless			
	Odour	characteristic - mild sweet			
	Melting point/freezing point	-45,7 °C at 101.325 Pa (ECHA)			
	Boiling point or initial boiling point and boiling range	81,65 °C at 1.013 hPa (ECHA)			
	Flammability	flammable liquid in accordance with GHS criteria			
	Lower and upper explosion limit	50 g/m³ (LEL) - 274 g/m³ (UEL) / 4,4 vol% (LEL) - 16 vol% (UEL)			
	Flash point	2 °C at 1.013 hPa (c.c.)			
	Auto-ignition temperature	524 °C at 101.325 Pa (ECHA) (auto-ignition tem- perature (liquids and gases))			
	Decomposition temperature	not relevant			
	pH (value)	9 – 10 (20 °C)			
	Kinematic viscosity	0,443 ^{mm²} / _s at 20 °C			
	Dynamic viscosity	0,35 mPa s at 20 °C			
	Solubility(ies)				
	Water solubility	miscible in any proportion			
	Partition coefficient				
	Partition coefficient n-octanol/water (log value):	-0,34 (pH value: ~7, 25 °C) (ECHA)			
	Soil organic carbon/water (log KOC)	0,654 (ECHA)			
	Vapour pressure	94,51 hPa at 20 °C			
	Density and/or relative density				
	Density	0,79 ^g / _{cm³} at 20 °C (ECHA)			
	Relative vapour density	1,42 (air = 1)			
	Particle characteristics	not relevant (liquid)			
	Other safety parameters				
	Oxidising properties	none			
9.2	Other information				
	Information with regard to physical hazard classes:	There is no additional information.			

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetonitrile ROTISOLV® ≥99,9 %, for preparative HPLC, low UV

article number: 25K0

Other safety characteristics:	
Miscibility	completely miscible with water
Refractive index	1,344
Temperature class (EU, acc. to ATEX)	T1 Maximum permissible surface temperature on the equipment: 450°C

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition. Vapours may form explosive mixtures with air.

If heated

Risk of ignition.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Peroxides, Strong acid

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

Rubber articles

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	469 ^{mg} / _{kg}	mouse		ECHA
dermal	LD50	>2.000 ^{mg} / _{kg}	rabbit		ECHA

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetonitrile ROTISOLV® ≥99,9 %, for preparative HPLC, low UV

article number: 25K0

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

vomiting, nausea, dizziness

• If in eyes

Causes serious eye irritation

• If inhaled

cough, pain, choking, and breathing difficulties

• If on skin

Prolonged or repeated contact with skin or mucous membrane result in irritation symptoms such as redness, blistering, dermatitis, etc

Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
LC50	1.640 ^{mg} / _l	fish	ECHA	96 h
ErC50	9.696 ^{mg} / _l	algae	ECHA	72 h

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetonitrile ROTISOLV® ≥99,9 %, for preparative HPLC, low UV

article number: 25K0

Aquatic toxicity (chi	ronic)			
Endpoint	Value	Species	Source	Exposure time
EC50	>1.000 ^{mg} / _l	microorganisms	ECHA	30 min

12.2 Persistence and degradability

Theoretical Oxygen Demand (without nitrification): 1,559 $^{\rm mg}/_{\rm mg}$ Theoretical Oxygen Demand (with nitrification): 3,118 $^{\rm mg}/_{\rm mg}$ Theoretical Carbon Dioxide: 2,144 $^{\rm mg}/_{\rm mg}$

Biodegradation

The substance is readily biodegradable.

Process of degradability				
Process	Degradation rate	Time		
biotic/abiotic	98 %	28 d		
carbon dioxide generation	70 %	21 d		

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	-0,34 (pH value: ~7, 25 °C) (ECHA)
---------------------------	------------------------------------

12.4 Mobility in soil

Henry's law constant	3,5 ^{Pa m³} / _{mol} at 20 °C (ECHA)
The Organic Carbon normalised adsorption coefficient	0,654 (ECHA)

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetonitrile ROTISOLV® ≥99,9 %, for preparative HPLC, low UV

article number: **25K0**

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- **HP 3** flammable
- HP 4 irritant skin irritation and eye damage
- **HP 6** acute toxicity

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1	UN number or ID number	
	ADRRID	UN 1648
	IMDG-Code	UN 1648
	ICAO-TI	UN 1648
14.2	UN proper shipping name	
	ADRRID	ACETONITRILE
	IMDG-Code	ACETONITRILE
	ICAO-TI	Acetonitrile
14.3	Transport hazard class(es)	
	ADRRID	3
	IMDG-Code	3
	ICAO-TI	3
14.4	Packing group	
	ADRRID	II
	IMDG-Code	II
	ICAO-TI	II
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetonitrile ROTISOLV® ≥99,9 %, for preparative HPLC, low UV

article number: 25K0

Agreement concerning the Inter information	national Carriage of Dangerous Goods by Road (ADR)Additional
Proper shipping name	ACETONITRILE
Particulars in the transport docum	ent UN1648, ACETONITRILE, 3, II, (D/E)
Classification code	F1
Danger label(s)	3
3	
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Tunnel restriction code (TRC)	D/E
Hazard identification No	33
Regulations concerning the Inte information	rnational Carriage of Dangerous Goods by Rail (RID)Additional
Classification code	F1
Danger label(s)	3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Hazard identification No	33
International Maritime Dangero	us Goods Code (IMDG) - Additional information
Proper shipping name	ACETONITRILE
Particulars in the shipper's declara	tion UN1648, ACETONITRILE, 3, II, 2°C c.c.
Marine pollutant	-
Danger label(s)	3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
EmS	F-E, S-D
Stowage category	В

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetonitrile ROTISOLV® ≥99,9 %, for preparative HPLC, low UV

article number: 25K0

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information			
Proper shipping name	Acetonitrile		
Particulars in the shipper's declaration	UN1648, Acetonitrile, 3, II		
Danger label(s)	3		
Excepted quantities (EQ)	E2		
Limited quantities (LQ)	1 L		

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

angerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Acetonitrile	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
Acetonitrile	flammable / pyrophoric		R40	40
Acetonitrile	substances in tattoo inks and perman- ent make-up		R75	75

Leaend R3

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes,

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
2. Articles not complying with paragraph 1 shall not be placed on the market.
3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

- can be used as fuel in decorative oil lamps for supply to the general public, and

present an aspiration hazard and are labelled with H304.
Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetonitrile ROTISOLV® ≥99,9 %, for preparative HPLC, low UV

article number: 25K0

Legend R40

- 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following: metallic glitter intended mainly for decoration,
- artificial snow and frost,
- 'whoopee' cushions,

- silly string aerosols,
 imitation excrement,
 horns for parties,
 decorative flakes and foams,
- artificial cobwebs,
- stink bombs.

Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'.

- 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).

4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetonitrile ROTISOLV® ≥99,9 %, for preparative HPLC, low UV

article number: 25K0



tattooing purposes.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetonitrile ROTISOLV® ≥99,9 %, for preparative HPLC, low UV

article number: 25K0

Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

Seveso Directive

2012/18/EU (Seveso III)				
Νο	Dangerous substance/hazard categories	Qualifying quantity plication of lower quire		Notes
P5c	flammable liquids (cat. 2, 3)	5.000	50.000	51)

Notation

51) Flammable liquids, categories 2 or 3 not covered by P5a and P5b

Deco-Paint Directive

VOC content	100 %
VOC content	790 ^g /l

Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	790 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

not listed

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetonitrile ROTISOLV® ≥99,9 %, for preparative HPLC, low UV

article number: 25K0

Regulation on persistent organic pollutants (POP) not listed

.....

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

Legenu	
AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical safety assessment

According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetonitrile ROTISOLV® ≥99,9 %, for preparative HPLC, low UV

article number: **25K0**

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0,1%.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1	VOC content: 100 % 790 ^g / _l	VOC content: 100 %	yes
15.1		VOC content: 790 ^g / _l	yes
15.2	Chemical safety assessment: No Chemical Safety Assessment has been car- ried out for this substance.	Chemical safety assessment: According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetonitrile ROTISOLV® ≥99,9 %, for preparative HPLC, low UV

article number: **25K0**

Abbr.	Descriptions of used abbreviations
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
NLP	No-Longer Polymer
РВТ	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
S.I. No. 619 of 2001	Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H319	Causes serious eye irritation.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Acetonitrile ROTISOLV® ≥99,9 %, for preparative HPLC, low UV

article number: **25K0**

Code	Text
H332	Harmful if inhaled.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.