acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % HNO₃

- 1 000 mg/l

article number: 2638 date of compilation: 2016-10-10 Version: GHS 4.0 en

Revision: 2022-10-10

Replaces version of: 2022-10-05

Version: (GHS 3)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance Multi-Element ICP - Standard Solution IV

ROTI®Star 23 elements in 2 % HNO₃ - 1 000 mg/l

Article number 2638

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.6	Carcinogenicity	1A	Carc. 1A	H350i

Page 1 / 19 Australia (en)

acc. to Safe Work Australia - Code of Practice



$\textbf{Multi-Element ICP - Standard Solution IV ROTI} \\ \textbf{@Star 23 elements in 2 \% HNO}_{3}$

- 1 000 mg/l

article number: 2638

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.7	Reproductive toxicity	1B	Repr. 1B	H360FD

For full text of abbreviations: see SECTION 16

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS05, GHS08



Hazard statements

H290 May be corrosive to metals
H315 Causes skin irritation
H319 Causes serious eye irritation
H350i May cause cancer by inhalation

H360FD May damage fertility. May damage the unborn child (if exposed)

Precautionary statements

Precautionary statements - prevention

P280 Wear protective gloves

Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P308+P313 IF exposed or concerned: Get medical advice/attention P337+P313 If eye irritation persists: Get medical advice/attention

P390 Absorb spillage to prevent material damage

Precautionary statements - disposal

P501 Dispose of contents/container to industrial combustion plant

For professional users only

Hazardous ingredients for labelling: Nickel dinitrate, Cobalt dinitrate, Cadmium

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Australia (en) Page 2 / 19

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % HNO₃ - 1 000 mg/l

article number: 2638

SECTION 3: Composition/information on ingredients

3.1 **Substances**

not relevant (mixture)

3.2 **Mixtures**

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2	<1	Ox. Liq. 3 / H272 Met. Corr. 1 / H290 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318 EUH071		B(a)
cobalt dinitrate	CAS No 10141-05-6	<1	Resp. Sens. 1 / H334 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 1A / H350 Repr. 1A / H360F	\$	1(a)
Boric acid	CAS No 10043-35-3	<1	Repr. 1B / H360FD	\$	
nickel dinitrate	CAS No 13138-45-9	<1	Ox. Sol. 2 / H272 Acute Tox. 4 / H302 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Resp. Sens. 1 / H334 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 1A / H350 Repr. 1A / H360D STOT RE 1 / H372		
Lead(II) nitrate	CAS No 10099-74-8	<1	Acute Tox. 4 / H302 Acute Tox. 4 / H332 Repr. 1A / H360Df STOT RE 1 / H372	♦	1(a) A(a) IARC: 2A
Thallium nitrate	CAS No 10102-45-1	<1	Ox. Sol. 2 / H272 Acute Tox. 2 / H300 Acute Tox. 2 / H330 Skin Corr. 1A / H314 Eye Dam. 1 / H318 STOT SE 1 / H370 STOT RE 2 / H373		A(a)
Cadmium	CAS No 7440-43-9	<1	Acute Tox. 2 / H330 Muta. 2 / H341 Carc. 1B / H350 Repr. 2 / H361fd STOT RE 1 / H372		IARC: 1 RoC "Known"

Notes

1(a): The concentration stated is the percentage by weight of the metallic element calculated with reference to the total weight of the mixture

A(a): The name of substance is a general description. It is required that the correct name is stated on the label B(a): The classification refers to an aqueous solution

IARC: 1: IARC group 1: carcinogenic to humans (International Agency for Research on Cancer)

IARC: Group 2A: probably carcinogenic to humans (International Agency for Research on Cancer)

2A:
RoC NTP-RoC: Known To Be A Human Carcinogen
"Known"

Australia (en) Page 3 / 19

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % HNO₃

- 1 000 mg/l

article number: 2638

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

In case of skin irritation, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Irritation

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Metal oxide smoke, toxic

Australia (en) Page 4 / 19

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % HNO₃

- 1 000 mg/l

article number: 2638

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use extractor hood (laboratory). Avoid exposure.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

Australia (en) Page 5 / 19

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % HNO₃

- 1 000 mg/l

article number: 2638

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	lead, inorganic com- pounds		WES		0.05					Pb, df	WES
AU	nickel dinitrate	13138- 45-9	WES		0.1						WES
AU	zinc oxide	1314-13- 2	WES		5		10			fume	WES
AU	zinc oxide	1314-13- 2	WES		10					i, noAsb _less1 Sil, dust	WES
AU	Calcium carbonate; Limestone, Marble, Whiting	471-34-1	WES		10					i, noAsb _less1 Sil	WES
AU	silver	7440-22- 4	WES		0.1						WES
AU	cadmium	7440-43- 9	WES		0.01						WES
AU	indium	7440-74- 6	WES		0.1						WES
AU	nitric acid	7697-37- 2	WES	2	5.2	4	10				WES

Notation

Ceiling value is a limit value above which exposure should not occur As dust and fumes As dust As fume Inhalable fraction Ceiling-C

dust fume

noAsb_less1 Contains no asbestos and less than 1% free crystalline silica

Sil Pb STEL

Calculated as Pb (lead)
Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) **TWA**

Relevant DNELs of components of the mixture									
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time			
Boric acid	10043-35-3	DNEL	8.3 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects			

Australia (en) Page 6 / 19

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % HNO₃ - 1 000 mg/l

article number: 2638

Relevant DNELs of components of the mixture										
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time				
Boric acid	10043-35-3	DNEL	392 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects				
Cadmium	7440-43-9	DNEL	4 μg/m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects				

Relevant PNECs	elevant PNECs of components of the mixture										
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time					
Boric acid	10043-35-3	PNEC	2.9 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)					
Boric acid	10043-35-3	PNEC	2.9 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)					
Boric acid	10043-35-3	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)					
Boric acid	10043-35-3	PNEC	5.7 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)					
Cadmium	7440-43-9	PNEC	0.19 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)					
Cadmium	7440-43-9	PNEC	1.14 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)					
Cadmium	7440-43-9	PNEC	20 ^{µg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)					
Cadmium	7440-43-9	PNEC	1.8 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)					
Cadmium	7440-43-9	PNEC	0.64 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)					
Cadmium	7440-43-9	PNEC	0.9 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)					

8.2 **Exposure controls**

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection



Australia (en) Page 7 / 19

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % HNO₃

- 1 000 mg/l

article number: 2638

hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. P2 (filters at least 94 % of airborne particles, colour code: White). Type: B-P2 (combined filters for acidic gases and particles, colour code: Grey/White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid
Colour colourless
Odour stinging

Melting point/freezing point not determined

Boiling point or initial boiling point and boiling (unknown) not determined

range

Flammability non-combustible
Lower and upper explosion limit not determined
Flash point not determined
Auto-ignition temperature not determined
Decomposition temperature not relevant

Australia (en) Page 8 / 19

acc. to Safe Work Australia - Code of Practice



${\bf Multi-Element\ ICP-Standard\ Solution\ IV\ ROTI @ Star\ 23\ elements\ in\ 2\ \%\ HNO_3}$

- 1 000 mg/l

article number: 2638

pH (value) <2 (20 °C)

Kinematic viscosity not determined

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure 23 hPa at 20 °C

Density and/or relative density

Density $\sim 1 \, {\rm g/_{cm^3}}$ at 20 °C

Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

Corrosive to metals category 1: corrosive to metals

Other safety characteristics:

Miscibility completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

Substance or mixture corrosive to metals.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Alkali metals, Ammonia (NH3), Alkaline earth metal, Strong alkali

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

different metals

Australia (en) Page 9 / 19

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution IV ROTI\$Star 23 elements in 2 % HNO $_3$

- 1 000 mg/l

article number: 2638

Release of flammable materials with

Metals (due to the release of hydrogen in an acid/alkaline medium).

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: vapour	>2.65 ^{mg} / _l /4h
nickel dinitrate	13138-45-9	oral	1,620 ^{mg} / _{kg}
nickel dinitrate	13138-45-9	inhalation: dust/mist	1.5 ^{mg} / _l /4h
Lead(II) nitrate	10099-74-8	inhalation: dust/mist	1.5 ^{mg} / _l /4h
Thallium nitrate	10102-45-1	oral	5 ^{mg} / _{kg}
Thallium nitrate	10102-45-1	inhalation: dust/mist	0.05 ^{mg} / _l /4h
Cadmium	7440-43-9	inhalation: dust/mist	0.05 ^{mg} / _l /4h

Acute toxicity of components of the mixture

CAS No	Exposure route	Endpoint	Value	Species
7697-37-2	inhalation: va- pour	LC50	>2.65 ^{mg} / _l /4h	rat
10043-35-3	oral	LD50	3,450 ^{mg} / _{kg}	rat
10043-35-3	dermal	LD50	>2,000 ^{mg} / _{kg}	rabbit
13138-45-9	oral	LD50	1,620 ^{mg} / _{kg}	rat
10099-74-8	oral	LD50	>2,000 ^{mg} / _{kg}	rat
10099-74-8	dermal	LD50	>2,000 ^{mg} / _{kg}	rat
7440-43-9	oral	LD50	2,330 ^{mg} / _{kg}	rat
	7697-37-2 10043-35-3 10043-35-3 13138-45-9 10099-74-8 10099-74-8	route 7697-37-2 inhalation: vapour 10043-35-3 oral 10043-35-3 dermal 13138-45-9 oral 10099-74-8 oral 10099-74-8 dermal	route 7697-37-2 inhalation: vapour LC50 10043-35-3 oral LD50 10043-35-3 dermal LD50 13138-45-9 oral LD50 10099-74-8 oral LD50 10099-74-8 dermal LD50	route 7697-37-2 inhalation: vapour LC50 >2.65 mg/µ/4h 10043-35-3 oral LD50 3,450 mg/kg 10043-35-3 dermal LD50 >2,000 mg/kg 13138-45-9 oral LD50 1,620 mg/kg 10099-74-8 oral LD50 >2,000 mg/kg 10099-74-8 dermal LD50 >2,000 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Australia (en) Page 10 / 19

acc. to Safe Work Australia - Code of Practice



$\textbf{Multi-Element ICP - Standard Solution IV ROTI} \\ \textbf{@Star 23 elements in 2 \% HNO}_3$

- 1 000 mg/l

article number: 2638

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

May cause cancer by inhalation.

Reproductive toxicity

May damage the unborn child (if exposed). May damage fertility (if exposed).

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

diarrhoea, vomiting, nausea, gastrointestinal complaints

• If in eyes

Causes serious eye irritation

If inhaled

Data are not available.

• If on skin

causes skin irritation

Other information

none

11.2 Endocrine disrupting properties

Information on this property is not available.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Australia (en) Page 11 / 19

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % HNO₃

- 1 000 mg/l

article number: 2638

Aquatic toxicity (acute) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Lead(II) nitrate	10099-74-8	LC50	107 ^{µg} / _l	fish	96 h
Lead(II) nitrate	10099-74-8	ErC50	35.9 ^{µg} / _I	algae	48 h
Cadmium	7440-43-9	LC50	58.16 ^{µg} / _l	aquatic invertebrates	48 h
Cadmium	7440-43-9	EC50	1,900 ^{µg} / _l	aquatic invertebrates	24 h
Cadmium	7440-43-9	ErC50	120 ^{µg} / _l	algae	72 h

Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Cadmium	7440-43-9	LC50	1,500 ^{µg} / _l	fish	4 d
Cadmium	7440-43-9	EC50	8.1 ^{µg} / _l	fish	100 d

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Boric acid	10043-35-3		-1.09 (pH value: 7.5, 22 °C)	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Information on this property is not available.

12.7 Other adverse effects

Data are not available.

Australia (en) Page 12 / 19

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % HNO₃

- 1 000 mg/l

article number: 2638

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H8 Corrosives

H11 Toxic (Delayed or chronic)

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1	UN	num	ber

UN RTDG UN 3264
IMDG-Code UN 3264
ICAO-TI UN 3264

14.2 UN proper shipping name

UN RTDG CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

IMDG-Code CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

ICAO-TI Corrosive liquid, acidic, inorganic, n.o.s. Technical name (hazardous ingredients) Nitric acid ...% [$C \le 70$ %], Lithium nitrate

14.3 Transport hazard class(es)

UN RTDG 8
IMDG-Code 8
ICAO-TI 8

14.4 Packing group

UN RTDG III
IMDG-Code III
ICAO-TI III

Australia (en) Page 13 / 19

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % HNO₃

- 1 000 mg/l

article number: 2638

14.5 **Environmental hazards** hazardous to the aquatic environment

Environmentally hazardous substance (aquatic

environment):

Cobalt dinitrate

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

UN number 3264

Class 8

Environmental hazards

Hazardous to the aquatic environment

Packing group III

Danger label(s)

Fish and tree



Special provisions (SP) 223, 274

UN RTDG

Excepted quantities (EQ)

UN RTDG

Limited quantities (LQ)

UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. Proper shipping name

UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (contains: Nitric acid ...% [C \leq 70 %], Lithium nitrate, cobalt dinitrate), 8, III, MARINE Particulars in the shipper's declaration

POLLUTANT

F-A, S-B

Marine pollutant **YES** (hazardous to the aquatic environment), (cobalt dinitrate)

8, "Fish and tree" Danger label(s)



EmS



Special provisions (SP) 223, 274

Excepted quantities (EQ) **E**1 5 L

Limited quantities (LQ)

Stowage category Α

Australia (en) Page 14 / 19

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % HNO₃

- 1 000 mg/l

article number: 2638

Segregation group 1 - Acids

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Corrosive liquid, acidic, inorganic, n.o.s. Proper shipping name

UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (contains: Nitric acid ...% [C \leq 70 %], Lithium ni-Particulars in the shipper's declaration

trate), 8, III

Environmental hazards YES (hazardous to the aquatic environment)

Danger label(s) 8



Special provisions (SP) **A3** Excepted quantities (EQ) E1 Limited quantities (LQ) 1 L

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1 There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

All ingredients are listed or exempt from listing.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	not all ingredients are listed
CA	NDSL	not all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed

Australia (en) Page 15 / 19

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % HNO₃ - 1 000 mg/l

article number: 2638

Country	Inventory	Status
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AIIC
CICR
CSCL-ENCS
DSL
ECSI
IECSC Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS)

Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances

INSQ KECI Non-domestic Substances List (NDSL)
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS) **NDSL** NZIoC

REACH Reg. REACH registered substances

TCSI Taiwan Chemical Substance Inventory

TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.2		Hazard statements: change in the listing (table)	yes
2.2	Hazardous ingredients for labelling: Cadmium nitrate, Nickel dinitrate, Cobalt dini- trate	Hazardous ingredients for labelling: Nickel dinitrate, Cobalt dinitrate, Cadmium	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
Acute Tox.	Acute toxicity	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BOD	Biochemical Oxygen Demand	
Carc.	Carcinogenicity	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
COD	Chemical oxygen demand	
DGR	Dangerous Goods Regulations (see IATA/DGR)	

Australia (en) Page 16 / 19

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % $\rm HNO_3$ - 1 000 $\rm mg/l$

article number: 2638

Abbr.	Descriptions of used abbreviations
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
Met. Corr.	Substance or mixture corrosive to metals
Muta.	Germ cell mutagenicity
NLP	No-Longer Polymer
NTP-RoC	National Toxicology Program: Report on Carcinogens
Ox. Liq.	Oxidising liquid
Ox. Sol.	Oxidising solid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Repr.	Reproductive toxicity
Resp. Sens.	Respiratory sensitisation
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin

Australia (en) Page 17 / 19

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % HNO₃ - 1 000 mg/l

article number: 2638

Abbr.	Descriptions of used abbreviations
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H300	Fatal if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350	May cause cancer (if inhaled).
H350i	May cause cancer by inhalation.
H360D	May damage the unborn child (if exposed).

Australia (en) Page 18 / 19

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % $\rm HNO_3$ - 1 000 $\rm mg/l$

article number: 2638

Code	Text
H360Df	May damage the unborn child. Suspected of damaging fertility (if exposed).
H360F	May damage fertility (if exposed).
H360FD	May damage fertility. May damage the unborn child (if exposed).
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child (if exposed).
H370	Causes damage to organs.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 19 / 19