

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Acetic acid n-butyl ester ROTIPURAN® ≥99,5 %, p.a., ACS

article number: **P036**
Version: **5.0 en**
Replaces version of: 2022-01-28
Version: (4)

date of compilation: 2015-12-02
Revision: 2024-03-05

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

| | |
|---------------------------------|--|
| Identification of the substance | Acetic acid n-butyl ester ROTIPURAN® ≥99,5 %, p.a., ACS |
| Article number | P036 |
| Index No (GB CLP) | 607-025-00-1 |
| EC number | 204-658-1 |
| CAS number | 123-86-4 |
| Alternative name(s) | n-Butyl acetate |

1.2 Relevant identified uses of the substance or mixture and uses advised against

| | |
|---------------------------|---|
| Relevant identified uses: | Laboratory chemical Laboratory and analytical use |
| Uses advised against: | Do not use for private purposes (household). Food, drink and animal feedingstuffs. |

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone:+49 (0) 721 - 56 06 0

Telefax: +49 (0) 721 - 56 06 149

e-mail: sicherheit@carlroth.de

Website: www.carlroth.de

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

e-mail (competent person): sicherheit@carlroth.de

1.4 Emergency telephone number

| Name | Street | Postal code/city | Telephone | Website |
|---|-----------|----------------------|--------------|---------|
| National Poisons Information Service City Hospital | Dudley Rd | B187QH Birmingham | 844 892 0111 | |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Acetic acid n-butyl ester ROTIPURAN® ≥99,5 %, p.a., ACS

article number: P036

Classification acc. to GHS

| Section | Hazard class | Cat-egory | Hazard class and category | Hazard statement |
|---------|---|-----------|---------------------------|------------------|
| 2.6 | Flammable liquid | 3 | Flam. Liq. 3 | H226 |
| 3.8D | Specific target organ toxicity - single exposure (narcotic effects, drowsiness) | 3 | STOT SE 3 | H336 |

Supplemental hazard information

| Code | Supplemental hazard information |
|--------|--|
| EUH066 | repeated exposure may cause skin dryness or cracking |

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling

Signal word

Warning

Pictograms

GHS02, GHS07



Hazard statements

H226 Flammable liquid and vapour
H336 May cause drowsiness or dizziness

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P280 Wear protective gloves/protective clothing

Precautionary statements - response

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
P312 Call a POISON CENTRE/doctor if you feel unwell

Supplemental hazard information

EUH066 Repeated exposure may cause skin dryness or cracking.

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Acetic acid n-butyl ester ROTIPURAN® ≥99,5 %, p.a., ACS

article number: P036

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.

SECTION 3: Composition/information on ingredients

3.1 Substances

| | |
|-------------------|---|
| Name of substance | Acetic acid n-butyl ester |
| Molecular formula | C ₆ H ₁₂ O ₂ |
| Molar mass | 116,2 g/mol |
| CAS No | 123-86-4 |
| EC No | 204-658-1 |
| Index No (GB CLP) | 607-025-00-1 |

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects, Dizziness, Drowsiness, Narcosis

4.3 Indication of any immediate medical attention and special treatment needed

none

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Acetic acid n-butyl ester ROTIPURAN® ≥99,5 %, p.a., ACS

article number: P036

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings!
water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Acetic acid n-butyl ester ROTIPURAN® ≥99,5 %, p.a., ACS

article number: P036

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| Country | Name of agent | CAS No | Identifier | TWA [ppm] | TWA [mg/m ³] | STEL [ppm] | STEL [mg/m ³] | Ceiling-C [ppm] | Ceiling-C [mg/m ³] | Notation | Source |
|---------|-----------------|----------|------------|-----------|--------------------------|------------|---------------------------|-----------------|--------------------------------|----------|--------------|
| EU | n-butyl acetate | 123-86-4 | IOELV | 50 | 241 | 150 | 723 | | | | 2019/1831/EU |
| GB | butyl acetate | 123-86-4 | WEL | 150 | 724 | 200 | 966 | | | | EH40/2005 |

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Acetic acid n-butyl ester ROTIPURAN® ≥99,5 %, p.a., ACS

article number: P036

Notation

| | |
|-----------|--|
| Ceiling-C | Ceiling value is a limit value above which exposure should not occur |
| STEL | Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) |
| TWA | Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) |

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

• material thickness

>0,4 mm

• breakthrough times of the glove material

>30 minutes (permeation: level 2)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 ° C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Acetic acid n-butyl ester ROTIPURAN® ≥99,5 %, p.a., ACS

article number: P036

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|--|--|
| Physical state | liquid |
| Colour | clear - colourless |
| Odour | fruity |
| Odour threshold | 7 ppm |
| Melting point/freezing point | <-90 °C (ECHA) |
| Boiling point or initial boiling point and boiling range | 126,2 °C at 1.013 hPa (ECHA) |
| Flammability | flammable liquid in accordance with GHS criteria |
| Lower and upper explosion limit | 1,2 vol% (LEL) - 7,5 vol% (UEL) |
| Flash point | 27 °C at 1.013 hPa (ECHA) |
| Auto-ignition temperature | 415 °C at 1.010 hPa (ECHA) |
| Decomposition temperature | not relevant |
| pH (value) | 6,2 (in aqueous solution: 5 g/l, 20 °C) |
| Kinematic viscosity | 0,831 mm ² /s at 20 °C |
| Dynamic viscosity | 0,732 mPa s at 20 °C |

Solubility(ies)

Water solubility 5,3 g/l at 20 °C (ECHA)

Partition coefficient

Partition coefficient n-octanol/water (log value): 2,3 (pH value: ~7, 25 °C) (ECHA)

Vapour pressure 11,2 hPa at 20 °C

Density and/or relative density

Density 0,881 g/cm³ at 20 °C (ECHA)

Relative vapour density 4,01 (air = 1)

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard classes: There is no additional information.

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Acetic acid n-butyl ester ROTIPURAN® ≥99,5 %, p.a., ACS

article number: **P036**

Other safety characteristics:

| | |
|-----------------------------|---|
| Gas group (explosion group) | IIA Maximum Experimental Safe Gap value; MESG > 0,9 mm |
| Maximum explosion pressure | 8,6 bar |
| Surface tension | 61,3 mN/m (20 °C) (ECHA) |
| Refractive index | 1,393 – 1,396 (20 °C) |

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition.

If heated

Risk of ignition. Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Alkali hydroxide (caustic alkali), Strong alkali

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

Rubber articles, different plastics

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

| Acute toxicity | | | | | |
|----------------|----------|--------------|---------|--------|--------|
| Exposure route | Endpoint | Value | Species | Method | Source |
| oral | LD50 | 10.768 mg/kg | rat | | TOXNET |
| dermal | LD50 | 17.600 mg/kg | rabbit | | TOXNET |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Acetic acid n-butyl ester ROTIPURAN® ≥99,5 %, p.a., ACS

article number: **P036**

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

Data are not available.

• If in eyes

slightly irritant but not relevant for classification

• If inhaled

irritant effects, fatigue, dizziness, narcosis

• If on skin

has degreasing effect on the skin, Frequently or prolonged contact with skin may cause dermal irritation

• Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Acetic acid n-butyl ester ROTIPURAN® ≥99,5 %, p.a., ACS

article number: P036

| Aquatic toxicity (acute) | | | | |
|--------------------------|----------|-----------------------|--------|---------------|
| Endpoint | Value | Species | Source | Exposure time |
| LC50 | 18 mg/l | fish | ECHA | 96 h |
| EC50 | 44 mg/l | aquatic invertebrates | ECHA | 48 h |
| ErC50 | 397 mg/l | algae | ECHA | 72 h |

| Aquatic toxicity (chronic) | | | | |
|----------------------------|-----------|-----------------------|--------|---------------|
| Endpoint | Value | Species | Source | Exposure time |
| EC50 | 34,2 mg/l | aquatic invertebrates | ECHA | 21 d |
| LC50 | 43,5 mg/l | aquatic invertebrates | ECHA | 21 d |

12.2 Persistence and degradability

Theoretical Oxygen Demand: 2,204 mg/mg
Theoretical Carbon Dioxide: 2,273 mg/mg

Biodegradation

The substance is readily biodegradable.

| Process of degradability | | |
|--------------------------|------------------|------|
| Process | Degradation rate | Time |
| biotic/abiotic | 83 % | 28 d |
| oxygen depletion | 80 % | 5 d |

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

| | |
|---------------------------|----------------------------------|
| n-octanol/water (log KOW) | 2,3 (pH value: ~7, 25 °C) (ECHA) |
|---------------------------|----------------------------------|

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.

12.7 Other adverse effects

Data are not available.

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Acetic acid n-butyl ester ROTIPURAN® ≥99,5 %, p.a., ACS

article number: P036

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

HP 3 flammable

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

| | |
|-----------|---------|
| ADRRID | UN 1123 |
| IMDG-Code | UN 1123 |
| ICAO-TI | UN 1123 |

14.2 UN proper shipping name

| | |
|-----------|----------------|
| ADRRID | BUTYL ACETATES |
| IMDG-Code | BUTYL ACETATES |
| ICAO-TI | Butyl acetates |

14.3 Transport hazard class(es)

| | |
|-----------|---|
| ADRRID | 3 |
| IMDG-Code | 3 |
| ICAO-TI | 3 |

14.4 Packing group

| | |
|-----------|-----|
| ADRRID | III |
| IMDG-Code | III |
| ICAO-TI | III |

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Acetic acid n-butyl ester ROTIPURAN® ≥99,5 %, p.a., ACS

article number: P036

14.5 Environmental hazards non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) Additional information

| | |
|---------------------------------------|---------------------------------------|
| Proper shipping name | BUTYL ACETATES |
| Particulars in the transport document | UN1123, BUTYL ACETATES, 3, III, (D/E) |
| Classification code | F1 |
| Danger label(s) | 3 |



| | |
|-------------------------------|-----|
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 5 L |
| Transport category (TC) | 3 |
| Tunnel restriction code (TRC) | D/E |
| Hazard identification No | 30 |
| Emergency Action Code | 3Y |

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) Additional information

| | |
|----------------------------|----|
| Classification code | F1 |
| Danger label(s) | 3 |



| | |
|---------------------------------|-----|
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 5 L |
| Transport category (TC) | 3 |
| Hazard identification No | 30 |

International Maritime Dangerous Goods Code (IMDG) - Additional information

| | |
|--|---|
| Proper shipping name | BUTYL ACETATES |
| Particulars in the shipper's declaration | UN1123, BUTYL ACETATES, 3, III, 27°C c.c. |
| Marine pollutant | - |
| Danger label(s) | 3 |



Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Acetic acid n-butyl ester ROTIPURAN® ≥99,5 %, p.a., ACS

article number: **P036**

| | |
|--------------------------|----------|
| Special provisions (SP) | 223 |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 5 L |
| EmS | F-E, S-D |
| Stowage category | A |

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

| | |
|--|--------------------------------|
| Proper shipping name | Butyl acetates |
| Particulars in the shipper's declaration | UN1123, Butyl acetates, 3, III |
| Danger label(s) | 3 |



| | |
|--------------------------|------|
| Special provisions (SP) | A3 |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 10 L |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Seveso Directive

| 2012/18/EU (Seveso III) | | | | |
|-------------------------|---------------------------------------|---|--------|-------|
| No | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the application of lower and upper-tier requirements | | Notes |
| P5c | flammable liquids (cat. 2, 3) | 5.000 | 50.000 | 51) |

Notation

51) Flammable liquids, categories 2 or 3 not covered by P5a and P5b

Deco-Paint Directive

| | |
|-------------|---------|
| VOC content | 100 % |
| VOC content | 881 g/l |

Industrial Emissions Directive (IED)

| | |
|-------------|---------|
| VOC content | 100 % |
| VOC content | 881 g/l |

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Acetic acid n-butyl ester ROTIPURAN® ≥99,5 %, p.a., ACS

article number: P036

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

not listed

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

Restrictions according to GB REACH, Annex 17

| Dangerous substances with restrictions (GB REACH, Annex 17) | | | |
|---|--|--------|----|
| Name of substance | Name acc. to inventory | CAS No | No |
| Acetic acid n-butyl ester | this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC | | 3 |
| Acetic acid n-butyl ester | flammable / pyrophoric | | 40 |

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

| Country | Inventory | Status |
|---------|------------|---------------------|
| AU | AIIC | substance is listed |
| CA | DSL | substance is listed |
| CN | IECSC | substance is listed |
| EU | ECSI | substance is listed |
| EU | REACH Reg. | substance is listed |
| JP | CSCL-ENCS | substance is listed |
| JP | ISHA-ENCS | substance is listed |
| KR | KECI | substance is listed |
| MX | INSQ | substance is listed |

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Acetic acid n-butyl ester ROTIPURAN® ≥99,5 %, p.a., ACS

article number: P036

| Country | Inventory | Status |
|---------|-----------|------------------------------|
| NZ | NZIoC | substance is listed |
| PH | PICCS | substance is listed |
| TR | CICR | substance is listed |
| TW | TCSI | substance is listed |
| US | TSCA | substance is listed (ACTIVE) |
| VN | NCI | substance is listed |

Legend

| | |
|------------|---|
| AIIC | Australian Inventory of Industrial Chemicals |
| CICR | Chemical Inventory and Control Regulation |
| CSCL-ENCs | List of Existing and New Chemical Substances (CSCL-ENCs) |
| DSL | Domestic Substances List (DSL) |
| ECSI | EC Substance Inventory (EINECS, ELINCS, NLP) |
| IECSC | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ | National Inventory of Chemical Substances |
| ISHA-ENCs | Inventory of Existing and New Chemical Substances (ISHA-ENCs) |
| KECI | Korea Existing Chemicals Inventory |
| NCI | National Chemical Inventory |
| NZIoC | New Zealand Inventory of Chemicals |
| PICCS | Philippine Inventory of Chemicals and Chemical Substances (PICCS) |
| REACH Reg. | REACH registered substances |
| TCSI | Taiwan Chemical Substance Inventory |
| TSCA | Toxic Substance Control Act |

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety-relevant |
|---------|--|--|-----------------|
| 2.2 | Labelling of packages where the contents do not exceed 125 ml: Signal word: Warning | | yes |
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.3 | | Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%. | yes |
| 14.8 | | Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information | yes |
| 14.8 | | Classification code: F1 | yes |
| 14.8 | | Danger label(s): 3 | yes |

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Acetic acid n-butyl ester ROTIPURAN® ≥99,5 %, p.a., ACS

article number: P036

| Section | Former entry (text/value) | Actual entry (text/value) | Safety-relevant |
|---------|--|--|-----------------|
| 14.8 | | Danger label(s): change in the listing (table) | yes |
| 14.8 | | Exempted quantities (EQ): E1 | yes |
| 14.8 | | Limited quantities (LQ): 5 L | yes |
| 14.8 | | Transport category (TC): 3 | yes |
| 14.8 | | Hazard identification No: 30 | yes |
| 15.1 | Restrictions according to REACH, Annex XVII | | yes |
| 15.1 | | Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table) | yes |
| 15.1 | List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: Not listed. | | yes |
| 15.1 | VOC content: 100 % , 881 g/l | VOC content: 100 % | yes |
| 15.1 | | VOC content: 881 g/l | yes |
| 15.1 | | National regulations(GB) | yes |
| 15.1 | | List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: not listed | yes |
| 15.1 | | Restrictions according to GB REACH, Annex 17 | yes |
| 15.1 | | Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table) | yes |
| 15.1 | | Other information: Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. | yes |
| 15.1 | | National inventories: change in the listing (table) | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|--------------|---|
| 2019/1831/EU | Commission Directive establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC |
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road) |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Acetic acid n-butyl ester ROTIPURAN® ≥99,5 %, p.a., ACS

article number: P036

| Abbr. | Descriptions of used abbreviations |
|-----------|---|
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) |
| ED | Endocrine disruptor |
| EH40/2005 | EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| GB CLP | The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended) |
| GB REACH | The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |
| IOELV | Indicative occupational exposure limit value |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| LEL | Lower explosion limit (LEL) |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| ppm | Parts per million |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) |
| STEL | Short-term exposure limit |
| TWA | Time-weighted average |

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Acetic acid n-butyl ester ROTIPURAN® ≥99,5 %, p.a., ACS

article number: **P036**

| Abbr. | Descriptions of used abbreviations |
|-------|--|
| UEL | Upper explosion limit (UEL) |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |
| WEL | Workplace exposure limit |

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|------------------------------------|
| H226 | Flammable liquid and vapour. |
| H336 | May cause drowsiness or dizziness. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.