

Dipropylene glycol monobutyl ether ≥98 %, for synthesis

article number: 20A5 date of compilation: 2023-03-02 Revision: 2024-03-01 Version: 2.0 en

Replaces version of: 2023-03-02

Version: (1)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 **Product identifier**

Identification of the substance Dipropylene glycol monobutyl ether ≥98 %, for

synthesis

Article number 20A5

Registration number (REACH) 01-2119451543-42-xxxx

EC number 249-951-5 CAS number 29911-28-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory and analytical use

Laboratory chemical

sicherheit@carlroth.de

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

> Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe

Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

sheet:

1.4 **Emergency telephone number**

e-mail (competent person):

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	+353 1 809 2166	https:// www.poisons.ie/

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

This substance does not meet the criteria for classification in accordance with Regulation No 1272/ 2008/EC.

Page 1 / 14 Ireland (en)



Dipropylene glycol monobutyl ether ≥98 %, for synthesis

article number: 20A5

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

not required

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Dipropylene glycol monobutyl ether

Molecular formula $C_{10}H_{22}O_3$ Molar mass $190.3 \, ^{9}I_{mol}$

REACH Reg. No 01-2119451543-42-xxxx

CAS No 29911-28-2 EC No 249-951-5

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

none

Ireland (en) Page 2 / 14



Dipropylene glycol monobutyl ether ≥98 %, for synthesis

article number: 20A5

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

No special measures are necessary.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Ireland (en) Page 3 / 14



Dipropylene glycol monobutyl ether ≥98 %, for synthesis

article number: 20A5

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

Human health values

Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	189 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	134 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects

Environmental values

Relevant PNECs and other threshold levels Threshold End-**Organism Environmental com-Exposure time** point level partment 0,519 mg/I **PNEC** aquatic organisms short-term (single instance) freshwater 0,052 mg/_I PNFC aquatic organisms marine water short-term (single instance) **PNEC** 100 mg/₁ sewage treatment plant aquatic organisms short-term (single instance) (STP) **PNEC** 2,96 mg/kg aquatic organisms freshwater sediment short-term (single instance) 0,296 mg/kg **PNEC** aquatic organisms marine sediment short-term (single instance)

Ireland (en) Page 4 / 14



Dipropylene glycol monobutyl ether ≥98 %, for synthesis

article number: 20A5

Relevant PNECs and other threshold levels

End- point	Threshold level	Organism	Environmental com- partment	Exposure time
PNEC	0,287 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

· breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

Ireland (en) Page 5 / 14



Dipropylene glycol monobutyl ether ≥98 %, for synthesis

article number: 20A5

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless Odour like ether

Melting point/freezing point <-75 °C at 1.013 hPa (ECHA) Boiling point or initial boiling point and boiling 230 °C at 1.013 hPa (ECHA)

range

this material is combustible, but will not ignite **Flammability**

readily

Lower and upper explosion limit 0,6 vol% (LEL) - 20,4 vol% (UEL) 100,4 °C at 1.013 hPa (ECHA) Flash point

194 °C at 1.013 mbar (ECHA) (auto-ignition temperature (liquids and gases)) Auto-ignition temperature

Decomposition temperature not relevant pH (value) not determined 4,85 mm²/_s at 25 °C Kinematic viscosity

Dynamic viscosity 4,35 mPa s at 25,5 °C

Solubility(ies)

42 ^g/_l at 25 °C Water solubility

Partition coefficient

Partition coefficient n-octanol/water (log value): 1,523 (pH value: 7, 25 °C) (ECHA)

0,04 hPa at 20 °C Vapour pressure

Density and/or relative density

Density $0.91 \, {\rm g}/{\rm cm}^3$ at 22,8 °C (ECHA)

Relative vapour density Information on this property is not available.

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

> Information with regard to physical hazard hazard classes acc. to GHS (physical hazards): not relevant classes:

Ireland (en) Page 6 / 14



Dipropylene glycol monobutyl ether ≥98 %, for synthesis

article number: 20A5

Other safety characteristics:

Surface tension $29,2^{\text{mN}}/_{\text{m}}$ (20 °C) (ECHA)

Temperature class (EU, acc. to ATEX)

Maximum permissible surface temperature on

the equipment: 135°C

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

If heated

Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

This substance does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	4.000 ^{mg} / _{kg}	rat		ECHA

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Ireland (en) Page 7 / 14



Dipropylene glycol monobutyl ether ≥98 %, for synthesis

article number: 20A5

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

Data are not available.

• If in eyes

causes slight to moderate irritation

If inhaled

Data are not available.

• If on skin

Frequently or prolonged contact with skin may cause dermal irritation

Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
LC50	841 ^{mg} / _l	fish	ECHA	96 h
EC50	>100 ^{mg} / _l	aquatic invertebrates	ECHA	48 h
ErC50	519 ^{mg} / _l	algae	ECHA	96 h

Ireland (en) Page 8 / 14



Dipropylene glycol monobutyl ether ≥98 %, for synthesis

article number: 20A5

Aquatic toxicity (chronic) Endpoint Value Species Source time EC50 >1.000 mg/_| microorganisms ECHA 30 min

12.2 Persistence and degradability

Theoretical Oxygen Demand: $2,354 \frac{mg}{mg}$ Theoretical Carbon Dioxide: $2,313 \frac{mg}{mg}$

Biodegradation

The substance is readily biodegradable.

Process of degradability		
Process	Degradation rate	Time
DOC removal	90 – 100 %	21 d

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	1,523 (pH value: 7, 25 °C) (ECHA)
, 5	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Ireland (en) Page 9 / 14



Dipropylene glycol monobutyl ether ≥98 %, for synthesis

article number: 20A5

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number not subject to transport regulations

14.2 UN proper shipping name not assigned

14.3 Transport hazard class(es) none

14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

not listed

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

Seveso Directive

2012/	2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes		
	not assigned				

Deco-Paint Directive

Ireland (en) Page 10 / 14



Dipropylene glycol monobutyl ether ≥98 %, for synthesis

article number: 20A5

VOC content	100 %
VOC content	910 ^g / _l

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content	0 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

not listed

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed

Ireland (en) Page 11 / 14



Dipropylene glycol monobutyl ether ≥98 %, for synthesis

article number: 20A5

Country	Inventory	Status
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS)

AIIC
CICR
CSCL-ENCS
DSL
ECSI
IECSC
INSQ
KECI CSCL-ENCS
DSL
Domestic Substances List (DSL)
ECSI
ECSI
ECSC
Inventory of Existing Chemical Substances Produced or Imported in China
INSQ
National Inventory of Chemical Substances
KECI
Korea Existing Chemicals Inventory
NCI
NATIONAL CHEMICAL Inventory
NZIOC
PICCS
PIID New Zealand Inventory of Chemicals
PICCS
PHIlippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.
REACH registered substances
TCSI
Taiwan Chemical Substances (PICCS)

Taiwan Chemical Substance Inventory Toxic Substance Control Act TCSI TSCA

15.2 Chemical safety assessment

According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1		National inventories: change in the listing (table)	yes
15.2	Chemical Safety Assessment: No Chemical Safety Assessment has been car- ried out for this substance.	Chemical safety assessment: According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

Ireland (en) Page 12 / 14



Dipropylene glycol monobutyl ether ≥98 %, for synthesis

article number: 20A5

Abbr.	Descriptions of used abbreviations	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)	
ED	Endocrine disruptor	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
IMDG	International Maritime Dangerous Goods Code	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
LEL	Lower explosion limit (LEL)	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)	
SVHC	Substance of Very High Concern	
UEL	Upper explosion limit (UEL)	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and very Bioaccumulative	

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Ireland (en) Page 13 / 14



Dipropylene glycol monobutyl ether ≥98 %, for synthesis

article number: 20A5

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Ireland (en) Page 14 / 14